

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

- · Product identifier
- Trade name: COE-RECT (Liquid)

• Relevant identified uses of the substance or mixture and uses advised against Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

· Information department: Regulatory Affairs

Emergency telephone number:

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 2	H225	Highly flammable liquid and vapor.
Acute Tox. 4	H302	Harmful if swallowed.
Acute Tox. 4	H312	Harmful in contact with skin.
Acute Tox. 4	H332	Harmful if inhaled.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2A	H319	Causes serious eye irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction.
STOT SE 3	H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.

· Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: COE-RECT (Liquid)

accelerant**

C ircus I want Dan you	(Contd. of page 1)
· Signal word Danger	
Hazard-determining components of labeling:	
methyl methacrylate (MMA)	
dibutyl phthalate	
ethyl alcohol	
accelerant** · Hazard statements	
Highly flammable liquid and vapor.	
Harmful if swallowed, in contact with skin or if inhaled.	
Causes skin irritation.	
Causes serious eye irritation.	
May cause an allergic skin reaction.	
May cause respiratory irritation. May cause drowsiness or dizziness.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Wear protective gloves / eye protection / face protection.	ith water (abover
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin w If in eyes: Rinse cautiously with water for several minutes. Remove contact len	
to do. Continue rinsing.	ises, il present and easy
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/internat	tional regulations.
Classification system:	5
NFPA ratings (scale 0 - 4)	
Health = 2 Fire = 3 Reactivity = 2 • HMIS-ratings (scale 0 - 4) HEALTH *2 Health = *2	
FIRE 3 Fire = 3	
REACTIVITY 2 Reactivity = 2	
Other hazards	
PRESUITS OF PBT and vPvB assessment PBT: Not applicable.	
vPvB: Not applicable.	
Composition/information on ingredients	
Chamical abaracterization, Nivtures	
 Chemical characterization: Mixtures Description: Mixture of the substances listed below with nonhazardous additior 	20
•	13.
Dangerous components:	
80-62-6 methyl methacrylate (MMA)	50-70%
84-74-2 dibutyl phthalate	25-50%
64-17-5 ethyl alcohol	1-5%
1 (Juli	

1-5%

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: COE-RECT (Liquid)

· Additional information:

(Contd. of page 2)

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

If symptoms persist consult doctor.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

Do not use mouth to mouth or mouth to nose resuscitation.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

• After eye contact: Protect unharmed eve.

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: Do not induce vomiting; immediately call for medical help. Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide and carbon dioxide
- · Advice for firefighters
- Protective equipment:
- Mouth respiratory protective device.

Wear self-contained respiratory protective device.

Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Remove persons from danger area.

(Contd. on page 4)

US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: COE-RECT (Liquid)

(Contd. of page 3 Avoid contact with the eyes and skin. Wear protective clothing. • Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. • Methods and material for containment and cleaning up: Ensure adequate ventilation.)
Absorb liquid components with liquid-binding material. Dispose of the collected material according to regulations. • Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
 Handling: Precautions for safe handling Observe instructions for use. Ensure good ventilation/exhaustion at the workplace. Do not inhale dust / smoke / mist. Prevent formation of aerosols. Avoid contact with the eyes and skin. Open and handle receptacle with care. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Do not spray on a naked flame or any incandescent material. 	
 Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in unopened original receptacles. Information about storage in one common storage facility: Store away from foodstuffs. Further information about storage conditions: Observe instructions for use / storage. Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Store in a cool place. Specific end use(s) No further relevant information available. 	
8 Exposure controls/personal protection • Additional information about design of technical systems: No further data; see item 7.	

(Contd. on page 5)

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: COE-RECT (Liquid)

	bl parameters
Comp	onents with limit values that require monitoring at the workplace:
80-62-	6 methyl methacrylate (MMA)
PEL	Long-term value: 410 mg/m ³ , 100 ppm
REL	Long-term value: 410 mg/m³, 100 ppm
TLV	Short-term value: 410 mg/m ³ , 100 ppm
	Long-term value: 205 mg/m³, 50 ppm (SEN) NIC-DSEN
84-74-	2 dibutyl phthalate
PEL	Long-term value: 5 mg/m ³
REL	Long-term value: 5 mg/m ³
TLV	Long-term value: 5 mg/m ³
64-17-	5 ethyl alcohol
PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m³, 1000 ppm
TLV	Short-term value: 1880 mg/m³, 1000 ppm
accele	rant**
	rant** Long-term value: 0.5 ppm
WEEL Additio	Long-term value: 0.5 ppm onal information: The lists that were valid during the creation were used as basis. ure controls
WEEL Addition Expose Person General The us Avoid of Wash I Keep a Immed Store p Breath Protect Material The se quality substa be che Penetr The ex	Long-term value: 0.5 ppm constant on a set of the set

· Information on basic physical and chemical properties

- General Information
 Appearance:
- - Form:

Liquid

(Contd. on page 6)

US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: COE-RECT (Liquid)

	(Contd. of page
Color:	Colorless
Odor:	Methacrylic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
Change in condition	
Melting point/Melting range: Boiling point/Boiling range:	Undetermined.
0. 0 0	78 °C (172 °F)
Flash point:	11 °C (52 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Heating may cause an explosion.
	Product is not explosive. However, formation of explosive air
	vapor mixtures are possible.
Explosion limits:	
Lower: Upper:	0.1 Vol % 12.5 Vol %
••	
Vapor pressure:	Not determined.
Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	3.9 %
VOC content:	67.6 %
Other information	No further relevant information available.

10 Stability and reactivity

· **Reactivity** Danger of polymerization.

· Chemical stability Stable at ambient temperature.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications. **Possibility of hazardous reactions**

Spontaneous polymerization can be caused in unstabilized product e.g. by ambient heat. Danger of receptacles bursting because of high vapor pressure if heated.

(Contd. on page 7)

US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: COE-RECT (Liquid)

(Contd. of page 6)

Exothermic polymerization.

- Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces. No smoking. • Incompatible materials:
- Reacts with peroxides and other radical forming substances.

Reacts with amines.

Reacts with heavy metals.

· Hazardous decomposition products: No dangerous decomposition products known.

- Acute tox		kicological effects	
	•	at are relevant for classification:	
84-74-2 d	ibutyl ph	thalate	
Oral	LD50	8000 mg/kg (rat (f+m))	
Dermal	LD50	20000 mg/kg (rabbit)	
accelerar	nt**		
Oral	LD50	1650 mg/kg (rat (f+m))	
Dermal	LD50	> 2000 mg/kg (rat (f+m))	
Inhalative	LC50/4 ł	n 254 mg/l (rat (f+m))	
Irritant Carcinog	enic cate	aorios	
-	ernationa	I Agency for Research on Cancer)	3
IARC (Int	ernationa ethacrylate	I Agency for Research on Cancer)	3
IARC (Internet internet intern	ernationa ethacrylate nol	I Agency for Research on Cancer)	
IARC (Internet internet intern	ernationa ethacrylate nol one (HQ)	I Agency for Research on Cancer)	1
IARC (Internet internet intern	ernationa ethacrylate nol one (HQ) ional Tox	al Agency for Research on Cancer) e (MMA)	1
IARC (Intermethyl methyl alcol hydroquin NTP (Nati	ernationa ethacrylate nol one (HQ) ional Tox ne ingredi	al Agency for Research on Cancer) e (MMA) cicology Program)	1
IARC (Intermethyl methyl alcol hydroquin NTP (Nati None of th OSHA-Ca None of th	ernationa ethacrylate nol one (HQ) ional Tox ne ingredi (Occupa ne ingredi	al Agency for Research on Cancer) e (MMA) icology Program) ents is listed.	1

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: COE-RECT (Liquid)

(Contd. of page 7)

stated in its monograph "Consumption of Alcoholic Beverages" the following evaluation: "Ethanol in alcoholic beverages is carcinogenic to humans (Group 1)." GC products are not consumable alcoholic beverages.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methyl methacrylate monome stabilized, Methanol)
ADR	1993 Flammable liquids, n.o.s. (Methyl methacrylat monomer, stabilized, Methanol), special provision 640D
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (METHY METHACRYLATE MONOMER, STABILIZED METHANOL)

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: COE-RECT (Liquid)

	(Contd. of page
Transport hazard class(es)	
DOT	
RAMABLE LOUD	
· Class	3 Flammable liquids
Label	3
ADR	
· Class · Label	3 (F1) Flammable liquids 3
	5
<u> </u>	
3	
Class	3 Flammable liquids
· Label	3
 Packing group DOT, ADR, IMDG, IATA 	Ш
• Environmental hazards:	Product contains environmentally hazardous substances
· Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
[·] Danger code (Kemler): [·] EMS Number:	33
	F-E, <u>S-E</u>
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
·IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 50 ml
	(Contd. on page

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: COE-RECT (Liquid)

(Contd. of page 9)

· UN "Model Regulation":

UN1993, Flammable liquids, n.o.s. (Methyl methacrylate monomer, stabilized, Methanol), special provision 640D, 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
 SARA (Superfund Amendments and Reauthorization Act)

 Section 355 (extremely hazardous substances): 	
None of the ingredient is listed.	
· Section 313 (Specific toxic chemical listings):	
methyl methacrylate (MMA)	
dibutyl phthalate	
· TSCA (Toxic Substances Control Act):	
methyl methacrylate (MMA)	
dibutyl phthalate	
ethyl alcohol	
accelerant**	
UV-light absorber**	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
methyl methacrylate (MMA)	E, NL
dibutyl phthalate	D
· TLV (Threshold Limit Value established by ACGIH)	
methyl methacrylate (MMA)	A4

methyl methacrylate (MMA) ethyl alcohol

hydroquinone (HQ)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

• **Hazard-determining components of labeling:** methyl methacrylate (MMA) dibutyl phthalate ethyl alcohol accelerant**

(Contd. on page 11)

A3

A3

US

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: COE-RECT (Liquid)

(Contd. of page 10)

· Hazard statements Highly flammable liquid and vapor. Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear protective gloves / eye protection / face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information**

Department issuing SDS: Regulatory Affairs
· Contact:
Regulatory Affairs
Telephone No. +1 (708) 597-0900
sds@gcamerica.com
• Date of preparation / last revision 04/20/2015 / -
· Abbreviations and acronyms:
GHS: Globally Harmonized System of Classification and Labelling of Chemicals HCS: Hazard Communication Standard (USA)
MSDS: Material Safety Data Sheet
SDS: Safety Data Sheet
ECHA: European Chemicals Agency
OSHA: Occupational Safety and Health Administration (USA)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the
International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids, Hazard Category 2
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
· Sources
(Contd. on page 12)
au

Printing date 04/20/2015

Version US-EN-Rev 1

Reviewed on 04/19/2015

Trade name: COE-RECT (Liquid)

(Contd. of page 11)

- Manufacturers' MSDSs/SDSs
- OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html)
- TOXNET (http://toxnet.nlm.nih.gov/)
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)

· Notes:

CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

• * Data compared to the previous version altered. This version replaces all previous versions.

· Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

US