

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/15/2019

Version CA-EN-Rev 1

Reviewed on 03/15/2019

1 Identification

- · Product identifier
- Trade name: G-ænial Flo X (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

· Relevant identified uses of the substance or mixture and uses advised against Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Dental filling material
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

· Information department: Regulatory Affairs

· Emergency telephone number:

During normal opening times (Monday–Friday 8:00 AM–5:00 PM Central Time): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard identification

· Classification of the substance or mixture

Respiratory Sensitizer - Category 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sensitizer - Category 1

H317 May cause an allergic skin reaction.

· Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: urethane dimethacrylate (UDMA) dimethacrylate component** colorant** resin**

(Contd. on page 2)

Printing date 03/15/2019

Version CA-EN-Rev 1

Reviewed on 03/15/2019

Trade name: G-ænial Flo X (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 1)

stabilizer**

UV-light absorber**

· Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

[In case of inadequate ventilation] wear respiratory protection.

If experiencing respiratory symptoms: Call a poison center/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 41637-38-1	ethoxylated bisphenol-A dimethacrylate (Bis-EMA)	10 - 30% w/w *
	silane**	5 - 10% w/w *
CAS: 72869-86-4	urethane dimethacrylate (UDMA)	3 - 7% w/w *
	dimethacrylate component**	1 - 5% w/w *
	colorant**	0.1 - 1% w/w *
	resin**	0.1 - 1% w/w *
	stabilizer**	0.1 - 1% w/w *
	UV-light absorber**	0.1 - 1% w/w *

* Actual concentration ranges are withheld as a trade secret.

• Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

After inhalation:

Supply fresh air; consult doctor in case of complaints. Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. • After skin contact: Immediately rinse with water.

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

- /

Printing date 03/15/2019

Version CA-EN-Rev 1

Reviewed on 03/15/2019

Trade name: G-ænial Flo X (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 2)

- · After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
 Avoid formation of dust.
 Avoid contact with the eyes and skin.
 Wear protective clothing.
 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Do not allow to penetrate the ground/soil.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
- Methods and material for containment and cleaning up:
 Ensure adequate ventilation.
 Allow to evaporate.
 Pick up mechanically.
 Prevent formation of dust.
 Dispose of the collected material according to regulations.
 Reference to other sections
 See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Observe instructions for use. Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of dust.

(Contd. on page 4)

Printing date 03/15/2019

Version CA-EN-Rev 1

Reviewed on 03/15/2019

Trade name: G-ænial Flo X (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 3)

Do not inhale dust / smoke / mist. Any deposit of dust which cannot be avoided must be regularly removed. Avoid contact with the eyes and skin.

- Information about protection against explosions and fires: Protect against electrostatic charges.
 Dust can combine with air to form an explosive mixture.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Observe instructions for use / storage.
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

colorant**

EL Short-term value: 10** mg/m³ Long-term value: 5* 10*** 3**** mg/m³ *dust & fume**fume; Rouge: ***total dust****resp.

EV Long-term value: 5* 10** mg/m³ *respirable, including Rouge;**total dust

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.



Suitable respiratory protective device recommended.

· Protection of hands:

See below

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

Printing date 03/15/2019

Version CA-EN-Rev 1

Reviewed on 03/15/2019

Trade name: G-ænial Flo X (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 4)



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

9 Physical and chemical properties

Information on basic physical and General Information	chemical properties
 Appearance: Form: Color: Odor: Odor threshold: 	Pasty According to product specification Odorless Not determined.
· pH-value:	Not applicable.
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	Undetermined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with Water: 	Insoluble.
	(Contd. on page 6)

Printing date 03/15/2019

Version CA-EN-Rev 1

Reviewed on 03/15/2019

Trade name: G-ænial Flo X (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

	(Contd. of pag
· Partition coefficient (n-octar	nol/water): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not applicable. Not applicable.
· Solvent content:	Not determined.
 Solids content: Other information 	100.0 % No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable at ambient temperature.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

stabilizer**

Oral LD50 530 mg/kg (mouse)

910 mg/kg (rat (f+m)) (OECD 401)

Primary irritant effect:

- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through inhalation. Sensitization possible through skin contact.
- Additional toxicological information:
- · Carcinogenic categories

 IARC (International Agency for Research on Cancer) 	
silicon dioxide, amorphous	3
titanium dioxide	2B
colorant**	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	

· Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet according to HPR, Schedule 1

Printing date 03/15/2019

Version CA-EN-Rev 1

Reviewed on 03/15/2019

Trade name: G-ænial Flo X (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

- **Repeated dose toxicity.** No further relevant information available.
- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) No further relevant information available.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- **Recommendation:** Dispose of contents / container in accordance with local / regional / national / international regulations.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

· UN-Number		
· DOT/TDG, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name		
· DOT/TDG, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
Class	Void	
· Packing group		
DOT/TDG, ADR, IMDG, IATA	Void	

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/15/2019

Version CA-EN-Rev 1

Reviewed on 03/15/2019

(Contd. on page 9)

CA

Trade name: G-ænial Flo X (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

		(Contd. of page 7)
 Environmental hazards: Marine pollutant: 	No	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	t II of Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

dimethacrylate component** silicon dioxide, amorphous

titanium dioxide colorant**

triiron tetraoxide

• Safety, health and environmental regulations/legislation specific for the substance or mixture • SARA (Superfund Amendments and Reauthorization Act)

 Section 355 (extremely hazardous substances): None of the ingredients is listed. Section 313 (Specific toxic chemical listings): None of the ingredients is listed. TSCA (Toxic Substances Control Act): glass, oxide, chemicals ethoxylated bisphenol-A dimethacrylate (Bis-EMA) silane**
Section 313 (Specific toxic chemical listings): None of the ingredients is listed. TSCA (Toxic Substances Control Act): glass, oxide, chemicals ethoxylated bisphenol-A dimethacrylate (Bis-EMA) silane** urethane dimethacrylate (UDMA) dimethacrylate component** titanium dioxide colorant**
None of the ingredients is listed. TSCA (Toxic Substances Control Act): glass, oxide, chemicals ethoxylated bisphenol-A dimethacrylate (Bis-EMA) silane** urethane dimethacrylate (UDMA) dimethacrylate component** titanium dioxide colorant**
TSCA (Toxic Substances Control Act): glass, oxide, chemicals ethoxylated bisphenol-A dimethacrylate (Bis-EMA) silane** urethane dimethacrylate (UDMA) dimethacrylate component** titanium dioxide colorant**
glass, oxide, chemicals ethoxylated bisphenol-A dimethacrylate (Bis-EMA) silane** urethane dimethacrylate (UDMA) dimethacrylate component** titanium dioxide colorant**
ethoxylated bisphenol-A dimethacrylate (Bis-EMA) silane** urethane dimethacrylate (UDMA) dimethacrylate component** titanium dioxide colorant**
silane** urethane dimethacrylate (UDMA) dimethacrylate component** titanium dioxide colorant**
urethane dimethacrylate (UDMA) dimethacrylate component** titanium dioxide colorant**
dimethacrylate component** titanium dioxide colorant**
titanium dioxide colorant**
colorant**
triiron tetraoxide
terephthalate component**
resin**
organic fluorophore**
synergist**
stabilizer**
UV-light absorber**
photoinitiator**
· Canadian substance listings:
· Canadian Domestic Substances List (DSL)
glass, oxide, chemicals
ethoxylated bisphenol-A dimethacrylate (Bis-EMA)
silane**

Printing date 03/15/2019

Version CA-EN-Rev 1

Reviewed on 03/15/2019

Trade name: G-ænial Flo X (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 8)

organic fluorophore**

- syneraist**
- stabilizer**

resin**

UV-light absorber**

photoinitiator**

photoinitiator**

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

silane*

dimethacrylate component**

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: urethane dimethacrylate (UDMA) dimethacrylate component** colorant**

resin** stabilizer**

UV-light absorber**

Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.

[In case of inadequate ventilation] wear respiratory protection.

If experiencing respiratory symptoms: Call a poison center/doctor.

- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

- · Department issuing SDS: Regulatory Affairs
- · Contact:

Regulatory Affairs Telephone No. +1 (708) 597-0900 sds@gcamerica.com

· Date of the latest revision of the safety data sheet 03/15/2019 / -

(Contd. on page 10)

CA

CA

Safety Data Sheet according to HPR, Schedule 1

Printing date 03/15/2019

Version CA-EN-Rev 1

Reviewed on 03/15/2019

Trade name: G-ænial Flo X (Shades: A1, A2, A3, A3.5, A4, AO2, AO3, and CV)

(Contd. of page 9)
· Abbreviations and acronyms:
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
HCS: Hazard Communication Standard (USA)
MSDS: Material Safety Data Sheet
SDS: Safety Data Sheet
ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures
(European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)
ECHA: European Chemicals Agency
OSHA: Occupational Safety and Health Administration (USA)
LEL: Lower Explosive Limit
UEL: Upper Explosive Limit
IMDG: International Maritime Code for Dangerous Goods
0
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Sources
Manufacturers' MSDSs/SDSs
 OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html)
TOXNET (http://toxnet.nlm.nih.gov/)
U
• ECHA (http://echa.europa.eu/)
EnviChem (www.echemportal.org)
Notes:
CAS Registry Number is a Registered Trademark of the American Chemical Society.
CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.
· Disclaimer:
The information contained herein is believed to be true and accurate. However, all statements,
recommendations or suggestions are made without any guarantee, representation or warranty, express
or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in
this document is acquire or complete, and we accordingly evaluate all lightlity in connection with the use

or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.