

Printing date 07/20/2016

Version US-EN-Rev 1

Reviewed on 07/20/2016

- **1** Identification
- · Product identifier
- Trade name: G-CEM LinkForce Paste B (Shades: A2, Translucent, Opaque, Bleach)
- · Application of the substance / the mixture Auxiliary for dental technology
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- Emergency telephone number: During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

### 2 Hazard(s) identification

#### · Classification of the substance or mixture

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin Sens. 1 H317 May cause an allergic skin reaction.

#### • Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labeling: urethane dimethacrylate (UDMA) dimethacrylate component\*\* dibenzoyl peroxide initiator\*\*
   Hazard statements May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- May cause an allergic skin reaction.
- **Precautionary statements** Contaminated work clothing must not be allowed out of the workplace.

(Contd. on page 2)

US

Printing date 07/20/2016

Version US-EN-Rev 1

Reviewed on 07/20/2016

Trade name: G-CEM LinkForce Paste B (Shades: A2, Translucent, Opaque, Bleach)

[In case of inadequate ventilation] wear respiratory protection. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. If experiencing respiratory symptoms: Call a POISON CENTER/doct Dispose of contents/container in accordance with local/regional/natio • Classification system: • NFPA ratings (scale 0 - 4)	
Health = 0 Fire = 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTHImage: 0FIREImage: 0REACTIVITYImage: 0ReactivityImage: 0	
<ul> <li>Other hazards</li> <li>Results of PBT and vPvB assessment</li> <li>PBT: Not applicable.</li> <li>vPvB: Not applicable.</li> </ul>	

### **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
72869-86-4	urethane dimethacrylate (UDMA)	20-25%
41637-38-1	ethoxylated bisphenol-A dimethacrylate (Bis-EMA)	5-10%
	dimethacrylate component**	5-10%
94-36-0	dibenzoyl peroxide	< 1%
	initiator**	< 0.5%
128-37-0	butylated hydroxytoluene (BHT)	< 0.5%

#### Additional information:

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

## 4 First-aid measures

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

#### • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

US

Printing date 07/20/2016

### Version US-EN-Rev 1

Reviewed on 07/20/2016

### Trade name: G-CEM LinkForce Paste B (Shades: A2, Translucent, Opaque, Bleach)

(Contd. of page 2)

Seek medical treatment.

 After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
   Environmental precautions: Do not allow product to reach sewage system or any water course.
- Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. • Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

- Dispose of the collected material according to regulations. Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Observe instructions for use. Ensure good ventilation/exhaustion at the workplace. Do not inhale dust / smoke / mist.

(Contd. on page 4)

Printing date 07/20/2016

Version US-EN-Rev 1

Reviewed on 07/20/2016

Trade name: G-CEM LinkForce Paste B (Shades: A2, Translucent, Opaque, Bleach)

(Contd. of page 3)

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- $^{\rm \cdot}$  Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Observe instructions for use / storage.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

- Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands: Protective gloves
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Information on basic physic General Information	cal and chemical properties	
Appearance:		
Form:	Paste	
Color:	Various colors	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	

Printing date 07/20/2016

Version US-EN-Rev 1

Reviewed on 07/20/2016

### Trade name: G-CEM LinkForce Paste B (Shades: A2, Translucent, Opaque, Bleach)

	(Contd. of page 4
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	Undetermined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.
· Vapor pressure:	Not determined.
Density: Relative density Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Insoluble.
· Partition coefficient (n-octanol/wat	er): Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined. Not determined.
<ul> <li>Solvent content: Organic solvents:</li> </ul>	0.0 %
Solids content: • Other information	88.8 % No further relevant information available.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable at ambient temperature.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 07/20/2016

### Version US-EN-Rev 1

Reviewed on 07/20/2016

### Trade name: G-CEM LinkForce Paste B (Shades: A2, Translucent, Opaque, Bleach)

(Contd. of page 5)

3

3

### 11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- · LD/LC50 values that are relevant for classification: No further relevant information available.
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through inhalation. Sensitization possible through skin contact.
- Additional toxicological information:
- · Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

dibenzoyl peroxide

butylated hydroxytoluene (BHT)

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Carcinogenic categories' legend:
- IARC Group 1: The agent is carcinogenic to humans.
- IARC Group 2A: The agent is probably carcinogenic to humans.
- IARC Group 2B: The agent is possibly carcinogenic to humans.
- IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.
- IARC Group 4: The agent is probably not carcinogenic to humans.
- NTP K: Known to be human carcinogen.
- NTP R: Reasonably anticipated to be human carcinogen.
- · Repeated dose toxicity. No further relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) No further relevant information available.
- No further relevant information available.

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

Printing date 07/20/2016

Version US-EN-Rev 1

Reviewed on 07/20/2016

(Contd. of page 6)

Trade name: G-CEM LinkForce Paste B (Shades: A2, Translucent, Opaque, Bleach)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Void	
Packing group DOT, ADR, IMDG, IATA	Void	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	k II of Not applicable.	
UN "Model Regulation":	Void	

### 15 Regulatory information

 $^{\cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  SARA (Superfund Amendments and Reauthorization Act)

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

dibenzoyl peroxide

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 8)

US

Printing date 07/20/2016

Version US-EN-Rev 1

Reviewed on 07/20/2016

Trade name: G-CEM LinkForce Paste B (Shades: A2, Translucent, Opaque, Bleach)

TLV (Threshold Limit Value established by ACGIH)	
dibenzoyl peroxide butylated hydroxytoluene (BHT)	A4
	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed. GHS label elements	
The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms	
GHS08	
· Signal word Danger	
· Hazard-determining components of labeling: urethane dimethacrylate (UDMA)	
dimethacrylate component** dibenzoyl peroxide initiator**	
Hazard statements May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.  Precautionary statements	
Contaminated work clothing must not be allowed out of the workplace. [In case of inadequate ventilation] wear respiratory protection. Avoid breathing dust/fume/gas/mist/vapors/spray	
Wear protective gloves.	
If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Dispose of contents/container in accordance with local/regional/national/international regulati Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	ons.
Other information	
Department issuing SDS: Regulatory Affairs	
Contact: Regulatory Affairs	
Telephone No. +1 (708) 597-0900	
sds@gcamerica.com	
Date of preparation / last revision 07/20/2016 / -	
<ul> <li>Abbreviations and acronyms:</li> <li>GHS: Globally Harmonized System of Classification and Labelling of Chemicals</li> </ul>	
HCS: Hazard Communication Standard (USA)	
MSDS: Material Safety Data Sheet SDS: Safety Data Sheet	
ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigatie (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways) ECHA: European Chemicals Agency	on intérieur
OSHA: Occupational Safety and Health Administration (USA) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement co International Carriage of Dangerous Goods by Road)	oncerning tl
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation	

Printing date 07/20/2016

Version US-EN-Rev 1

Reviewed on 07/20/2016

#### Trade name: G-CEM LinkForce Paste B (Shades: A2, Translucent, Opaque, Bleach)

ACGIH: Ameri CAS: Chemica NFPA: Nation HMIS: Hazard LC50: Lethal o D50: Lethal o PBT: Persiste vPvB: very Pe NIOSH: Nation OSHA: Occup TLV: Threshol PEL: Permissi REL: Recomm BEI: Biologica Resp. Sens. 1 Skin Sens. 1: Sources • Manufactu • OSHA (htt • TOXNET • ECHA (htt • EnviChem Notes: CAS Regist	<pre>ble Exposure Limit hended Exposure Limit I Exposure Limit : Sensitisation - Respirat., Hazard Category 1 Sensitisation - Skin, Hazard Category 1 urers' MSDSs/SDSs tps://www.osha.gov/dts/chemicalsampling/toc/chmcas.html) (http://toxnet.nlm.nih.gov/) tp://echa.europa.eu/) n (www.echemportal.org) try Number is a Registered Trademark of the American Chemical Society.</pre>	(Contd. of page 8)
	C® is a registered service mark of the American Chemistry Council, Inc.	
· * Data com	pared to the previous version altered. This version replaces all previous v	ersions.
· Disclaimer		
	nation contained herein is believed to be true and accurate. However, dations or suggestions are made without any guarantee, representation or wa	arranty, express

recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

US