

Printing date 02/13/2021 Version CA-EN-Rev 1 Reviewed on 02/13/2021

1 Identification

- · Product identifier
- · Trade name: G-CEM ONE™ (Paste A, Shades: A2, AO3, BO1, Translucent, and White opaque)
- Relevant identified uses of the substance or mixture and uses advised against

Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Dental cement
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

SDS.gcamerica@gc.dental

- · Information department: Regulatory Affairs
- **Emergency telephone number:**

During normal opening times (Monday–Friday 8:00 AM–5:00 PM Central Time): +1 (708) 597-0900

Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard identification

· Classification of the substance or mixture

Skin Irritation - Category 2 H315 Causes skin irritation.

Eye Irritation - Category 2A H319 Causes serious eye irritation.

Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

Reproductive Toxicity - Category 1B H360 May damage fertility or the unborn child.

· Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

Avoid use of this product in patients with known allergies to methacrylate monomer or methacrylate polymer.

- · Label elements
- GHS label elements

Exempt from classification and labeling – devices and drugs are not regulated according to WHMIS 2015.

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





Printing date 02/13/2021 Version CA-EN-Rev 1 Reviewed on 02/13/2021

Trade name: G-CEM ONE™ (Paste A, Shades: A2, AO3, BO1, Translucent, and White opaque)

(Contd. of page 1)

· Signal word Danger

· Hazard-determining components of labeling:

urethane dimethacrylate (UDMA) synergist**

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

20.4 % of the mixture consists of an ingredient or ingredients of unknown acute toxicity.

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous comp	oonents:	
	dimethacrylate**	10 – 30% w/w
CAS: 72869-86-4	urethane dimethacrylate (UDMA)	10 – 30% w/w
	silane**	0.5 – 1.5% w/w
CAS: 13463-67-7	titanium dioxide	0.1 – 1% w/w
	monomer**	0.1 – 1% w/w
	synergist**	0.1 – 1% w/w
	photoinitiator**	0.1 – 1% w/w
	stabilizer**	0.1 – 1% w/w
	initiator**	0.1 – 1% w/w

Additional information:

Concentrations of dangerous components are expressed in percent by weight (% w/w).

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 02/13/2021 Version CA-EN-Rev 1 Reviewed on 02/13/2021

Trade name: G-CEM ONE™ (Paste A, Shades: A2, AO3, BO1, Translucent, and White opaque)

(Contd. of page 2)

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NOx)

Carbon dioxide

- · Advice for firefighters
- · **Protective equipment:** Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Dispose of the collected material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

CA

Printing date 02/13/2021 Version CA-EN-Rev 1 Reviewed on 02/13/2021

Trade name: G-CEM ONE™ (Paste A, Shades: A2, AO3, BO1, Translucent, and White opaque)

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Observe instructions for use.

Avoid contact with the eyes and skin.

- Information about protection against explosions and fires: Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Observe instructions for use / storage.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

· Breathing equipment:



Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Version CA-EN-Rev 1 Reviewed on 02/13/2021 Printing date 02/13/2021

Trade name: G-CEM ONE™ (Paste A, Shades: A2, AO3, BO1, Translucent, and White opaque)

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

9 Physical and chemical properties

Information of	n hasic	nhysical a	nd chemical	nroperties
IIIIOIIIIalioii (nı basıc	DIIVSICAI A	iiu ciieiiiicai	DIODELLES

· General Information

· Appearance:

· Flash point:

Form:

Color: According to product specification

Pasty

Not determined.

· Odor: Characteristic · Odor threshold: Not determined.

Not determined. · pH-value:

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 283 °C > 100 °C

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: Undetermined.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not self-igniting.

· Danger of explosion: Not determined.

· Explosion limits:

· Evaporation rate

Lower: Not determined. Upper: Not determined.

· Vapor pressure: Not determined.

· Density: Not determined. Relative density Not determined. · Vapor density Not determined.

· Solubility in / Miscibility with

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Not determined. Dynamic: Kinematic: Not determined.

(Contd. on page 6)

Printing date 02/13/2021 Version CA-EN-Rev 1 Reviewed on 02/13/2021

Trade name: G-CEM ONE™ (Paste A, Shades: A2, AO3, BO1, Translucent, and White opaque)

		(Contd. of page
· Solvent content:		
Solids content:	69.6 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable at ambient temperature.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Carbon dioxide

Carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
stabilizer**		
Oral	LD50	530 mg/kg (mouse)
		910 mg/kg (rat male) (OECD 401)
Dermal	LD50	50 mg/kg (rabbit) (OECD 402)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · **Sensitization:** Sensitization possible through skin contact.
- · Symptoms related to the physical, chemical and toxicological characteristics: Allergic reactions
- · Subacute to chronic toxicity: No further relevant information available.
- · Numerical measures of toxicity:

ATEmix (Oral) is 17 689 mg/kg bodyweight.

ATEmix (Dermal) is 26 383 mg/kg bodyweight.

ATEmix is the acute toxicity estimate of the mixture.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
titanium dioxide	2B
colorant**	3
	(Contd on nogo 7)

(Contd. on page 7)

Printing date 02/13/2021 Version CA-EN-Rev 1 Reviewed on 02/13/2021

Trade name: G-CEM ONE™ (Paste A, Shades: A2, AO3, BO1, Translucent, and White opaque)

(Contd. of page 6)

· NTP (National Toxicology Program)

None of the ingredients is listed.

Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

- Additional carcinogenic information:
- · Repeated dose toxicity. No further relevant information available.
- · CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Reproductive Toxicity - Category 1B

- · Germ cell mutagenicity No further relevant information available.
- · Carcinogenicity No further relevant information available.
- · Reproductive toxicity No further relevant information available.
- · Specific target organ toxicity single exposure No further relevant information available.
- Specific target organ toxicity repeated exposure No further relevant information available.
- · Aspiration hazard No further relevant information available.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German regulation, AwSV) (Self-assessment): slightly hazardous to water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Dispose of contents / container in accordance with local / regional / national / international regulations.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

CA

Printing date 02/13/2021 Version CA-EN-Rev 1 Reviewed on 02/13/2021

Trade name: G-CEM ONE™ (Paste A, Shades: A2, AO3, BO1, Translucent, and White opaque)

(Contd. of page 7)

UN-Number	Not so gulpto d
DOT/TDG, ADR, IMDG, IATA	Not regulated.
UN proper shipping name	
DOT/TDG, ADR, IMDG, IATA	Not regulated.
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
Class	Not regulated.
Packing group	
DOT/TDG, ADR, IMDG, IATA	Not regulated.
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex	Il of
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Not regulated.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Canadian substance listings:

Canadian Domestic Substances List (DSL)
glass, oxide, chemicals
surface-treated silica**
silane**
titanium dioxide
photoinitiator**
synergist**
photoinitiator**
stabilizer**
colorant**
iron hydroxide oxide

· Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

	· Canadian Ingredient Disclosure list (limit 0.1%)
	None of the ingredients is listed.
ſ	· Canadian Ingredient Disclosure list (limit 1%)
ĺ	silane**
Ī	colorant**

(Contd. on page 9)

Printing date 02/13/2021 Version CA-EN-Rev 1 Reviewed on 02/13/2021

Trade name: G-CEM ONE™ (Paste A, Shades: A2, AO3, BO1, Translucent, and White opaque)

(Contd. of page 8)

· GHS label elements

Exempt from classification and labeling – devices and drugs are not regulated according to WHMIS 2015

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





· Signal word Danger

Hazard-determining components of labeling:

urethane dimethacrylate (UDMA) synergist**

· Hazard statements

Causes skin irritation.

Causes serious eve irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

- · Department issuing SDS: Regulatory Affairs
- Contact:

Regulatory Affairs

Telephone No. +1 (708) 597-0900

SDS.gcamerica@gc.dental

Date of the latest revision of the safety data sheet 02/13/2021 / -

· Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HCS: Hazard Communication Standard (USA)

MSDS: Material Safety Data Sheet

SDS: Safety Data Sheet

ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)

ECHA: European Chemicals Agency

OSHA: Occupational Safety and Health Administration (USA)

TDG: Transportation of Dangerous Goods (Canada)

LEL: Lower Explosive Limit
UEL: Upper Explosive Limit

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances that are hazardous to water) (Germany)

NOEC: No Observed Effect Concentration

ADR: Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

OECD: Organization for Economic Cooperation and Development

(Contd. on page 10)

Printing date 02/13/2021 Version CA-EN-Rev 1 Reviewed on 02/13/2021

Trade name: G-CEM ONE™ (Paste A, Shades: A2, AO3, BO1, Translucent, and White opaque)

(Contd. of page 9)

IMDG Code: International Maritime Dangerous Goods Code

DOT: Department of Transportation (USA) IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

· Sources

- Manufacturers' MSDSs/SDSs
- OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html)
- PubChem (https://pubchem.ncbi.nlm.nih.gov/)
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)

· Notes

CAS Registry Number® is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

· Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.