

Page 1/10

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

- **1** Identification
- · Product identifier
- Trade name: GC Fujivest II (Liquid, Expansion: Low)
- · Application of the substance / the mixture Auxiliary for manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- · Emergency telephone number: During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard identification

· Classification of the substance or mixture

Skin Irritation - Category 2 H315 Causes skin irritation. Eye Irritation - Category 2A H319 Causes serious eye irritation. Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labeling: reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)
- Hazard statements

Causes skin irritation. Causes serious eve irritation. May cause an allergic skin reaction.

(Contd. on page 2)

CA

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GC Fujivest II (Liquid, Expansion: Low)

(Contd. of page 1)

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

• NFPA ratings (scale 0 - 4)

Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH	2	Health = 2
	_	Fire = 0
REACTIVITY	0	Reactivity = 0

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 1310-73-2	sodium hydroxide	≤ 1% w/w
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	≤ 1% w/w

· Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First aid measures

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.
- After inhalation: Supply fresh air; consult doctor in case of complaints. In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

(Contd. on page 3)

CA

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GC Fujivest II (Liquid, Expansion: Low)

(Contd. of page 2)

• After eye contact: Protect unharmed eye. Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.
- Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. Dispose of the collected material according to regulations.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Observe instructions for use.
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Avoid contact with the eyes and skin.

(Contd. on page 4)

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GC Fujivest II (Liquid, Expansion: Low)

(Contd. of page 3) • Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Observe instructions for use / storage. Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see item 7.

- Control parameters
- Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Do not inhale gases / fumes / aerosols.

• Breathing equipment:



Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

CA -

(Contd. of page 4)

Safety Data Sheet according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GC Fujivest II (Liquid, Expansion: Low)

· Eye protection: Safety glasses

9 Physical and chemical prope	erties			
 Information on basic physical and chemical properties General Information 				
· Appearance:				
Form: Color:	Fluid According to product specification			
· Odor:	Characteristic			
· Odor threshold:	Not determined.			
· pH-value at 20 °C:	9.5			
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 100 ℃			
· Flash point:	Not applicable.			
 Flammability (solid, gaseous): 	Not applicable.			
· Ignition temperature:	Undetermined.			
· Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not self-igniting.			
 Danger of explosion: 	Product does not present an explosion hazard.			
 Explosion limits: Lower: 	Not determined.			
Upper:	Not determined.			
· Vapor pressure:	Not determined.			
· Density at 20 °C:	1.186 g/cm ³			
Relative density	Not determined.			
 Vapor density Evaporation rate 	Not determined. Not determined.			
· Solubility in / Miscibility with	Not determined.			
Water:	Fully miscible.			
· Partition coefficient (n-octanol/wat	er): Not determined.			
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.			
· Solvent content:				
Water:	72.0 %			
· Other information	No further relevant information available.			

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)

CA

(Contd. of page 5)

Safety Data Sheet according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GC Fujivest II (Liquid, Expansion: Low)

· Chemical stability Stable at ambient temperature.

- **Thermal decomposition** / **conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No further relevant information available.
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Irritant
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

silicon dioxide

· NTP (National Toxicology Program)

None of the ingredients is listed.

- · Carcinogenic categories' legend:
- IARC Group 1: The agent is carcinogenic to humans.
- IARC Group 2A: The agent is probably carcinogenic to humans.
- IARC Group 2B: The agent is possibly carcinogenic to humans.
- IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.
- IARC Group 4: The agent is probably not carcinogenic to humans.
- NTP K: Known to be human carcinogen.
- NTP R: Reasonably anticipated to be human carcinogen.
- · Repeated dose toxicity. No further relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) No further relevant information available.

No further relevant information available.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 7)

3

CA

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GC Fujivest II (Liquid, Expansion: Low)

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

• Results of PBT and vPvB assessment

· PBT: Not applicable.

- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of contents / container in accordance with local / regional / national / international regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN proper shipping name Sodium hydroxide solution mixture · DOT 1824 Sodium hydroxide solution mixture · IMDG, IATA SODIUM HYDROXIDE SOLUTION mixture · Transport hazard class(es) ODT · DOT Sodium hydroxide solution mixture · Class 8 Corrosive substances · Label 8 · TDG (Transport dangerous goods): 8 (C5) Corrosive substances · Class 8 (C5) Corrosive substances · Label 8 (C5) Corrosive substances	 · UN-Number · DOT, TDG, IMDG, IATA 	UN1824
 DOT Class Class TDG (Transport dangerous goods): Class 8 (C5) Corrosive substances 	· DOT · TDG	1824 Sodium hydroxide solution mixture
 Class Class Label TDG (Transport dangerous goods): Class Class 8 (C5) Corrosive substances 	· Transport hazard class(es)	
 Class Label TDG (Transport dangerous goods): Class 8 (C5) Corrosive substances 	· DOT	
 Label 8 TDG (Transport dangerous goods): Class 8 (C5) Corrosive substances 	8	8 Corrosive substances
• Class 8 (C5) Corrosive substances	· Label	
	 TDG (Transport dangerous goods): 	
	· Class	8 (C5) Corrosive substances
	· Label	

(Contd. of page 6)

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GC Fujivest II (Liquid, Expansion: Low)

	(Contd. of page
· IMDG, IATA	
· Class · Label	8 Corrosive substances 8
 Packing group DOT, TDG, IMDG, IATA 	111
 Environmental hazards: Marine pollutant: 	No
 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Segregation Code 	Warning: Corrosive substances 80 F-A,S-B Alkalis A SG35 Stow "separated from" acids.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	Il of Not applicable.
· Transport/Additional information:	
 TDG Excepted quantities (EQ) 	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1824 SODIUM HYDROXIDE SOLUTION MIXTURE 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture • SARA (Superfund Amendments and Reauthorization Act)

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 9)

CA

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GC Fujivest II (Liquid, Expansion: Low)

(Contd. of page 8)

CA

(Contd. of page 8)
· Canadian substance listings:
Canadian Domestic Substances List (DSL)
All ingredients are listed.
Canadian Ingredient Disclosure list (limit 0.1%)
None of the ingredients is listed.
· Canadian Ingredient Disclosure list (limit 1%)
silicon dioxide
 GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms
GHS07
· Signal word Warning
 Hazard-determining components of labeling: reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Precautionary statements Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
 16 Other information Department issuing SDS: Regulatory Affairs Contact: Regulatory Affairs Telephone No. +1 (708) 597-0900 sds@gcamerica.com Date of preparation / last revision 03/13/2018 / - Abbreviations and acronyms: GHS: Globally Harmonized System of Classification and Labelling of Chemicals HCS: Hazard Communication Standard (USA) MSDS: Material Safety Data Sheet SDS: Safety Data Sheet ECHA: European Chemicals Agency OSHA: Occupational Safety and Health Administration (USA)
(Contd. on page 10)

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GC Fujivest II (Liquid, Expansion: Low)

(Contd. of page 9) LEL: Lower Explosive Limit UEL: Upper Explosive Limit IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Sources Manufacturers' MSDSs/SDSs OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html) TOXNET (http://toxnet.nlm.nih.gov/) ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) · Notes: CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc. • * Data compared to the previous version altered. This version replaces all previous versions. · Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt,

he information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.