

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

- · Product identifier
- · Trade name: GRADIA DIE-HARDNER
- · Application of the substance / the mixture Auxiliary for manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- Emergency telephone number: During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard identification

· Classification of the substance or mixture		
Flammable Liquids - Category 2	H225	Highly flammable liquid and vapour.
Acute Toxicity (Dermal) – Category 4	H312	Harmful in contact with skin.
Skin Irritation - Category 2	H315	Causes skin irritation.
Eye Irritation - Category 2B	H320	Causes eye irritation.
Specific Target Organ Toxicity - Single Exposure - Category 3	H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.
Specific Target Organ Toxicity - Repeated Exposure - Category 1	H372	Causes damage to organs through prolonged or repeated exposure.

· Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

· Label elements

· GHS label elements

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

(Contd. on page 2)

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GRADIA DIE-HARDNER

· Hazard-det		(Contd. of page 1
	ermining componen	its of labeling:
ethyl alcoho		
Hazard sta		
	mable liquid and vapo	ur.
	contact with skin.	
	n and eye irritation.	May cause drowsiness or dizziness.
		gh prolonged or repeated exposure.
	ary statements	
Keep away Do not brea	from heat, hot surface the dust/fume/gas/mi	
		e clothing/eye protection/face protection.
IF IN EYES easy to do. Store locke	: Rinse cautiously wi Continue rinsing. d up.	imediately all contaminated clothing. Rinse skin with water [or shower]. ith water for several minutes. Remove contact lenses, if present and accordance with local/regional/national/international regulations.
	information:	
		n ingredient or ingredients of unknown acute toxicity.
Classificat	ion system:	с с <i>,</i>
	gs (scale 0 - 4)	
	Health = 1	
3	Fire = 3	
	Reactivity = 0	
HMIS-ratin	gs (scale 0 - 4)	
HEALTH FIRE	Health = 1	

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 64-17-5 ethyl alcohol

60 - 100% w/w

Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

(Contd. on page 3)

CA

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GRADIA DIE-HARDNER

(Contd. of page 2) · After inhalation: Supply fresh air; consult doctor in case of complaints. In case of unconsciousness place patient stably in side position for transportation. · After skin contact: Immediately wash with water and soap and rinse thoroughly. Rinse with warm water. If symptoms persist consult doctor. · After eye contact: Protect unharmed eye. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor. Information for doctor: · Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. **5** Firefighting measures

er nongrung medea

- Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures 	
Remove persons from danger area.	
Keep away from ignition sources	
Avoid contact with the eyes and skin.	
Wear protective clothing.	
· Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system.	
Do not allow to penetrate the ground/soil.	
In case of seepage into the ground inform responsible authorities.	
Methods and material for containment and cleaning up:	
Ensure adequate ventilation.	
Absorb liquid components with liquid-binding material.	
Dispose of the collected material according to regulations.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
	(Contd. on page 4)

------ CA

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GRADIA DIE-HARDNER

See Section 13 for disposal information.

(Contd. of page 3)

7 Handling and storage

· Handling:

Precautions for safe handling

Observe instructions for use.

Avoid contact with the eyes and skin.

Use caution when opening. The product is a highly flammable liquid and vapor; keep away from heat, hot surfaces, sparks, flames and other ignitions sources. Use with adequate ventilation. Do not ingest or breathe vapor. Personal Protective Equipment (PPE) such as gloves and safety eyewear are always to be worn. Check bottle with liquid before using. Make sure that upon removal of cap, the bottle opening has no obstructions. Some bottles may contain an insert (as a seal). The insert must be in the cap and not obstructing opening.

In case of contact, flush eyes with water for at least 15 minutes. Get prompt medical attention. If overcome by vapor, move to fresh air. If breathing is difficult, administer oxygen and seek medical attention. If swallowed, dilute by giving water to drink and seek medical attention. In case of contact with skin wash thoroughly with soap and water. Store securely. Store in a well ventilated place. Keep cool. Dispose of all waste according to local regulations.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Do not spray on a naked flame or any incandescent material.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
 Observe instructions for use / storage.
 Keep receptacle tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.
 Protect from heat and direct sunlight.

Store in a cool place.

• Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see item 7.

Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 64-17-5 ethyl alcohol

- EL Short-term value: 1000 ppm
- EV Long-term value: 1,900 mg/m³, 1,000 ppm

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GRADIA DIE-HARDNER

(Contd. of page 4)

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated clothing.
- · Breathing equipment:



Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Manufacturing sites: Wear safety glasses with side shields (or goggles). Distribution, Workplace, and Household Settings: No special protective equipment required

Information on basic physical and General Information Appearance:	chemical properties	
Form:	Liquid	
Color:	Clear	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	
Flash point:	13 ℃	
Flammability (solid, gaseous):	Not applicable.	

- CA

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GRADIA DIE-HARDNER

	(Contd. of page 5
· Ignition temperature:	Undetermined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air, vapor mixtures are possible.
· Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
· Vapor pressure:	Not determined.
· Density:	Not determined.
 Relative density 	Not determined.
 Vapor density 	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Insoluble.
· Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	76.0 %
 Other information 	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable at ambient temperature.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No further relevant information available.
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 7)

CA

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GRADIA DIE-HARDNER

	(Contd. of page 6)
 Experience with humans: May cause damage to central nervous system. May cause damage to lungs. 	
 Additional toxicological information: The product shows the following dangers accor preparations: Irritant Carcinogenic categories 	ding to internally approved calculation methods for
· IARC (International Agency for Research on Ca	incer)
ethyl alcohol	1
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
alcoholic beverage consumption. IARC Volume 10 stated in its monograph "Consumption of Alcoho	nic to humans. ic to humans. ts carcinogenicity to humans. enic to humans. inogen. nol, is listed by IARC as a Group 1 carcinogen but in 00E (2012) "Personal Habits and Indoor Combustions" plic Beverages" the following evaluation: "Ethanol in Group 1)." GC products are not consumable alcoholic mation available.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

CA

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GRADIA DIE-HARDNER

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

- **Recommendation:** Dispose of contents / container in accordance with local / regional / national / international regulations.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, TDG, IMDG, IATA	UN1170	
 · UN proper shipping name · DOT · TDG · IMDG, IATA 	Ethanol solution 1170 Ethanol solution ETHANOL SOLUTION solution	
· Transport hazard class(es)		
· DOT		
 Class Label TDG (Transport dangerous goods): 	3 Flammable liquids 3	
· Class · Label	3 (F1) Flammable liquids 3	
· IMDG, IATA		
[·] Class [·] Label	3 Flammable liquids 3	
 Packing group DOT, TDG, IMDG, IATA 	11	
 Environmental hazards: Marine pollutant: 	No	
 Special precautions for user Danger code (Kemler): EMS Number: 	Warning: Flammable liquids 33 F-E,S-D	
	(Contd. on	page

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GRADIA DIE-HARDNER

	(Contd. of page 8
 Stowage Category 	Α
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
 TDG Excepted quantities (EQ) 	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION, 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot SARA (Superfund Amendments and Reauthorization Act)

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

ethyl alcohol

polymethylphenysiloxane

· Canadian substance listings:

- · Canadian Domestic Substances List (DSL)
- ethyl alcohol

polymethylphenysiloxane

· Canadian Ingredient Disclosure list (limit 0.1%)

ethyl alcohol

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



(Contd. on page 10)

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GRADIA DIE-HARDNER

(Contd. of page 9)

CA

	(Contd. of page 9)
· Signal word Danger	
 Signal word Danger Hazard-determining components of labeling: ethyl alcohol Hazard statements Highly flammable liquid and vapour. Harmful in contact with skin. Causes skin and eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. Causes damage to organs through prolonged or repeated exposure. Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with wa IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses easy to do. Continue rinsing. 	smoking. ater [or shower].
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international re Chemical safety assessment: A Chemical Safety Assessment has not been carried or	
16 Other information	
Department issuing SDS: Regulatory Affairs	
 Contact: Regulatory Affairs 	
Telephone No. +1 (708) 597-0900	
sds@gcamerica.com	
· Date of preparation / last revision 03/13/2018 / -	
Abbreviations and acronyms:	
GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
HCS: Hazard Communication Standard (USA) MSDS: Material Safety Data Sheet	
SDS: Safety Data Sheet	
ECHA: European Chemicals Agency	
OSHA: Occupational Safety and Health Administration (USA)	
LEL: Lower Explosive Limit UEL: Upper Explosive Limit	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation IATA: International Air Transport Association	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative • Sources	
Manufacturers' MSDSs/SDSs	
• OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html)	
• TOXNET (http://toxnet.nlm.nih.gov/)	
ECHA (http://echa.europa.eu/)	
EnviChem (www.echemportal.org)	
	(Contd. on page 11)

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: GRADIA DIE-HARDNER

· Notes:

(Contd. of page 10)

CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

• * Data compared to the previous version altered. This version replaces all previous versions.

· Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.