

Printing date 03/14/2015

Version US-EN-Rev 1

Reviewed on 03/13/2015

1 Identification		
· Product identifier		
· Trade name: GRADIA (Shade (Group: Mamelon Stain [MS2, MS	S3, and MS5])
 Relevant identified uses of the s Dental material The product is intended for profes To avoid risks for humans and en 		dvised against
 Application of the substance / th	he mixture Manufacture of dental p	prothesis
• Details of the supplier of the sate • Manufacturer/Supplier: GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA	fety data sheet	
sds@gcamerica.com		
Ollegard(a) identification		
2 Hazard(s) identification		
· Classification of the substance	or mixture	

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

• Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: urethane dimethacrylate (UDMA)


(Contd. on page 2)

Printing date 03/14/2015

Version US-EN-Rev 1

Reviewed on 03/13/2015

Trade name: GRADIA (Shade Group: Mamelon Stain [MS2, MS3, and MS5])



- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

-		
72869-86-4	urethane dimethacrylate (UDMA)	25-50%
	dimethacrylate**	10-20%
	UV-light absorber**	1-5%
13463-67-7	titanium dioxide	1-5%

• Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

(Contd. on page 3)

Printing date 03/14/2015

Version US-EN-Rev 1

Reviewed on 03/13/2015

Trade name: GRADIA (Shade Group: Mamelon Stain [MS2, MS3, and MS5])

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

After inhalation:

Supply fresh air; consult doctor in case of complaints. In case of unconsciousness place patient stably in side position for transportation. Do not use mouth to mouth or mouth to nose resuscitation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

· After eye contact:

Protect unharmed eye. Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help. Rinse out mouth and then drink plenty of water.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures
 Remove persons from danger area.
 Avoid formation of dust.
 Avoid contact with the eyes and skin.
 Wear protective clothing.

 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
 Do not allow to penetrate the ground/soil.
 In compare of compare into the ground inform respective.
 Avoid to be added to be accurated inform respective.
 Denot allow to penetrate the ground/soil.
 Denot allow to penetrate the ground inform respective.
 Denot

In case of seepage into the ground inform responsible authorities.

(Contd. on page 4)

US

Printing date 03/14/2015

Version US-EN-Rev 1

Reviewed on 03/13/2015

Trade name: GRADIA (Shade Group: Mamelon Stain [MS2, MS3, and MS5])

(Contd. of page 3)

•	Methods and material for containment and cleaning up:
	Pick up mechanically.
	Prevent formation of dust.
	Dispose of the collected material according to regulations.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

• **Precautions for safe handling** Observe instructions for use.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be regularly removed.

- Avoid contact with the eyes and skin.
- Information about protection against explosions and fires: Dust can combine with air to form an explosive mixture.

· Storage:

• **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.

· Information about storage in one common storage facility: Store away from foodstuffs.

- Further information about storage conditions: Observe instructions for use / storage.
- Specific end use(s) No further relevant information available.

8	Exposure con	trols/	personal	protection
			• • • • • • • • • • • • • • • • • • •	

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide

- PEL Long-term value: 15* mg/m³ *total dust
- REL See Pocket Guide App. A
- TLV Long-term value: 10 mg/m³ withdrawn from NIC

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

• Breathing equipment: Suitable respiratory protective device recommended.

(Contd. on page 5)

Printing date 03/14/2015

Version US-EN-Rev 1

Reviewed on 03/13/2015

Trade name: GRADIA (Shade Group: Mamelon Stain [MS2, MS3, and MS5])

(Contd. of page 4)

• Protection of hands: Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical prope	erties
 Information on basic physical and General Information 	chemical properties
· Appearance:	
Form:	Pasty
Color:	Different according to coloring
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	Undetermined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined.
Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
 Solubility in / Miscibility with 	
Water:	Insoluble.
\cdot Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
	(Contd. on page

Printing date 03/14/2015

Version US-EN-Rev 1

Reviewed on 03/13/2015

Trade name: GRADIA (Shade Group: Mamelon Stain [MS2, MS3, and MS5])

	(Contd. (of page
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
Solids content:	85.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable at ambient temperature.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification: No further relevant information available.
- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Experience with humans: May cause damage to kidneys. May cause damage to liver.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
titanium dioxide	2B
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Carcinogenic categories' legend:	
	(Contd. on page

Printing date 03/14/2015

Version US-EN-Rev 1

Reviewed on 03/13/2015

Trade name: GRADIA (Shade Group: Mamelon Stain [MS2, MS3, and MS5])

(Contd. of page 6)

IARC Group 1: The agent is carcinogenic to humans.
IARC Group 2A: The agent is probably carcinogenic to humans.
IARC Group 2B: The agent is possibly carcinogenic to humans.
IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.
IARC Group 4: The agent is probably not carcinogenic to humans.
NTP K: Known to be human carcinogen.
NTP R: Reasonably anticipated to be human carcinogen.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	

Printing date 03/14/2015

Version US-EN-Rev 1

Reviewed on 03/13/2015

Trade name: GRADIA (Shade Group: Mamelon Stain [MS2, MS3, and MS5])

 · Environmental hazards:
 · Marine pollutant:
 No

 · Special precautions for user
 Not applicable.

 · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
 Not applicable.

 · UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
 SARA (Superfund Amendments and Reauthorization Act)

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

urethane dimethacrylate (UDMA)

dimethacrylate**

UV-light absorber**

titanium dioxide

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

titanium dioxide

· NIOSH-Ca (National Institute for Occupational Safety and Health)

titanium dioxide

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• **Hazard-determining components of labeling:** urethane dimethacrylate (UDMA)

Hazard statements
 Toxic if swallowed.
 Harmful in contact with skin.
 Causes skin irritation.
 Causes serious eye irritation.

A4

Printing date 03/14/2015

Version US-EN-Rev 1

Reviewed on 03/13/2015

Trade name: GRADIA (Shade Group: Mamelon Stain [MS2, MS3, and MS5])

(Contd. of page 8) May cause an allergic skin reaction. Precautionary statements Contaminated work clothing must not be allowed out of the workplace. Avoid breathing dust/fume/gas/mist/vapors/spray If swallowed: Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Department issuing SDS: Regulatory Affairs · Contact: **Regulatory Affairs** Telephone No. +1 (708) 597-0900 sds@gcamerica.com Date of preparation / last revision 03/14/2015 / -· Abbreviations and acronyms: GHS: Globally Harmonized System of Classification and Labelling of Chemicals HCS: Hazard Communication Standard (USA) MSDS: Material Safety Data Sheet SDS: Safety Data Sheet ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways) ECHA: European Chemicals Agency OSHA: Occupational Safety and Health Administration (USA) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Sources Manufacturers' MSDSs/SDSs OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html) TOXNET (http://toxnet.nlm.nih.gov/) ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) · Notes: CAS Registry Number is a Registered Trademark of the American Chemical Society. CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

* Data compared to the previous version altered. This version replaces all previous versions.

(Contd. on page 10)

Printing date 03/14/2015

Version US-EN-Rev 1

Reviewed on 03/13/2015

Trade name: GRADIA (Shade Group: Mamelon Stain [MS2, MS3, and MS5])

(Contd. of page 9)

us

· Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.