

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/20/2015

|     |             | 41.01 |            |    |   |
|-----|-------------|-------|------------|----|---|
| lld | an          | ***   | ca         |    | n |
|     | <b>G</b> II |       | <b>U</b> a | uυ |   |

- · Product identifier
- Trade name: GRADIA DIRECT (Posterior, Shades: P-A1, P-A2, P-A3, P-A3.5, P-NT, and P-WT)
- · Relevant identified uses of the substance or mixture and uses advised against
- Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Dental filling material
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

#### sds@gcamerica.com

- · Information department: Regulatory Affairs
- Emergency telephone number:

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

### 2 Hazard(s) identification

### · Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: urethane dimethacrylate (UDMA) bismethacrylate\*\*
- Hazard statements May cause an allergic skin reaction.


(Contd. on page 2)

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/20/2015

Trade name: GRADIA DIRECT (Posterior, Shades: P-A1, P-A2, P-A3, P-A3.5, P-NT, and P-WT)



# **4 First-aid measures**

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

#### • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 02/24/2015

# Version US-EN-Rev 1

Reviewed on 02/20/2015

Trade name: GRADIA DIRECT (Posterior, Shades: P-A1, P-A2, P-A3, P-A3.5, P-NT, and P-WT)

(Contd. of page 2)

Seek medical treatment.

 After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil.

- In case of seepage into the ground inform responsible authorities.
- Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. Dispose of the collected material according to regulations.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

· Handling:

- Precautions for safe handling
- Observe instructions for use.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

USA

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/20/2015

Trade name: GRADIA DIRECT (Posterior, Shades: P-A1, P-A2, P-A3, P-A3.5, P-NT, and P-WT)

(Contd. of page 3)

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Observe instructions for use / storage.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

- Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands: Protective gloves
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

| Information on basic physic<br>General Information | cal and chemical properties        |  |
|--|------------------------------------|--|
| Appearance:  |                                    |  |
| Form:  | Pasty                              |  |
| Color:   | According to product specification |  |
| Odor:  | Characteristic                     |  |
| Odor threshold:                                    | Not determined.                    |  |
| pH-value:  | Not determined.                    |  |

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/20/2015

Trade name: GRADIA DIRECT (Posterior, Shades: P-A1, P-A2, P-A3, P-A3.5, P-NT, and P-WT)

|   | (Contd. of page 4  |
|---|--|
| <ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul> | Undetermined.<br>Undetermined.   |
| · Flash point:  | Not applicable.  |
| · Flammability (solid, gaseous):  | Not applicable.  |
| · Ignition temperature:   | Undetermined.  |
| · Decomposition temperature:  | Not determined.  |
| · Auto igniting:  | Product is not selfigniting.   |
| · Danger of explosion:  | Product does not present an explosion hazard.                            |
| <ul> <li>Explosion limits:<br/>Lower:<br/>Upper:</li> </ul>   | Not determined.<br>Not determined.                                       |
| · Vapor pressure:   | Not determined.  |
| <ul> <li>Density:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>            | Not determined.<br>Not determined.<br>Not determined.<br>Not determined. |
| <ul> <li>Solubility in / Miscibility with<br/>Water:</li> </ul>   | Insoluble.   |
| · Partition coefficient (n-octanol/water):  | Not determined.  |
| <ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>  | Not determined.<br>Not determined.                                       |
| <ul> <li>Solvent content:<br/>Organic solvents:</li> </ul>  | 0.0 %  |
| Solids content:<br>• Other information  | 100.0 %<br>No further relevant information available.                    |

# 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable at ambient temperature.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

USA

Printing date 02/24/2015

## Version US-EN-Rev 1

Reviewed on 02/20/2015

Trade name: GRADIA DIRECT (Posterior, Shades: P-A1, P-A2, P-A3, P-A3.5, P-NT, and P-WT)

(Contd. of page 5)

3 3

## 11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- · LD/LC50 values that are relevant for classification: No further relevant information available.
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Experience with humans: May cause damage to kidneys. May cause damage to liver.
- · Additional toxicological information:
- · Carcinogenic categories

### IARC (International Agency for Research on Cancer)

silicon dioxide, amorphous

butylated hydroxytoluene (BHT)

### · NTP (National Toxicology Program)

None of the ingredients is listed.

### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### · Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

# **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 7)

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/20/2015

(Contd. of page 6)

Trade name: GRADIA DIRECT (Posterior, Shades: P-A1, P-A2, P-A3, P-A3.5, P-NT, and P-WT)

· Other adverse effects No further relevant information available.

**13 Disposal considerations** 

· Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

| 14 Transport information  |                          |
|---|--------------------------|
| · UN-Number<br>· DOT, ADR, ADN, IMDG, IATA  | Void                     |
| <ul> <li>UN proper shipping name</li> <li>DOT, ADR, ADN, IMDG, IATA</li> </ul>            | Void                     |
| <ul> <li>Transport hazard class(es)</li> </ul>  |                          |
| · DOT, ADR, ADN, IMDG, IATA<br>· Class  | Void                     |
| <ul> <li>Packing group</li> <li>DOT, ADR, IMDG, IATA</li> </ul>                           | Void                     |
| <ul> <li>Environmental hazards:</li> <li>Marine pollutant:</li> </ul>                     | No                       |
| <ul> <li>Special precautions for user</li> </ul>  | Not applicable.          |
| <ul> <li>Transport in bulk according to Annex<br/>MARPOL73/78 and the IBC Code</li> </ul> | II of<br>Not applicable. |
| · UN "Model Regulation":  | -                        |

# 15 Regulatory information

 $^{\cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  SARA (Superfund Amendments and Reauthorization Act)

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

glass, oxide, chemicals

urethane dimethacrylate (UDMA)

bismethacrylate\*\*

(Contd. on page 8)

USA

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/20/2015

Trade name: GRADIA DIRECT (Posterior, Shades: P-A1, P-A2, P-A3, P-A3.5, P-NT, and P-WT)

(Contd. of page 7)

A4

USA

#### dimethacrylate\*\*

### · Carcinogenic categories

• EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### • TLV (Threshold Limit Value established by ACGIH)

butylated hydroxytoluene (BHT)

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



011007

- · Signal word Warning
- Hazard-determining components of labeling: urethane dimethacrylate (UDMA) bismethacrylate\*\*
- Hazard statements
- May cause an allergic skin reaction.
- Precautionary statements
- Contaminated work clothing must not be allowed out of the workplace.
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Wear protective gloves.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information


· Department issuing MSDS: Regulatory Affairs · Contact: **Regulatory Affairs** Telephone No. +1 (708) 597-0900 sds@gcamerica.com Date of preparation / last revision 02/24/2015 / -· Abbreviations and acronyms: GHS: Globally Harmonized System of Classification and Labelling of Chemicals HCS: Hazard Communication Standard (USA) MSDS: Material Safety Data Sheet SDS: Safety Data Sheet ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways) ECHA: European Chemicals Agency OSHA: Occupational Safety and Health Administration (USA) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) (Contd. on page 9)

Printing date 02/24/2015

Version US-EN-Rev 1

Reviewed on 02/20/2015

Trade name: GRADIA DIRECT (Posterior, Shades: P-A1, P-A2, P-A3, P-A3.5, P-NT, and P-WT)



The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

USA -