

Printing date 03/11/2015

Version US-EN-Rev 1

Reviewed on 03/11/2015

```
1 Identification
```

- · Product identifier
- Trade name: LINING CEMENT (Liquid)

· Relevant identified uses of the substance or mixture and uses advised against Dental material

The product is intended for professional use.

To avoid risks for humans and environment obtain instructions.

- · Application of the substance / the mixture Dental filling material
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: GC America Inc.

3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

· Information department: Regulatory Affairs

Emergency telephone number:

During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

# 2 Hazard(s) identification

### Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

· Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



HEALTH 1 Health = 1 FIRE Fire = 00 REACTIVITY 0 Reactivity = 0

(Contd. on page 2)

US

(Contd. of page 1)

# Safety Data Sheet acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/11/2015

Version US-EN-Rev 1

Reviewed on 03/11/2015

### Trade name: LINING CEMENT (Liquid)

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Void
- Additional information:

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

### **4** First-aid measures

· Description of first aid measures

• General information: If symptoms persist consult doctor.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly. Rinse with warm water.
  Seek medical treatment.
  If symptoms persist consult doctor.
  After eye contact: Protect unharmed eye.
- After swallowing: Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 3)

US

Printing date 03/11/2015

### Version US-EN-Rev 1

Reviewed on 03/11/2015

## Trade name: LINING CEMENT (Liquid)

### · Additional information

(Contd. of page 2)

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin.
  Wear protective clothing.
  Environmental precautions: Do not allow product to reach sewage system or any water course.
- Do not allow to penetrate the ground/soil. • Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.
- Dispose of the collected material according to regulations. • Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### 7 Handling and storage

### · Handling:

- **Precautions for safe handling** Observe instructions for use. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Avoid contact with the eyes and skin.
- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Observe instructions for use / storage. Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.

Printing date 03/11/2015

Version US-EN-Rev 1

Reviewed on 03/11/2015

# Trade name: LINING CEMENT (Liquid)

(Contd. of page 3)

#### • Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. · Breathing equipment: Suitable respiratory protective device recommended. · Protection of hands: Protective gloves • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of guality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

| Information on basic physical and | chamical properties                           |
|-----------------------------------|-----------------------------------------------|
| General Information               | chemical properties                           |
| Appearance:                       |                                               |
| Form:                             | Fluid                                         |
| Color:                            | Light yellow                                  |
| Odor:                             | Characteristic                                |
| Odor threshold:                   | Not determined.                               |
| pH-value:                         | Not determined.                               |
| Change in condition               |                                               |
| Melting point/Melting range:      | Undetermined.                                 |
| Boiling point/Boiling range:      | Undetermined.                                 |
| Flash point:                      | Not applicable.                               |
| Flammability (solid, gaseous):    | Not applicable.                               |
| Ignition temperature:             | Undetermined.                                 |
| Decomposition temperature:        | Not determined.                               |
| Auto igniting:                    | Product is not selfigniting.                  |
| Danger of explosion:              | Product does not present an explosion hazard. |
| Explosion limits:                 |                                               |
| Lower:                            | Not determined.                               |
| Upper:                            | Not determined.                               |
| Vapor pressure:                   | Not determined.                               |
| Density:<br>Relative density      | Not determined.                               |

(Contd. on page 5)

US

Printing date 03/11/2015

Version US-EN-Rev 1

Reviewed on 03/11/2015

Trade name: LINING CEMENT (Liquid)

|                                  |                                            | (Contd. of page                            |  |
|----------------------------------|--------------------------------------------|--------------------------------------------|--|
| Vapour density                   | Not determined.                            |                                            |  |
| Evaporation rate                 | Not determined.                            |                                            |  |
| Solubility in / Miscibility with |                                            |                                            |  |
| Water:                           | Insoluble.                                 |                                            |  |
| Partition coefficient (n-octand  | ol/water): Not determined.                 |                                            |  |
| Viscosity:                       |                                            |                                            |  |
| Dynamic:                         | Not determined.                            |                                            |  |
| Kinematic:                       | Not determined.                            |                                            |  |
| Solvent content:                 |                                            |                                            |  |
| Organic solvents:                | 0.0 %                                      |                                            |  |
| Water:                           | 60.0 %                                     |                                            |  |
| Solids content:                  | 100.0 %                                    |                                            |  |
| Other information                | No further relevant information available. | No further relevant information available. |  |

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable at ambient temperature.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification: No further relevant information available.
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

poly(acrylic acid)

### • NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### Carcinogenic categories' legend:

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

(Contd. on page 6)

3

JS

(Contd. of page 5)

## Safety Data Sheet acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/11/2015

Version US-EN-Rev 1

Reviewed on 03/11/2015

Trade name: LINING CEMENT (Liquid)

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

# 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

| · UN-Number                  |      |  |
|------------------------------|------|--|
| · DOT, ADR, ADN, IMDG, IATA  | Void |  |
| · UN proper shipping name    |      |  |
| · DOT, ADR, ADN, IMDG, IATA  | Void |  |
| · Transport hazard class(es) |      |  |
| · DOT, ADR, ADN, IMDG, IATA  |      |  |
| · Class                      | Void |  |
| · Packing group              |      |  |
| DOT, ADR, IMDG, IATA         | Void |  |
| Environmental hazards:       |      |  |
| · Marine pollutant:          | No   |  |

Printing date 03/11/2015

Version US-EN-Rev 1

Reviewed on 03/11/2015

Trade name: LINING CEMENT (Liquid)

(Contd. of page 6)

Special precautions for user

Not applicable.

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture SARA (Superfund Amendments and Reauthorization Act)

\_

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

- Department issuing SDS: Regulatory Affairs
- · Contact:

**Regulatory Affairs** Telephone No. +1 (708) 597-0900 sds@gcamerica.com

· Date of preparation / last revision 03/11/2015 / -

· Abbreviations and acronyms: GHS: Globally Harmonized System of Classification and Labelling of Chemicals HCS: Hazard Communication Standard (USA) MSDS: Material Safety Data Sheet SDS: Safety Data Sheet ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways) ECHA: European Chemicals Agency OSHA: Occupational Safety and Health Administration (USA)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 8)

us

# Safety Data Sheet acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/11/2015

Version US-EN-Rev 1

Reviewed on 03/11/2015

# Trade name: LINING CEMENT (Liquid)

our negligence or for fraudulent misrepresentation.

