

Page 1/10

Safety Data Sheet according to WHS Regulations

Printing date 10.11.2020

Version number 5

Revision: 10.11.2020

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· Product identifier

- Trade name: Coe Comfort Liquid
- *Relevant identified uses of the substance or mixture and uses advised against* No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: GC Australasia Dental Pty Ltd
 1753 Botany Road Banksmeadow, NSW 2019 Tel: +61 2 9301 8200
- Further information obtainable from: Regulatory affairs
- Emergency telephone number: 24 hours Emergency: 13 11 26.

2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour. Acute Tox. 4 H302 Harmful if swallowed.

· Label elements

· GHS label elements

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: Benzyl benzoate
Hazard statements Highly flammable liquid and vapour. Harmful if swallowed.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves / eye protection / face protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Store in a well-ventilated place. Keep cool.

(Contd. on page 2)

⁻ AU

Printing date 10.11.2020

Version number 5

Revision: 10.11.2020

Trade name: Coe Comfort Liquid

(Contd. of page 1) *Dispose of contents/container in accordance with local/regional/national/international regulations.*

- Other hazards
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

 Dangerous 	s components:		
120-51-4	Benzyl benzoate	Acute Tox. 4, H302	50-<75%
64-17-5	ethyl alcohol	Flam. Liq. 2, H225; Eye Irrit. 2A, H319	5-<10%
8006-90-4	Peppermint oil	Skin Irrit. 2, H315; Skin Sens. 1, H317; Flam. Liq. 4, H227	0.5-<1%
• Additional	information: For the wordi	ng of the listed hazard phrases refer to section 16.	

4 First Aid Measures

• Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Do not use mouth to mouth or mouth to nose resuscitation.

- Take affected persons into fresh air and keep quiet.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing:
- Do not induce vomiting; call for medical help immediately.
- *Rinse out mouth and then drink plenty of water.*
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.

(Contd. on page 3)

Printing date 10.11.2020

Version number 5

Revision: 10.11.2020

(Contd. of page 2)

Trade name: Coe Comfort Liquid

· Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources. Wear protective clothing.
Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.
Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.
Reference to other sections

Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location. Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage in one common storage factors.
 Further information about storage conditions: Keep container tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.
 Protect from heat and direct sunlight.
 Store in a cool place.
- *Specific end use(s) No further relevant information available.*

(Contd. on page 4)

AU

Printing date 10.11.2020

Version number 5

Revision: 10.11.2020

Trade name: Coe Comfort Liquid

(Contd. of page 3)

AU

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethyl alcohol

WES Long-term value: 1880 mg/m³, 1000 ppm

· DNELs

128-37-0 Butylated hydroxytoluene

Dermal DNEL dermal 0.5 mg/kg bw/day (man)

Inhalative DNEL inhalation 3.5 mg/m3 (man)

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

· Respiratory protection: Suitable respiratory protective device recommended.

- · Protection of hands: Protective gloves
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and c General Information	hemical properties	
Appearance:		
Form:	Liquid	
Colour:	Clear	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	nge: 96 °C (204.8 °F)	

Printing date 10.11.2020

Version number 5

Revision: 10.11.2020

Trade name: Coe Comfort Liquid

		(Contd. of page
Flash point:	13 °C (55.4 °F)	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C (68 °F):	1.03 g/cm ³ (8.59535 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	8.3 mPas	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	7.4 %	
VÕC (EC)	76.5 g/l	
Other information	No further relevant information available.	

10 Stability and Reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials:} No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:
- 120-51-4 Benzyl benzoate

Oral LD50 500 mg/kg (rat (f+m))

(Contd. on page 6)

⁻ AU

Printing date 10.11.2020

Version number 5

Revision: 10.11.2020

Trade name: Coe Comfort Liquid

			(Contd. of page
Dermal	LD50	4,000 mg/kg (rat (f+m))	(11
64-17-5 et	thyl alcoho	l	
Oral	LD50	7,060 mg/kg (rat (f+m))	
Inhalative	LC50/4 h	20,000 mg/l (rat (f+m))	
128-37-0	Butylated h	ydroxytoluene	
Oral	LD50	>6,000 mg/kg (rat (f+m)) (OECD 401)	
· Primary in	rritant effe	ct:	
· Skin corre	osion/irrita	tion No irritant effect.	
· Serious ey	e damage/	irritation No irritating effect.	
· Respirato	ry or skin s	ensitisation No sensitising effects known.	
D	· · · · · · · · · · · · · ·		

• *Repeated dose toxicity No further relevant information available.*

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

12 Ecological Information

· Toxicity

• Aquatic toxicity:

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

· Persistence and degradability No further relevant information available.

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

AU

Printing date 10.11.2020

Version number 5

Revision: 10.11.2020

Trade name: Coe Comfort Liquid

(Contd. of page 6)

• Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

UN-Number ADG, IMDG, IATA	UN1987
UN proper shipping name ADG IMDG	1987 ALCOHOLS, N.O.S. (ETHANOL SOLUTIO ISOPROPYL ALCOHOL), ENVIRONMENTAL HAZARDOUS, special provision 640D ALCOHOLS, N.O.S. (ETHANOL SOLUTION, ISOPROP
IATA	ALCOHOL), MARINE POLLUTANT ALCOHOLS, N.O.S. (ETHANOL SOLUTION, ISOPROP ALCOHOL)
Transport hazard class(es)	
ADG	
Class Label	3 (F1) Flammable liquids. 3
IMDG	
Class	3 Flammable liquids.
Label	3
Class	3 Flammable liquids.
Label	3
Packing group	11
ADG, IMDG, IATA	II
Environmental hazards:	Product contains environmentally hazardous substance Butylated hydroxytoluene, Benzyl benzoate
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADG):	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids.

Printing date 10.11.2020

Version number 5

Revision: 10.11.2020

Trade name: Coe Comfort Liquid

	(Contd. of page
Hazard identification number (Kemler code):	33
EMS Number:	F-E,S-D
Stowage Category	В
· Transport in bulk according to Annex II of Mar	pol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
• Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1987 ALCOHOLS, N.O.S., SPECIAL PROVISION 6401
5	(ETHANOL SOLUTION, ISOPROPYL ALCOHOL), 3, I
	ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• Australian	Inventory of Chemical Substances	
120-51-4	Benzyl benzoate	
64-17-5	ethyl alcohol	
77-90-7	Tributyl acetylcitrate	
8006-90-4	Peppermint oil	
119-36-8	methyl salicylate	
67-63-0	isopropyl alcohol	
128-37-0	Butylated hydroxytoluene	
• Standard f	for the Uniform Scheduling of Medicines and Poisons	
119-36-8 1	methyl salicylate	S4, S5, S6
• Australia:	Priority Existing Chemicals	
None of the	e ingredients is listed.	
· GHS label	elements The product is classified and labelled according to the Globally Harmonised System	em (GHS).

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



(Contd. on page 9)

AU

Printing date 10.11.2020

Version number 5

Revision: 10.11.2020

Trade name: Coe Comfort Liquid

Cian al ana	(Contd. of page
0	rd Danger
	etermining components of labelling:
Benzyl be	
Hazard st	
	mmable liquid and vapour.
	f swallowed.
	nary statements
	y from heat/sparks/open flames/hot surfaces. No smoking.
	tective gloves / eye protection / face protection.
	OWED: Call a POISON CENTER/doctor if you feel unwell.
	IN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	well-ventilated place. Keep cool.
Dispose o	f contents/container in accordance with local/regional/national/international regulations.
Directive	2012/18/EU
	ingerous substances - ANNEX I None of the ingredients is listed.
Seveso ca	0 0
	dous to the Aquatic Environment
	AMABLE LIQUIDS
	g quantity (tonnes) for the application of lower-tier requirements 200 t
	g quantity (tonnes) for the application of upper-tier requirements 500 t
Chemical	safety assessment: A Chemical Safety Assessment has not been carried out.
	formation
Relevant	phrases
Relevant H225 Hig	phrases hly flammable liquid and vapour.
Relevant H225 Hig H227 Cor	phrases hly flammable liquid and vapour. nbustible liquid.
Relevant H225 Hig H227 Con H302 Har	phrases hly flammable liquid and vapour. nbustible liquid. rmful if swallowed.
Relevant H225 Hig H227 Cor H302 Har H315 Car	phrases hly flammable liquid and vapour. nbustible liquid. mful if swallowed. uses skin irritation.
Relevant H225 Hig H227 Con H302 Han H315 Cau H317 Maj	phrases hly flammable liquid and vapour. nbustible liquid. rmful if swallowed. uses skin irritation. v cause an allergic skin reaction.
Relevant H225 Hig H227 Cor H302 Har H315 Cau H317 Maj H319 Cau	phrases hly flammable liquid and vapour. nbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation.
Relevant H225 Hig H227 Cor H302 Har H315 Car H317 May H319 Car Departme	phrases hly flammable liquid and vapour. nbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. mt issuing SDS: Regulatory affairs
Relevant H225 Hig H227 Cor H302 Har H315 Car H317 May H319 Car Departme Contact: 1	phrases hly flammable liquid and vapour. nbustible liquid. rmful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. uses serious eye irritation. mt issuing SDS: Regulatory affairs nsds@gc.dental
Relevant H225 Hig H227 Cor H302 Har H315 Cau H317 May H319 Cau Departme Contact: Abbreviat	phrases hly flammable liquid and vapour. nbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. mt issuing SDS: Regulatory affairs nsds@gc.dental ions and acronyms:
Relevant H225 Hig H227 Con H302 Har H315 Cat H317 May H319 Cat Departme Contact: A Abbreviat ADR: Account	phrases hly flammable liquid and vapour. nbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. uses serious eye irritation. Int issuing SDS: Regulatory affairs nsds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation
Relevant J H225 Hig H227 Cor H302 Har H315 Car H317 Ma H319 Car H319 Car Departme Contact: A Abbreviat ADR: Accor Carriage of IMDG: Intel	phrases hly flammable liquid and vapour. nbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. Int issuing SDS: Regulatory affairs nsds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) national Maritime Code for Dangerous Goods
Relevant J H225 Hig H227 Cor H302 Har H315 Car H317 May H319 Car Departme Contact: 1 Abbreviat ADR: Accoo Carriage of IMDG: Inter IATA: Inter	phrases hly flammable liquid and vapour. nbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. Int issuing SDS: Regulatory affairs nsds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) national Maritime Code for Dangerous Goods tational Air Transport Association
Relevant H225 Hig H227 Con H302 Han H315 Cau H317 Ma H319 Cau Departme Contact: H Abbreviat ADR: Accou Carriage of IMDG: Inten IATA: Inter EINECS: Eu	phrases hly flammable liquid and vapour. mbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. Int issuing SDS: Regulatory affairs msds@gc.dental ions and acronyms: vd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) mational Maritime Code for Dangerous Goods iational Air Transport Association ropean Inventory of Existing Commercial Chemical Substances
Relevant H225 Hig H227 Con H302 Han H315 Cau H317 Ma H319 Cau Departme Contact: H Abbreviat ADR: Accon Carriage of IMDG: Inten LATA: Inter EINECS: Eu ELINCS: Eu	phrases hly flammable liquid and vapour. nbustible liquid. rmful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. Int issuing SDS: Regulatory affairs nsds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) rational Maritime Code for Dangerous Goods iational Air Transport Association ropean Inventory of Existing Commercial Chemical Substances ropean List of Notified Chemical Substances
Relevant H225 Hig H227 Con H302 Har H315 Cat H317 May H319 Cat Departme Contact: Abbreviat ADR: Acco Carriage of IMDG: Inter EINECS: Et ELINCS: Et CAS: Chemu VOC: Volat	phrases hly flammable liquid and vapour. mbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. mt issuing SDS: Regulatory affairs nsds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) national Maritime Code for Dangerous Goods vational Air Transport Association ropean Inventory of Existing Commercial Chemical Substances ropean List of Notified Chemical Substances cal Abstracts Service (division of the American Chemical Society) ie Organic Compounds (USA, EU)
Relevant H225 Hig H227 Con H302 Har H315 Cau H317 May H319 Cau Departme Contact: A Abbreviat ADR: Acco Carriage of IMDG: Intel IATA: Interr EINECS: Ea CAS: Chemu VOC: Volat. DNEL: Derr	phrases hly flammable liquid and vapour. nbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. mt issuing SDS: Regulatory affairs msds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) rational Maritime Code for Dangerous Goods national Maritime Code for Dangerous Goods national Air Transport Association ropean Inventory of Existing Commercial Chemical Substances ropean List of Notified Chemical Substances cal Abstracts Service (division of the American Chemical Society) le Organic Compounds (USA, EU) ved No-Effect Level (REACH)
Relevant J H225 Hig H227 Cor H302 Har H315 Car H317 Ma H319 Car Departme Contact: 1 Abbreviat ADR: Accor Carriage of IMDG: Inter IATA: Inter EINECS: Eu CAS: Chemu DNEL: Derl LC50: Lethd	phrases hly flammable liquid and vapour. hbustible liquid. mful if swallowed. ises skin irritation. y cause an allergic skin reaction. ises serious eye irritation. mt issuing SDS: Regulatory affairs msds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) rational Maritime Code for Dangerous Goods tational Air Transport Association ropean Inventory of Existing Commercial Chemical Substances ropean List of Notified Chemical Substances cal Abstracts Service (division of the American Chemical Society) ile Organic Compounds (USA, EU) ved No-Effect Level (REACH) il concentration, 50 percent
Relevant J H225 Hig H227 Cor H302 Har H315 Car H317 Ma H319 Car Departme Contact: D Abbreviat ADR: Accor Carriage of IMDG: Inter EINECS: Eu ELINCS: Eu CAS: Chemu VOC: Volat. DNEL: Deri LC50: Lethol	phrases hly flammable liquid and vapour. nbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. mt issuing SDS: Regulatory affairs msds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) rational Maritime Code for Dangerous Goods national Maritime Code for Dangerous Goods national Air Transport Association ropean Inventory of Existing Commercial Chemical Substances ropean List of Notified Chemical Substances cal Abstracts Service (division of the American Chemical Society) le Organic Compounds (USA, EU) ved No-Effect Level (REACH)
Relevant J H225 Hig H227 Cor H302 Har H315 Car H317 Ma H319 Car Departme Contact: 1 Abbreviat ADR: Accoo Carriage of IMDG: Inter IATA: Inter EINECS: Ea ELINCS: Ea CAS: Chemi VOC: Volat DNEL: Deri LC50: Lethd PBT: Persis vPvB: very I	phrases hly flammable liquid and vapour. hbustible liquid. mful if swallowed. isses skin irritation. v cause an allergic skin reaction. isses serious eye irritation. mt issuing SDS: Regulatory affairs nsds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) national Maritime Code for Dangerous Goods iational Maritime Code for Dangerous Goods iational Air Transport Association ropean Inventory of Existing Commercial Chemical Substances ropean List of Notified Chemical Substances cal Abstracts Service (division of the American Chemical Society) le Organic Compounds (USA, EU) ved No-Effect Level (REACH) il concentration, 50 percent ul dose, 50 percent ent, Bioaccumulative and Toxic Persistent and very Bioaccumulative
Relevant J H225 Hig H227 Con H302 Han H315 Cau H317 Ma H319 Cau Departme Contact: I Abbreviat ADR: Accoo Carriage of IMDG: Inten IATA: Inter EINECS: Eu CAS: Chem VOC: Volat DNEL: Derri LC50: Lethd PBT: Persis vPVB: very I Flam. Liq. 2	phrases hly flammable liquid and vapour. mbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. mt issuing SDS: Regulatory affairs msds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) mational Maritime Code for Dangerous Goods tational Air Transport Association ropean Inventory of Existing Commercial Chemical Substances ropean Inst of Notified Chemical Substances cal Abstracts Service (division of the American Chemical Society) le Organic Compounds (USA, EU) ved No-Effect Level (REACH) ul concentration, 50 percent th dose, 50 percent tent, Bioaccumulative and Toxic Persistent and very Bioaccumulative : Flammable liquids – Category 2
Relevant J H225 Hig H227 Con H302 Han H315 Cau H317 Ma H319 Cau Departmee Contact: I Abbreviat ADR: Accou Carriage of IMDG: Inten IATA: Interr EINECS: Eu ELINCS: Eu CAS: Chemu VOC: Volat. DNEL: Derr LC50: Letha DBT: Persis vPVB: very J Flam. Liq. 2 Flam. Liq. 4	phrases hly flammable liquid and vapour. mbustible liquid. mful if swallowed. ises skin irritation. y cause an allergic skin reaction. ises serious eye irritation. mt issuing SDS: Regulatory affairs nasds(@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) rational Maritime Code for Dangerous Goods iational Air Transport Association rropean Inventory of Existing Commercial Chemical Substances ropean List of Notified Chemical Substances cal Abstracts Service (division of the American Chemical Society) ie Organic Compounds (USA, EU) ved No-Effect Level (REACH) il concentration, 50 percent tent, Bioaccumulative and Toxic Persistent and very Bioaccumulative : Flammable liquids – Category 2 : Flammable liquids – Category 4
Relevant J H225 Hig H227 Con H302 Han H315 Cau H315 Cau H317 Ma H319 Cau Departme Contact: H Abbreviat ADR: Accou Carriage of IMDG: Inteu LATA: Inter EINECS: Eu CAS: Chemu VOC: Volat. DNEL: Deri LC50: Letha LD50: Letha PBT: Persis vPvB: very J Flam. Liq. 4 Acute Tox. 4	Phrases hly flammable liquid and vapour. mbustible liquid. mful if swallowed. isses skin irritation. v cause an allergic skin reaction. isses serious eye irritation. mt issuing SDS: Regulatory affairs msds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) rational Maritime Code for Dangerous Goods iational Air Transport Association ropean Inventory of Existing Commercial Chemical Substances ropean List of Notified Chemical Substances cal Abstracts Service (division of the American Chemical Society) le Organic Compounds (USA, EU) ved No-Effect Level (REACH) dI concentration, 50 percent it dose, 50 percent tent, Bioaccumulative and Toxic Persistent and very Bioaccumulative : Flammable liquids – Category 2 : Flammable liquids – Category 4 : Acute toxicity - oral – Category 4
Relevant J H225 Hig H227 Cor H302 Har H315 Car H317 Ma H319 Car Departme Contact: 1 Abbreviat ADR: Accor Carriage of IMDG: Inter IATA: Inter EINECS: Et ELINCS: Et CAS: Chemi VOC: Volat. DNEL: Der LC50: Letha PBT: Persis vPVB: very I Flam. Liq. 4 Acute Tox. 4 Skin Irrit. 2. Eye Irrit. 2A	phrases hly flammable liquid and vapour. nbustible liquid. mful if swallowed. isses skin irritation. v cause an allergic skin reaction. isses serious eye irritation. nt issuing SDS: Regulatory affairs nsds@gc.dental ions and acronyms: 'd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) national Maritime Code for Dangerous Goods iational Maritime Code for Dangerous Goods iational Air Transport Association ropean Inventory of Existing Commercial Chemical Substances ropean List of Notified Chemical Substances cal Abstracts Service (division of the American Chemical Society) le Organic Compounds (USA, EU) ved No-Effect Level (REACH) il concentration, 50 percent tent, Bioaccumulative and Toxic ?ersistent and very Bioaccumulative ?ersistent and very Bioaccumulative ?ersistent and very Bioaccumulative ?Flammable liquids – Category 4 : Acute toxicity - oral – Category 4 Skin corrosion/irritation – Category 22.
Relevant J H225 Hig H227 Cor H302 Har H315 Car H317 Ma H319 Car Departme Contact: 1 Abbreviat ADR: Accor Carriage of IMDG: Inter IATA: Inter EINECS: Eu ELINCS: Eu CAS: Chem UNEL: Derl LC50: Letha PBT: Persis vPvB: very 1 Flam. Liq. 2 Acute Tox. 4 Skin Irrit. 22 Eye Irrit. 2A	phrases hly flammable liquid and vapour. nbustible liquid. mful if swallowed. uses skin irritation. v cause an allergic skin reaction. uses serious eye irritation. nt issuing SDS: Regulatory affairs nsds@gc.dental ions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation Dangerous Goods by Road) national Maritime Code for Dangerous Goods vational Air Transport Association ropean Inventory of Existing Commercial Chemical Substances ropean Inventory of Existing Commercial Chemical Substances cal Abstracts Service (division of the American Chemical Society) le Organic Compounds (USA, EU) ved No-Effect Level (REACH) il concentration, 50 percent il dose, 50 percent tent, Bioaccumulative and Toxic Persistent and very Bioaccumulative : Flammable liquids – Category 4 : Acute toxicity - oral – Category 4 : Skin corrosion/irritation – Category 2

Printing date 10.11.2020

Version number 5

Revision: 10.11.2020

(Contd. of page 9)

AU -

Trade name: Coe Comfort Liquid

· Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- * Data compared to the previous version altered.

This version replaces all previous versions. Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.