

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2020

Version number 2

Revision: 30.11.2020

1 Identification of the substance or mixture and of the supplier

- **Product identifier**
- **Trade name:** *GC Equia Forte Coat*
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** *Auxillary for dental technology*
- **Details of the supplier of the safety data sheet**
*Henry Schein Dental
23 William Pickering Drive, Albany
Auckland 0632, NEW ZEALAND*

*PO Box 101140, NSMC
Auckland 0745, NEW ZEALAND*

Free Phone: 0800 808 855
- **Further information obtainable from:** *Regulatory affairs*
- **Emergency telephone number:** *0800 764 766 (National Poisons Centre)*

2 Hazards identification

- **Classification of the substance or mixture**

<i>Flam. Liq. 2</i>	<i>H225 Highly flammable liquid and vapour.</i>
<i>Acute Tox. 5</i>	<i>H333 May be harmful if inhaled.</i>
<i>Skin Irrit. 2</i>	<i>H315 Causes skin irritation.</i>
<i>Skin Sens. 1</i>	<i>H317 May cause an allergic skin reaction.</i>
<i>Repr. 2</i>	<i>H361 Suspected of damaging fertility or the unborn child (causing atrophy of the testes).</i>
<i>STOT SE 3</i>	<i>H335 May cause respiratory irritation.</i>
<i>Aquatic Acute 3</i>	<i>H402 Harmful to aquatic life.</i>
<i>Aquatic Chronic 3</i>	<i>H412 Harmful to aquatic life with long lasting effects.</i>

- **Label elements**

- **GHS label elements**

*Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.
The product is classified and labelled according to the Globally Harmonised System (GHS).*

- **Hazard pictograms**



- **Signal word** *Danger*

- **Hazard-determining components of labelling:**

*Methyl methacrylate
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide*

(Contd. on page 2)

-NZ-

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2020

Version number 2

Revision: 30.11.2020

Trade name: GC Equia Forte Coat

(Contd. of page 1)

- **Hazard statements**

Highly flammable liquid and vapour.
May be harmful if inhaled.
Causes skin irritation.
May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child (causing atrophy of the testes).
May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/Information on ingredients

- **Chemical characterisation: Mixtures**

- **Description:**

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

- **Dangerous components:**

CAS: 80-62-6 EINECS: 201-297-1	Methyl methacrylate Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335; Acute Tox. 5, H333	25-<50%
CAS: 75980-60-8 EINECS: 278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Repr. 2, H361	≥3-<5%
CAS: 85590-00-7	methacryloyloxydecyl dihydrogen phosphate Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	1-<2.5%
CAS: 128-37-0 EINECS: 204-881-4	Butylated hydroxytoluene Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.5-<1%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.
If symptoms persist consult doctor.

- **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
Take affected persons into fresh air and keep quiet.

(Contd. on page 3)

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2020

Version number 2

Revision: 30.11.2020

Trade name: GC Equia Forte Coat

(Contd. of page 2)

- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Seek medical treatment.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
If symptoms persist consult doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** Allergic reactions
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Remove persons from danger area.
Keep away from ignition sources.
Avoid contact with the eyes and skin.
Wear protective clothing.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to penetrate the ground/soil.
In case of seepage into the ground inform responsible authorities.
- **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Absorb liquid components with liquid-binding material.
Dispose of the material collected according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

NZ

(Contd. on page 4)

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2020

Version number 2

Revision: 30.11.2020

Trade name: GC Equia Forte Coat

(Contd. of page 3)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Avoid contact with the eyes and skin.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Do not spray onto a naked flame or any incandescent material.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
Store in a cool place.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

Ingredients with limit values that require monitoring at the workplace:

80-62-6 Methyl methacrylate

WES (New Zealand)	Short-term value: 416 mg/m ³ , 100 ppm Long-term value: 208 mg/m ³ , 50 ppm skin
-------------------	--

IOELV (European Union)	Short-term value: 100 ppm Long-term value: 50 ppm
------------------------	--

· DNELs

80-62-6 Methyl methacrylate

Dermal	DNEL dermal	13.67 mg/kg bw/day (man) (worker, l. te., syst.)
Inhalative	DNEL inhalation	208 mg/m ³ (air) (worker, l. te., syst.)

128-37-0 Butylated hydroxytoluene

Dermal	DNEL dermal	0.5 mg/kg bw/day (man)
Inhalative	DNEL inhalation	3.5 mg/m ³ (man)

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 5)

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2020

Version number 2

Revision: 30.11.2020

Trade name: GC Equia Forte Coat

(Contd. of page 4)

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

· **Respiratory protection:** Suitable respiratory protective device recommended.

· **Protection of hands:**



Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Colour: Clear

· **Odour:** Pungent

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: Undetermined.

· **Flash point:** 10 °C

· **Flammability (solid, gas):** Not applicable.

· **Ignition temperature:** Undetermined.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: 2.1 Vol %

Upper: 12.5 Vol %

(Contd. on page 6)

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2020

Version number 2

Revision: 30.11.2020

Trade name: GC Equia Forte Coat

(Contd. of page 5)

· Vapour pressure:	Not determined.
· Density at 20 °C:	1.06 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.0 g/l
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:**

80-62-6 Methyl methacrylate

Oral	LD50	6000 mg/kg (rabbit)
Dermal	LD50	>5000 mg/kg (rab)
Inhalative	LC50/4 h	29.8 mg/l (rat (f+m))

128-37-0 Butylated hydroxytoluene

Oral	LD50	> 6000 mg/kg (rat (f+m)) (OECD 401)
------	------	-------------------------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Respiratory or skin sensitisation** Sensitisation possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant
- **Repeated dose toxicity** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2020

Version number 2

Revision: 30.11.2020

Trade name: GC Equia Forte Coat

(Contd. of page 6)

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
No further relevant information available.
Repr. 2

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Harmful to aquatic organisms
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **ADR, IMDG, IATA** UN1247
- **UN proper shipping name**
- **ADR** 1247 METHYL METHACRYLATE MONOMER,
STABILIZED mixture
- **IMDG, IATA** METHYL METHACRYLATE MONOMER, STABILIZED
mixture

(Contd. on page 8)

NZ

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2020

Version number 2

Revision: 30.11.2020

Trade name: GC Equia Forte Coat

(Contd. of page 7)

· **Transport hazard class(es)**· **ADR**

· **Class**
· **Label**

3 (F1) Flammable liquids.
3

· **IMDG, IATA**

· **Class**
· **Label**

3 Flammable liquids.
3

· **Packing group**· **ADR, IMDG, IATA**

II

· **Environmental hazards:**· **Marine pollutant:**

No

· **Special precautions for user**

Warning: Flammable liquids.

· **Hazard identification number (Kemler code):**

339

· **EMS Number:**

F-E,S-D

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**

Temperature control is not required, in regards to Special Provision 386. Product uses chemical stabilization.

· **ADR**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category**

2

· **Tunnel restriction code**

D/E

· **IMDG**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":**

UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED MIXTURE, 3, II

-NZ

(Contd. on page 9)

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2020

Version number 2

Revision: 30.11.2020

Trade name: GC Equia Forte Coat

(Contd. of page 8)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· New Zealand Inventory of Chemicals	
80-62-6	Methyl methacrylate
29570-58-9	2-[[3-[(1-oxoallyl)oxy]-2,2-bis[[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate
7631-86-9	silicon dioxide
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
10287-53-3	ethyl 4-dimethylaminobenzoate
128-37-0	Butylated hydroxytoluene
2530-85-0	3-trimethoxysilylpropyl methacrylate

· **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS07 GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

Methyl methacrylate

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

· **Hazard statements**

Highly flammable liquid and vapour.

May be harmful if inhaled.

Causes skin irritation.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child (causing atrophy of the testes).

May cause respiratory irritation.

Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category** P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

NZ

(Contd. on page 10)

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2020

Version number 2

Revision: 30.11.2020

Trade name: GC Equia Forte Coat

(Contd. of page 9)

16 Other information

- **Relevant phrases**

H225 Highly flammable liquid and vapour.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H333 May be harmful if inhaled.
 H335 May cause respiratory irritation.
 H361 Suspected of damaging fertility or the unborn child (causing atrophy of the testes).
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.

- **Department issuing SDS:** Regulatory affairs

- **Contact:** msds@gc.dental

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 DNEL: Derived No-Effect Level (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 2: Flammable liquids – Category 2
 Acute Tox. 5: Acute toxicity - inhalation – Category 5
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Skin Sens. 1: Skin sensitisation – Category 1
 Repr. 2: Reproductive toxicity – Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **Sources**

- ECHA (<http://echa.europa.eu/>)
- EnviChem (www.echemportal.org)

- *** Data compared to the previous version altered.**

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.