

Page 1/10

Safety Data Sheet according to WHS Regulations

Printing date 23.08.2023

Version number 5

Revision: 23.08.2023

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
- · Trade name: Essentia_Red_-_Brown,_Black,_White_Modifier
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC Australasia Dental Pty Ltd 1753 Botany Road Banksmeadow, NSW 2019 Tel: +61 2 9301 8200
- · Further information obtainable from: Regulatory affairs
- Emergency telephone number: 24 hours Emergency: 13 11 26.

2 Hazard(s) Identification

· Classification of the substance or mixture

H315 Causes skin irritation.

Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation. Skin Sens. 1

H317 May cause an allergic skin reaction.

· Label elements

Skin Irrit. 2

- GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). · Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labelling: Urethane Dimethacrylate (UDMA) · Hazard statements Causes skin irritation.
- Causes serious eye irritation. May cause an allergic skin reaction.
- · Precautionary statements
- Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 23.08.2023

Version number 5

Revision: 23.08.2023

Trade name: Essentia_Red_-_Brown,_Black,_White_Modifier

Contaminated work clothing should not be allowed out of the workplace. (Contd. of page 1)

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

72869-86-4	Urethane Dimethacrylate (UDMA)	50-<75%
	Skin Sens. 1, H317	
1985-51-9	2,2-dimethyl-1,3-propanediyl bismethacrylate	10-<25%
	Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319	1
13463-67-7	titanium dioxide	1-<2.5%
	Carc. 2, H351	
21245-01-2	3-methylbutyl 4-(dimethylamino)benzoate	1-<2.5%
	Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319; STOT SE 3, H335	
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	0.5-<1%
	Skin Sens. 1, H317	
1309-37-1	Iron(III)oxide	0.5-<1%
1879-09-0	6-tert-butyl-2,4-xylenol	0.5-<1%
	Acute Tox. 2, H310; STOT RE 2, H373; Acute Tox. 4, H302; Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319	
2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol	0.5-<1%
	Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Sens. 1, H317	1

4 First Aid Measures

• General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

(Contd. on page 3)

Printing date 23.08.2023

Version number 5

Revision: 23.08.2023

(Contd. of page 2)

Trade name: Essentia_Red_-_Brown,_Black,_White_Modifier

If skin irritation continues, consult a doctor.

• After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire Fighting Measures

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and Storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 23.08.2023

Version number 5

Revision: 23.08.2023

(Contd. of page 3)

Trade name: Essentia_Red_-_Brown,_Black,_White_Modifier

· Information about fire - and explosion protection: No special measures required.

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

• Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: None.

• Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide

WES Long-term value: 10 mg/m³ inhalable dust

1309-37-1 Iron(III)oxide

WES Long-term value: 5 mg/m³

· DNELs

13463-67-7 titanium dioxide

Inhalative DNEL inhalation 10 mg/m3 (man)

1879-09-0 6-tert-butyl-2,4-xylenol

Inhalative DNEL inhalation 0.14 mg/m3 (man)

• Additional information: The lists valid during the making were used as basis.

· Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended.

• Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)


AU

Printing date 23.08.2023

Version number 5

Revision: 23.08.2023

(Contd. of page 4)



• Eye protection: Tightly sealed goggles 9 Physical and Chemical Properties · General Information · Appearance: · Form: Pasty · Colour: According to product specification · Odour: Light Not determined. • Odour threshold: · pH-value: Not determined. · Change in condition Undetermined. • *Melting point/freezing point:* · Initial boiling point and boiling range: Undetermined. · Flash point: Not applicable. · Flammability (solid, gas): Not applicable. Undetermined. • Auto-ignition temperature: • Decomposition temperature: Not determined. · Ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: · Lower: Not determined. · Upper: Not determined. · Vapour pressure: Not determined. • Density at 20 °C (68 °F): 1.9 g/cm³ (15.8555 lbs/gal) · Relative density Not determined. · Vapour density Not determined. Not determined. · Evaporation rate · Solubility in / Miscibility with Insoluble. · water: · Partition coefficient: n-octanol/water: Not determined. · Viscosity: Not determined. · Dvnamic: · Kinematic: Not determined. · Solvent content: \cdot VOC (EC) $0.0 \, g/l$

• Other information

No further relevant information available.

10 Stability and Reactivity

· *Reactivity* No further relevant information available.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

(Contd. on page 6)

⁻ AU -

Safety Data Sheet

according to WHS Regulations

Printing date 23.08.2023

Version number 5

Revision: 23.08.2023

(Contd. of page 5)

Trade name: Essentia_Red_-_Brown,_Black,_White_Modifier

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (OECD 401)

13463-67-7 titanium dioxide

Oral LD50 >5,000 mg/kg (mouse) (OECD 420)

Inhalative |LC50/4|h| > 6.82 mg/l (rat male)

1309-37-1 Iron(III)oxide

Oral LD50 >5,000 mg/kg (rat (f+m))

1879-09-0 6-tert-butyl-2,4-xylenol

 Oral
 LD50
 910 mg/kg (rat (f+m)) (OECD 401)

 Dermal
 LD50
 <200 mg/kg (rabbit) (OECD 402)</td>

2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol

Oral LD50 10,000 mg/kg (rat (f+m))

Inhalative LC50/4 h = 0.59 mg/l (rat (f+m))

• Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

• *Respiratory or skin sensitisation* May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

• Additional toxicological information:

• **Repeated dose toxicity** No further relevant information available.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

12 Ecological Information

· Toxicity

• Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

· Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

· *Bioaccumulative potential* No further relevant information available.

• *Mobility in soil* No further relevant information available.

(Contd. on page 7)

AU

Printing date 23.08.2023

Version number 5

Revision: 23.08.2023

Trade name: Essentia_Red_-_Brown,_Black,_White_Modifier

(Contd. of page 6)

- Additional ecological information:
- · General notes:
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment

• *PBT:* Not applicable.

- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

*

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
ADG, IMDG, IATA	UN3082
UN proper shipping name	
ADG	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S. (Urethane Dimethacrylate (UDMA), 6-tert
	butyl-2,4-xylenol)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	LIQUID, N.O.S. (Urethane Dimethacrylate (UDMA), 6-tert-
	butyl-2,4-xylenol), MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S. (Urethane Dimethacrylate (UDMA), 6-tert- butyl-2,4-xylenol)
· Transport hazard class(es)	
· Class	9 (M6) Miscellaneous dangerous substances and articles.
· Label	9
· IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.

Printing date 23.08.2023

Version number 5

Revision: 23.08.2023

Trade name: Essentia_Red_-_Brown,_Black,_White_Modifier

	(Contd. of page 2
Packing group ADG, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No Symbol (fish and tree)
· Special marking (ADG): · Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A
• Transport in bulk according to Annex II of Mar and the IBC Code	pol Not applicable.
Transport/Additional information:	
ADG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 (-)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (URETHANI DIMETHACRYLATE (UDMA), 6-TERT-BUTYL-2,4 XYLENOL), 9, III

*

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals			
	72869-86-4	Urethane Dimethacrylate (UDMA)	
	1985-51-9	2,2-dimethyl-1,3-propanediyl bismethacrylate	
	68611-44-9	Silane, dichlorodimethyl-, reaction products with silica	
	10373-78-1	Camphorquinone	
	13463-67-7	titanium dioxide	
	21245-01-2	3-methylbutyl 4-(dimethylamino)benzoate	
	81-77-6	C.I. Pigment Blue 60	
	109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	
	1309-37-1	Iron(III)oxide	
		(Contd. on page 9)	

- AU

Printing date 23.08.2023

Version number 5

Revision: 23.08.2023

Trade name: Essentia_Red_-_Brown,_Black,_White_Modifier

 (Contd. of page 8)

 1317-61-9
 triiron tetraoxide

 1879-09-0
 6-tert-butyl-2,4-xylenol

 2440-22-4
 2-(2H-benzotriazol-2-yl)-p-cresol

 5280-78-4
 CI Pigment Red 144

 5580-57-4
 C.I. Pigment Yellow 93

 5870-38-2
 Diethyl 2,5-dihydroxyterephthalate

• Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Warning

• *Hazard-determining components of labelling:* Urethane Dimethacrylate (UDMA)

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Relevant phrases

H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction.

(Contd. on page 10)

AU

Printing date 23.08.2023

Version number 5

Revision: 23.08.2023

Trade name: Essentia_Red_-_Brown,_Black,_White_Modifier

(Contd. of page 9) H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. · Department issuing SDS: Regulatory affairs · Contact: msds@gc.dental · Abbreviations and acronvms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Serious eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 · Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) * * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also

subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

AU