

Safety Data Sheet according to WHS Regulations

Date of issue: 22.07.2025

Version number 3

Revision: 22.07.2025

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- **Other means of identification**
- **Trade name:** GC Fuji ORTHO LC PASTE PAK Automix Paste A
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Auxillary for dental technology
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

GC Australasia Dental Pty Ltd
1753 Botany Road
Banksmeadow, NSW 2019
Tel: +61 2 9301 8200

- **Further information obtainable from:** Regulatory affairs
- **Emergency telephone number:** 24 hours Emergency: 13 11 26.

2 Hazard(s) Identification

- **Classification of the substance or mixture**
Skin corrosion/irritation – Category 2 H315 Causes skin irritation.
Eye damage/irritation – Category 2A H319 Causes serious eye irritation.
Skin sensitisation – Category 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Exemptions**

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
2-hydroxyethyl metacrylate (10-<25 %)
Urethane Dimethacrylate (UDMA) (2.5-<5 %)
- **Hazard statements**
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Date of issue: 22.07.2025

Version number 3

Revision: 22.07.2025

Trade name: GC_Fuji_ORTHO_LC_PASTE_PAK_Automix_Paste_A

(Contd. of page 1)

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**

· **Description:**

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· **Dangerous components:**

| | | |
|------------|---|-----------|
| 868-77-9 | 2-hydroxyethyl metacrylate Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Skin sensitisation – Category 1, H317 | 10-<25% |
| 68909-20-6 | Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica Specific target organ toxicity (repeated exposure) – Category 2, H373 | 5-<10% |
| 1830-78-0 | 2-Hydroxy-1,3 dimethacryloxypropane Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335 | 2.5-<5% |
| 72869-86-4 | Urethane Dimethacrylate (UDMA) Skin sensitisation – Category 1B, H317 | 2.5-<5% |
| 7631-86-9 | silicon dioxide | 1-<2.5% |
| 7727-21-1 | Potassium persulfate Oxidising solids - Category 3, H272; Respiratory sensitisation – Category 1, H334; Acute toxicity - oral – Category 4, H302; Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Skin sensitisation – Category 1, H317; Specific target organ toxicity (single exposure) – Category 3, H335 | 0.2-<0.5% |

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· **General information:**

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Take affected persons into fresh air and keep quiet.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Date of issue: 22.07.2025

Version number 3

Revision: 22.07.2025

Trade name: GC_Fuji_ORTHO_LC_PASTE_PAK_Automix_Paste_A

(Contd. of page 2)

If skin irritation continues, consult a doctor.

· **After eye contact:**

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** Allergic reactions

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire Fighting Measures

· **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water

· **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

· **Protective equipment:** Wear self-contained respiratory protective device.

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

Avoid formation of dust.

Avoid contact with the eyes and skin.

Wear protective clothing.

· **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

· **Methods and material for containment and cleaning up:**

Pick up mechanically.

Prevent formation of dust.

Dispose of the material collected according to regulations.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· **Handling:**

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

(Contd. on page 4)

Safety Data Sheet according to WHS Regulations

Date of issue: 22.07.2025

Version number 3

Revision: 22.07.2025

Trade name: GC_Fuji_ORTHO_LC_PASTE_PAK_Automix_Paste_A

(Contd. of page 3)

Any unavoidable deposit of dust must be regularly removed.

Avoid contact with the eyes and skin.

· **Information about fire - and explosion protection:**

Protect against electrostatic charges.

Dust can combine with air to form an explosive mixture.

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.

· **Information about storage in one common storage facility:** Store away from foodstuffs.

· **Further information about storage conditions:** Keep container tightly sealed.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

· **Appropriate engineering controls** No further data; see section 7.

· **Ingredients with limit values that require monitoring at the workplace:**

7631-86-9 silicon dioxide

TWA Long-term value: 2 mg/m³

7727-21-1 Potassium persulfate

WES Peak limitation: 0.01 mg/m³

Sen

· **Additional information:** The lists valid during the making were used as basis.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

· **Respiratory protection:** Suitable respiratory protective device recommended.

· **Protection of hands:**



Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

AU

Safety Data Sheet

according to WHS Regulations

Date of issue: 22.07.2025

Version number 3

Revision: 22.07.2025

Trade name: GC_Fuji_ORTHO_LC_PASTE_PAK_Automix_Paste_A

(Contd. of page 4)

· **Eye protection:**

Tightly sealed goggles

9 Physical and Chemical Properties

· **General Information**· **Appearance:**

| | |
|---|---|
| · Form: | Pasty |
| · Colour: | Light yellow |
| · Odour: | Odourless |
| · Odour threshold: | Not determined. |
| · pH-value: | Not applicable. |
| · Change in condition | |
| · Melting point/freezing point: | Undetermined. |
| · Initial boiling point and boiling range: | Undetermined. |
| · Flash point: | 97 °C (206.6 °F) |
| · Flammability | Not determined. |
| · Auto-ignition temperature: | Undetermined. |
| · Decomposition temperature: | Not determined. |
| · Ignition temperature: | Product is not selfigniting. |
| · Explosive properties: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| · Lower: | Not determined. |
| · Upper: | Not determined. |
| · Vapour pressure: | Not applicable. |
| · Density: | Not determined. |
| · Relative density | Not determined. |
| · Vapour density | Not applicable. |
| · Evaporation rate | Not applicable. |

· **Solubility in / Miscibility with**

| | |
|--|-----------------|
| · water: | Insoluble. |
| · Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity: | |
| · Dynamic: | Not applicable. |
| · Kinematic: | Not applicable. |

· **Other information**

(Contd. on page 6)

AU

Safety Data Sheet according to WHS Regulations

Date of issue: 22.07.2025

Version number 3

Revision: 22.07.2025

Trade name: GC_Fuji_ORTHO_LC_PASTE_PAK_Automix_Paste_A

(Contd. of page 5)

· **Particle characteristics**

SiO₂: Diameter particle structure = 2.5 - 50 nm (TEM, d50, number-based)

Diameter agglomerate = 5 - 50 nm (laser diffraction dry module, d50, volume based)

68909-20-6 Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica:

set including amorphous nanoforms; surface-treated nanoforms; Spheroidal; amorphous forms; amorphous nanoform

7631-86-9 silicon dioxide:

set including amorphous nanoforms; non-surface-treated nanoforms; Spheroidal; amorphous forms; amorphous nanoform

· **Physical state**

Solid

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

· **Information on toxicological effects**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

72869-86-4 Urethane Dimethacrylate (UDMA)

| | | |
|------|------|--------------------------------------|
| Oral | LD50 | >5,000 mg/kg (rat female) (OECD 401) |
|------|------|--------------------------------------|

7631-86-9 silicon dioxide

| | | |
|------|------|--------------------------|
| Oral | LD50 | 10,000 mg/kg (rat (f+m)) |
|------|------|--------------------------|

· **Primary irritant effect:**

· **Skin corrosion/irritation** Causes skin irritation.

· **Serious eye damage/irritation** Causes serious eye irritation.

· **Respiratory or skin sensitisation** May cause an allergic skin reaction.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Interactive effects**

· **Repeated dose toxicity** No further relevant information available.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

No further relevant information available.

AU

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Date of issue: 22.07.2025

Version number 3

Revision: 22.07.2025

Trade name: GC_Fuji_ORTHO_LC_PASTE_PAK_Automix_Paste_A

(Contd. of page 6)

12 Ecological Information

- **Toxicity**

- **Aquatic toxicity:**

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

- **Persistence and degradability** No further relevant information available.

- **Behaviour in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Harmful to fish

- **Additional ecological information:**

- **General notes:**

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**

ADG, ADN, IMDG, IATA not regulated

- **UN proper shipping name**

ADG, ADN, IMDG, IATA not regulated

- **Transport hazard class(es)**

ADG, ADN, IMDG, IATA

Class not regulated

- **Packing group**

ADG, IMDG, IATA not regulated

- **Environmental hazards:**

Marine pollutant: No

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Date of issue: 22.07.2025

Version number 3

Revision: 22.07.2025

Trade name: GC_Fuji_ORTHO_LC_PASTE_PAK_Automix_Paste_A

(Contd. of page 7)

- | | |
|---|-----------------|
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Industrial Chemicals**

| | |
|------------|--|
| 65997-17-3 | Glass, oxide, chemicals |
| 868-77-9 | 2-hydroxyethyl metacrylate |
| 68909-20-6 | Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica |
| 72869-86-4 | Urethane Dimethacrylate (UDMA) |
| 7631-86-9 | silicon dioxide |
| 2530-85-0 | 3-trimethoxysilylpropyl methacrylate |
| 128-37-0 | Butylated hydroxytoluene |
| 7727-21-1 | Potassium persulfate |
| 10373-78-1 | Camphorquinone |
| 1309-37-1 | Iron(III)oxide |
| 1317-61-9 | triiron tetraoxide |
| 20344-49-4 | Iron hydroxide oxide |

· **Standard for the Uniform Scheduling of Medicines and Poisons**

| | | |
|-----------|----------------------------|----|
| 868-77-9 | 2-hydroxyethyl metacrylate | S5 |
| 7727-21-1 | Potassium persulfate | S6 |

· **Australia: Priority Existing Chemicals**

| | |
|-----------|----------------------|
| 7727-21-1 | Potassium persulfate |
|-----------|----------------------|

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS07

- **Signal word** Warning

· **Hazard-determining components of labelling:**

2-hydroxyethyl metacrylate (10-<25 %)
Urethane Dimethacrylate (UDMA) (2.5-<5 %)

· **Hazard statements**

Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 9)

Safety Data Sheet

according to WHS Regulations

Date of issue: 22.07.2025

Version number 3

Revision: 22.07.2025

Trade name: GC_Fuji_ORTHO_LC_PASTE_PAK_Automix_Paste_A

(Contd. of page 8)

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

· **Relevant phrases**

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

- **Department issuing SDS:** Regulatory affairs

- **Contact:** msds@gc.dental

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Oxidising solids - Category 3: Oxidizing solids – Category 3

Acute toxicity - oral – Category 4: Acute toxicity – Category 4

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Respiratory sensitisation – Category 1: Respiratory sensitisation – Category 1

Skin sensitisation – Category 1: Skin sensitisation – Category 1

Skin sensitisation – Category 1B: Skin sensitisation – Category 1B

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

Specific target organ toxicity (repeated exposure) – Category 2: Specific target organ toxicity (repeated exposure) – Category 2

· **Sources**

- ECHA (<http://echa.europa.eu/>)

- EnviChem (www.echemportal.org)

- *** Data compared to the previous version altered.**

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or

(Contd. on page 10)

Safety Data Sheet
according to WHS Regulations

Date of issue: 22.07.2025

Version number 3

Revision: 22.07.2025

Trade name: GC_Fuji_ORTHO_LC_PASTE_PAK_Automix_Paste_A

(Contd. of page 9)

limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

AU