

Page 1/9

Safety Data Sheet in accordance with HSNO

Printing date 01.12.2022

Version number 3

Revision: 01.12.2022

1 Identification of the substance or mixture and of the supplier

· Product identifier

· Trade name: GC LiSi PressVest SR Liquid

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• **Details of the supplier of the safety data sheet** Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



• **Signal word** Danger

• Hazard statements

Highly flammable liquid and vapour. Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up.

 \cdot Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 2)

NZ

Printing date 01.12.2022

Version number 3

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

• **vPvB:** Not applicable.

(Contd. of page 1)

90-<100%

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

• Dangerous components:

CAS: 67-63-0 isopropyl alcohol

EINECS: 200-661-7 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

- · After skin contact: If skin irritation continues, consult a doctor.
- After eye contact: Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

- If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

Printing date 01.12.2022

Version number 3

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources. Avoid contact with the eyes and skin. Wear protective clothing. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities. • Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.
Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles: Store in a cool location.*

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store in a cool place.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

NZ

Printing date 01.12.2022

Version number 3

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

	(Contd. of page 3
Control parameters	
-	lues that require monitoring at the workplace:
67-63-0 isopropyl alcoh	<i>bl</i>
	ort-term value: 1230 mg/m³, 500 ppm
Lo	ng-term value: 983 mg/m³, 400 ppm
Additional information:	The lists valid during the making were used as basis.
Exposure controls	
Personal protective equi	pment:
General protective and	
	measures are to be adhered to when handling chemicals.
Avoid contact with the e	
	ks and at the end of work.
Keep away from foodstu	soiled and contaminated clothing
	Suitable respiratory protective device recommended.
Protection of hands:	sanaole respiratory protective active recommended.
Protective glo	
varies from manufacture	uble gloves does not only depend on the material, but also on further marks of quality an r to manufacturer. As the product is a preparation of several substances, the resistance of ot be calculated in advance and has therefore to be checked prior to the application. The material
The exact break throug observed.	h time has to be found out by the manufacturer of the protective gloves and has to b
Eye protection:	
Tightly sealed	l goggles
Physical and chemi	cal properties
Laforna dian an Loris -	
Information on basic pl General Information	ysical and chemical properties

· Information on basic physical and chem	ical properties	
· General Information		
· Appearance:		
Form:	Fluid	
Colour:	Colourless	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	6-8	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	82 °C	
		(Contd. on page 5)
		N7

NZ

Printing date 01.12.2022

Version number 3

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

		(Contd. of page
Flash point:	13 °C	
Flammability (solid, gas):	Highly flammable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	2 Vol %	
Upper:	12 Vol %	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	95.2 %	
VÕC (EC)	952.0 g/l	
Other information	No further relevant information available.	

10 Stability and reactivity

· *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity

· LD/LC50 values relevant for classification:

67-63-0 isopropyl alcohol

Oral LD50 4,570 mg/kg (rat (f+m))

(Contd. on page 6)

Printing date 01.12.2022

Version number 3

Revision: 01.12.2022

(Contd. of page 5)

Trade name: GC_LiSi_PressVest_SR_Liquid

Dermal	LD50	13,400 mg/kg (rab)
--------	------	--------------------

- Inhalative LC50/4 h 30 mg/l (rat (f+m))
- Primary irritant effect:
- Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Irritating effect.
- Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

- *Repeated dose toxicity No further relevant information available.*
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
NZS, IMDG, IATA	UN1219	
UN proper shipping name		
NZŚ	1219 ISOPROPYL ALCOHOL mixture	
IMDG, IATA	ISOPROPYL ALCOHOL mixture	

Printing date 01.12.2022

Version number 3

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

	(Contd. of pag
Transport hazard class(es)	
NZS	
· Class	3 (F1) Flammable liquids.
Label	3
· IMDG, IATA	
· Class	3 Flammable liquids.
Label	3
Packing group	
NZS, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids. 33
• EMS Number:	55 F-E,S-D
Stowage Category	B
	nal
Transport in bulk according to Annex II of Mar and the IBC Code	Not applicable.
Transport/Additional information:	
· NZS	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
Tuguspout ogtagom	Maximum net quantity per outer packaging: 500 ml
· Transport category · Tunnel restriction code	2 D/E
	17
Limited quantities (LQ)	
· Excepted quantities (EQ)	Code: E2 Manimum not quantity now innon nachaping: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1219 ISOPROPYL ALCOHOL MIXTURE, 3, II

(Contd. on page 8)

NZ

in accoraance with HSN

Printing date 01.12.2022

Version number 3

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

(Contd. of page 7)

15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture · New Zealand Inventory of Chemicals All ingredients are listed. · HSNO Approval numbers 67-63-0 isopropyl alcohol HSR001180 GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard statements *Highly flammable liquid and vapour.* Causes serious eye irritation. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t • Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information

· Relevant phrases

H225 Highly flammable liquid and vapour.H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

Printing date 01.12.2022

Version number 3

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

(Contd. of page 8)

VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
<i>Eye Irrit. 2: Serious eye damage/eye irritation – Category 2</i>
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Sources
• ECHA (http://echa.europa.eu/)
• EnviChem (www.echemportal.org)
• * Data compared to the previous version altered.
This version replaces all previous versions.
Disclaimer:
The information contained herein is believed to be true and accurate. However, all statements, recommendations
or suggestions are made without any guarantee, representation or warranty, express or implied, on our part.
Therefore, no warranty is made or to be implied that the information set out in this document is accurate or

or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

NZ