

Page 1/9

## Safety Data Sheet according to WHS Regulations

Printing date 17.09.2018

\*

Version number 2

Revision: 22.11.2017

1 Identification	
· Product identifier	
<ul> <li>Trade name: <u>GC Modeling Liquid</u></li> <li>Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> </ul>	
· Application of the substance / the mixture Auxillary for dental technology	
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: GC Australasia Dental Pty Ltd</li> <li>1753 Botany Road Banksmeadow, NSW 2019 Tel: +61 2 9301 8200</li> </ul>	
• Further information obtainable from: Regulatory affairs • Emergency telephone number: 24 hours Emergency: 13 11 26.	
2 Hazard(s) Identification	
· Classification of the substance or mixture	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
Skin Sens. 1 H317 May cause an allergic skin reaction.	
STOT SE 3 H335 May cause respiratory irritation.	
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medica. The product is classified and labelled according to the Globally Harmonised System (GHS).</li> <li>Hazard pictograms</li> </ul>	l device.
GHS07	
· Signal word Warning	
· Hazard-determining components of labelling:	
Urethane Dimethacrylate (UDMA)	
2-hydroxyethyl metacrylate	
• Hazard statements Causes skin irritation.	
Causes skill irritation.	
May cause an allergic skin reaction.	
May cause respiratory irritation.	
· Precautionary statements	
Avoid breathing dust/fume/gas/mist/vapours/spray.	
Contaminated work clothing should not be allowed out of the workplace.	

Printing date 17.09.2018

Version number 2

Revision: 22.11.2017

Trade name: GC Modeling Liquid

(Contd. of page 1)

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

#### 3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous	components:
-------------	-------------

Dungerous components.	
72869-86-4 Urethane Dimethacrylate (UDMA)	25-<50%
Skin Sens. 1, H317	
1830-78-0 2-Hydroxy-1,3 dimethacryloxypropane	25-<50%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
868-77-9 2-hydroxyethyl metacrylate	10-<25%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
• Additional information: For the wording of the listed hazard phrases refer to section 16.	

#### **4** First Aid Measures

#### · Description of first aid measures

• General information:

*Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.* 

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

If skin irritation continues, consult a doctor.

• After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed Allergic reactions

(Contd. on page 3)

# Safety Data Sheet

according to WHS Regulations

Printing date 17.09.2018

#### Version number 2

Revision: 22.11.2017

(Contd. of page 2)

Trade name: GC Modeling Liquid

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

## **5** Fire Fighting Measures

#### · Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Water with full jet • Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### **6** Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.
Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and Storage

#### · Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
  Prevent formation of aerosols.
  Avoid contact with the eyes and skin.
- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)

AU

Printing date 17.09.2018

Version number 2

Revision: 22.11.2017

(Contd. of page 3)

Trade name: GC Modeling Liquid

• Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin.
  Wash hands before breaks and at the end of work.
  Keep away from foodstuffs, beverages and feed.
  Immediately remove all soiled and contaminated clothing
- · Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

## 9 Physical and Chemical Properties

- Information on basic physical and chemical properties
   General Information
   Appearance:
- Form:LiquidColour:Light yellow• Odour:Characteristic• Odour threshold:Not determined.• pH-value:Not determined.

(Contd. on page 5)

Printing date 17.09.2018

Version number 2

Revision: 22.11.2017

Trade name: GC Modeling Liquid

	(Contd. of p	age
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : > 250 °C (>482 °F)	
· Flash point:	$> 98 \ ^{\circ}C \ (> 208.4 \ ^{\circ}F)$	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure:	Not determined.	
· Density: · Relative density · Vapour density · Evaporation rate	Not determined. Not determined. Not determined. Not determined.	
Solubility in / Miscibility with water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
· Solvent content: VOC (EC) · Other information	0.0 g/l No further relevant information available.	

## 10 Stability and Reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 17.09.2018

Version number 2

Revision: 22.11.2017

Trade name: GC Modeling Liquid

(Contd. of page 5)

#### 11 Toxicological Information

· Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

*Oral LD50* > 5000 *mg/kg* (*rat female*) (*OECD* 401)

- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- Respiratory or skin sensitisation Sensitisation possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

• **Repeated dose toxicity** No further relevant information available.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.

#### **12 Ecological Information**

#### · Toxicity

· Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) > 1.2 mg/l (daphnia magna) (OECD 202)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 17.09.2018

Version number 2

Revision: 22.11.2017

Trade name: GC Modeling Liquid

(Contd. of page 6)

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.* 

not regulated	
not regulated	
not regulated	
not regulated	
No	
Not applicable.	
of Marpol	
Not applicable.	
	not regulated not regulated not regulated No Not applicable. <b>f Marpol</b>

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory	of	Chemical Substances	
----------------------	----	---------------------	--

72869-86-4	Urethane Dimethacrylate (UDMA)

868-77-9 2-hydroxyethyl metacrylate

Silane, dichlorodimethyl-, reaction products with silica

465-29-2 Bornane-2,3-dione

10287-53-3 ethyl 4-dimethylaminobenzoate

128-37-0 Butylated hydroxytoluene

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms* 



· Signal word Warning

(Contd. on page 8)

AU

Printing date 17.09.2018

Version number 2

Revision: 22.11.2017

Trade name: GC Modeling Liquid

(Contd. of page 7)

	(Contd. of page 7)
· Hazard-determining components of labelling:	
Urethane Dimethacrylate (UDMA)	
2-hydroxyethyl metacrylate	
· Hazard statements	
Causes skin irritation.	
Causes serious eye irritation.	
May cause an allergic skin reaction.	
May cause respiratory irritation.	
Precautionary statements	
Avoid breathing dust/fume/gas/mist/vapours/spray.	
Contaminated work clothing should not be allowed out of the workplace.	
Wear protective gloves / eye protection / face protection.	
IF IN EYES: Rinse cautiously with water for several minutes. Remove conta	ct lenses if present and easy to do
Continue rinsing.	er tenses, ij present und easy to do
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/inter	national regulations.
Directive 2012/18/EU	
Other information	
<ul> <li>Relevant phrases</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H335 May cause respiratory irritation.</li> </ul>	
<b>Department issuing SDS:</b> Regulatory affairs	
<b>Contact:</b> msds@gc.dental	
Abbreviations and acronyms:	
	n Agreement concerning the Intermations
ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europea Carriage of Dangerous Goods by Road)	n Agreement concerning the Internationa
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic	
<i>ו</i> <b>ס</b> ר, <i>ו</i> פואאנפוו, <b>ס</b> וטעכעווועועווער עווע דטאוכ	
vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2	

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

· Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- $\cdot$  \* Data compared to the previous version altered.

*This version replaces all previous versions. Disclaimer:* 

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or

(Contd. on page 9)

Printing date 17.09.2018

Version number 2

Revision: 22.11.2017

Trade name: GC Modeling Liquid

(Contd. of page 8)

AU -

complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.