

Page 1/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.09.2017

Version number 3

Revision: 12.09.2017

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: G-MULTI PRIMER

• **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Auxiliary for dental technology

• Details of the supplier of the safety data sheet Henry Schein Shalfoon Ltd 23 William Pickering Drive, Albany Auckland 0632, NEW ZEALAND

PO Box 101140, NSMC Auckland 0745, NEW ZEALAND

Free Phone: 0800 808 855

 Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre) International: +01-813-248-0585 (ChemTel Inc.)

2 Hazards identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Corr. 3 H316 Causes mild skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling:

2,2'-ethylenedioxydiethyl dimethacrylate

· Hazard statements

Highly flammable liquid and vapour. Causes mild skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

(Contd. on page 2)

NZ

Printing date 12.09.2017

Version number 3

Revision: 12.09.2017

(Contd. of page 1)

Trade name: G-MULTI PRIMER

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:		
		75-<100%
EINECS: 200-578-6	Flam. Liq. 2, H225; Eye Irrit. 2A, H319	
CAS: 85590-00-7	methacryloyloxydecyl dihydrogen phosphate	1-<2.5%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
	2,2'-ethylenedioxydiethyl dimethacrylate	1-<2.5%
EINECS: 203-652-6	Skin Sens. 1, H317	
• Additional informati	on: For the wording of the listed hazard phrases refer to section 16.	

4 First aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Take affected persons into fresh air and keep quiet.

• After skin contact:

Generally the product does not irritate the skin. Immediately wash with water and soap and rinse thoroughly. Seek medical treatment. If skin irritation continues, consult a doctor.

- After eye contact:
- Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

(Contd. on page 3)

NZ

Printing date 12.09.2017

Version number 3

Revision: 12.09.2017

(Contd. of page 2)

Trade name: G-MULTI PRIMER

· Information for doctor:

• Most important symptoms and effects, both acute and delayed Allergic reactions

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

• Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: Water with full jet

• Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

• Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

• Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol. Avoid contact with the eyes and skin. Wear protective clothing. · Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. Do not allow to enter sewers/ surface or ground water. Prevent seepage into sewage system, workpits and cellars. Dilute with plenty of water. • Methods and material for containment and cleaning up: Ensure adequate ventilation. Allow to evaporate. *Absorb liquid components with liquid-binding material.* Dispose of the material collected according to regulations. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

7 Handling and storage

· Handling:

• Precautions for safe handling

See Section 13 for disposal information.

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

NZ

Printing date 12.09.2017

Version number 3

Revision: 12.09.2017

Trade name: G-MULTI PRIMER

	(Contd. of page 3)
Avoid contact with the eyes and skin.	(**************************************
Information about fire - and explosion protection:	
Keep ignition sources away - Do not smoke.	
Protect against electrostatic charges.	
Do not spray onto a naked flame or any incandescent material.	
· Conditions for safe storage, including any incompatibilities	
· Storage:	
Requirements to be met by storerooms and receptacles:	
Store in a cool location.	
Store only in unopened original receptacles.	
• Information about storage in one common storage facility: Store away from foodstuffs.	
Further information about storage conditions:	
Keep container tightly sealed.	
Store in cool, dry conditions in well sealed receptacles.	
Protect from heat and direct sunlight.	
Store in a cool place.	
• Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
• Additional information about design of technical facilities: No further data; see item 7.	

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethyl alcohol

WES (New Zealand) Long-term value: 1880 mg/m³, 1000 ppm

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended.

• Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 12.09.2017

Version number 3

Revision: 12.09.2017

Trade name: G-MULTI PRIMER

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and che	mical properties	
General Information		
Appearance:		
Form:	Liquid	
Colour:	Colourless	
Odour:	Alcohol-like	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	-114.5°C	
	Undetermined.	
Initial boiling point and boiling rang		
	Undetermined.	
Flash point:	13°C	
	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	425°C	
	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	3.5Vol %	
	Not determined.	
Upper:	15Vol %	
	Not determined.	
Vapour pressure at 20°C:	59hPa	
	Not determined.	
Density at 20°C:	0.8g/cm ³	
	Not determined.	
Relative density	Not determined.	
Vapour density Evaporation rate	Not determined. Not determined.	

NZ

Version number 3

Revision: 12.09.2017

Trade name: G-MULTI PRIMER

Printing date 12.09.2017

		(Contd. of page
· Solubility in / Miscibility with		
water at 20°C:	1.000g/l	
	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	92.0%	
VÕC (EC)	736.2 g/l	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity

· LD/LC50 values relevant for classification:

64-17-5 ethyl alcohol

Oral LD50 7,060 mg/kg (rat (f+m))

Inhalative LC50/4 h 20,000 mg/l (rat (f+m))

· Primary irritant effect:

• Skin corrosion/irritation No irritant effect.

• Serious eye damage/irritation Irritating effect.

- Respiratory or skin sensitisation Sensitisation possible through skin contact.
- \cdot **Repeated dose toxicity** No further relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) No further relevant information available.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)

Printing date 12.09.2017

Version number 3

Revision: 12.09.2017

(Contd. of page 6)

Trade name: G-MULTI PRIMER

• Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADR, IMDG, IATA	UN1170	
UN proper shipping name		
ADR	1170 ETHANOL SOLUTION mixture	
IMDG, IATA	ETHANOL SOLUTION mixture	
Transport hazard class(es)		
ADR		
*		
Class	3 (F1) Flammable liquids.	
Label	3	
IMDG, IATA		
Class	3 Flammable liquids.	
Label	3	
Packing group		
ADR, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids.	
Danger code (Kemler):	33	
EMS Number:	5-5 F-E,S-D	

Printing date 12.09.2017

Version number 3

Revision: 12.09.2017

Trade name: G-MULTI PRIMER

	(Contd. of page
Stowage Category	A
Transport in bulk according to Annex II of	f Marpol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION MIXTURE, 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

 \cdot New Zealand Inventory of Chemicals

64-17-5 ethyl alcohol

2530-85-0 3-trimethoxysilylpropyl methacrylate

109-16-0 2,2'-ethylenedioxydiethyl dimethacrylate

1565-94-2 (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labelling:* 2,2'-ethylenedioxydiethyl dimethacrylate

• Hazard statements Highly flammable liquid and vapour. Causes mild skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves / eye protection / face protection.

(Contd. on page 9)

NZ -

Printing date 12.09.2017

Version number 3

Revision: 12.09.2017

Trade name: G-MULTI PRIMER

(Contd. of page 8)

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Relevant phrases

H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

· Department issuing SDS: Regulatory affairs

• Contact: msds@gceurope.com

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Corr. 3: Skin corrosion/irritation – Category 3

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 3

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

• * Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also

(Contd. on page 10)

NZ

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.09.2017

Version number 3

Revision: 12.09.2017

Trade name: G-MULTI PRIMER

(Contd. of page 9) subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.