

Date of issue: 05.08.2025 Version number 5 Revision: 05.08.2025

## 1 Identification of the substance or mixture and of the supplier

- · Other means of identification
- · Trade name: G-Premio BOND
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- Details of the supplier of the safety data sheet Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

· Further information obtainable from: Regulatory affairs

· Emergency telephone number: 0800 764 766 (National Poisons Centre)

# 2 Hazards identification

· Classification of the substance or mixture

Flammable liquids Category 2 H225 Highly flammable liquid and vapour.

Skin corrosion Category 1A H314 Causes severe skin burns and eye damage.

Serious eye damage Category 1 H318 Causes serious eye damage.

Skin sensitisation Category 1 H317 May cause an allergic skin reaction.

Reproductive toxicity Category 1 H360 May damage fertility or the unborn child.

Specific target organ toxicity - single exposure Category 3H336 May cause drowsiness or dizziness.

Hazardous to the aquatic environment chronic Category 3H412 Harmful to aquatic life with long lasting effects.

Trazardous to the aquatic environment curonic Category 311412 Harmful to aquatic tife with long tasting effects.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms









GHS02 GI

GHS05

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling: acetone

2,2'-ethylenedioxydiethyl dimethacrylate
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

(Contd. on page 2)

Date of issue: 05.08.2025 Version number 5 Revision: 05.08.2025

Trade name: G-Premio BOND

(Contd. of page 1)

#### · Hazard statements

Highly flammable liquid and vapour.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

May cause drowsiness or dizziness.

Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not breathe dusts or mists.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/Information on ingredients

- · Chemical characterisation: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous compone	ents:	
CAS: 67-64-1	acetone	25-<50%
EINECS: 200-662-2	Flammable liquids Category 2, H225; Eye irritation Category 2, H319; Specific target organ toxicity - single exposure Category 3, H336	
CAS: 1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane	≥10-<20%
EINECS: 217-388-4	Skin irritation Category 2, H315; Eye irritation Category 2, H319; Specific target organ toxicity - single exposure Category 3, H335	
CAS: 85590-00-7	methacryloyloxydecyl dihydrogen phosphate	5-<10%
	Skin irritation Category 2, H315; Eye irritation Category 2, H319; Specific target organ toxicity - single exposure Category 3, H335	
CAS: 109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	2.5-<5%
EINECS: 203-652-6	Skin sensitisation Sub-category 1B, H317	
CAS: 75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1-<2.5%
EINECS: 278-355-8	Reproductive toxicity Category 1, H360; Skin sensitisation Sub-category 1B, H317	
CAS: 128-37-0	Butylated hydroxytoluene	≥0.25-<0.5%
EINECS: 204-881-4	Hazardous to the aquatic environment acute Category 1, H400; Hazardous to the aquatic environment chronic Category 1, H410	1
		(Contd. on pa

*Date of issue: 05.08.2025 Version number 5 Revision: 05.08.2025* 

Trade name: G-Premio BOND

(Contd. of page 2)

#### ·SVHC

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## 4 First aid measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire fighting measures

- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Keep away from ignition sources.

Avoid contact with the eyes and skin.

Wear protective clothing.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

(Contd. on page 4)

Date of issue: 05.08.2025 Version number 5 Revision: 05.08.2025

Trade name: G-Premio BOND

(Contd. of page 3)

#### Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Use neutralising agent.

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store in a cool place.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Appropriate engineering controls No further data; see section 7.

Appropriate engineering controls to further data, see section 7.			
· Ingredients with limit values that require monitoring at the workplace:			
67-64-1 acetone			
WES (New Zealand)	Short-term value: 2375 mg/m³, 1000 ppm Long-term value: 1185 mg/m³, 500 ppm bio		
IOELV (European Union)	Long-term value: 1210 mg/m³, 500 ppm		

#### · DNELs

#### 128-37-0 Butylated hydroxytoluene

	•	•	•	
Dermal	DNEL	dermal		0.5 mg/kg bw/day (man)
Inhalative	DNEL	inhalati	on	3.5 mg/m3 (man)

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 5)

*Date of issue: 05.08.2025 Version number 5 Revision: 05.08.2025* 

Trade name: G-Premio BOND

(Contd. of page 4)

- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Colour: Yellow
Odour: Acetone-like
Odour threshold: Not determined.

• pH-value at 20 °C: 1.8

· Change in condition

• Melting point/freezing point: -95 °C • Initial boiling point and boiling range: 55 °C • Flash point: -17 °C

Flammability Highly flammable.
 Auto-ignition temperature: Undetermined.
 Decomposition temperature: Not determined.

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Laptosion times.

Lower:

Upper:

Vapour pressure:

Density at 20 °C:

Relative density

2.6 Vol %

Not determined.

0.94 g/cm³

Not determined.

(Contd. on page 6)

Date of issue: 05.08.2025 Version number 5 Revision: 05.08.2025

Trade name: G-Premio\_BOND

(Contd. of page 5)

Vapour densityEvaporation rateNot determined.Not determined.

· Solubility in / Miscibility with

• water: Insoluble. • Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.Kinematic: Not determined.

· Solvent content:

• Organic solvents: 33.0 %
 • Water: 24.0 %
 • VOC (EC) 400.6 g/l

· Other information

• Particle characteristics SiO2: Diameter particle structure = 2.5 - 50 nm (TEM, d50, number-

based)

Diameter agglomerate = 5 - 50 mm (laser diffraction dry module, d50,

volume based)

Al2O3: Diameter particle structure = 2 - 100 nm (d50, number-based)

· Physical state Liquid

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 valu	es relevant f	for classification:
----------------	---------------	---------------------

#### 67-64-1 acetone

 Oral
 LD50
 5,800 mg/kg (rat (f+m))

 Dermal
 LD50
 20,000 mg/kg (rabbit)

#### 128-37-0 Butylated hydroxytoluene

Oral | LD50 | >6,000 mg/kg (rat (f+m)) (OECD 401)

- · Primary irritant effect:
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity May damage fertility or the unborn child.
- · **STOT-single exposure** May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

*Date of issue: 05.08.2025 Version number 5 Revision: 05.08.2025* 

Trade name: G-Premio\_BOND

(Contd. of page 6)

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Interactive effects
- · Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

#### 128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

- · UN-Number
- · NZS, IMDG, IATA UN1090
- · UN proper shipping name
- · NZS 1090 ACETONE
- · **IMDG, IATA** ACETONE

(Contd. on page 8)

 Date of issue: 05.08.2025
 Version number 5
 Revision: 05.08.2025

Trade name: G-Premio\_BOND

	(Contd. of pa
Transport hazard class(es)	
NZS	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group	
NZS, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	F-E,S-D
Stowage Category	E
Transport in bulk according to Annex II of Mary	
and the IBC Code	Not applicable.
Transport/Additional information:	
NZS	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
-	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1090 ACETONE, 3, II

NZ -

*Date of issue: 05.08.2025 Version number 5 Revision: 05.08.2025* 

Trade name: G-Premio BOND

(Contd. of page 8)

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals					
67-64-1	67-64-1 acetone				
7732-18-5	Water				
1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane				
70293-55-9	2-[(2-methyl-1-oxoallyl)oxy]ethyl 1,3-dihydro-1,3-dioxoisobenzofuran-5-carboxylate				
68611-44-9	Silane, dichlorodimethyl-, reaction products with silica				
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate				
10373-78-1	Camphorquinone				
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
128-37-0	Butylated hydroxytoluene				
1344-28-1	aluminium oxide				
10287-53-3	ethyl 4-dimethylaminobenzoate				

#### · HSNO Approval numbers

67-64-1 acetone

HSR001070

GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms







GHS07



GHS02

GHS05

GHS08

· Signal word Danger

#### · Hazard-determining components of labelling:

acetone

2,2'-ethylenedioxydiethyl dimethacrylate

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

#### · Hazard statements

Highly flammable liquid and vapour.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

May cause drowsiness or dizziness.

Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not breathe dusts or mists.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

(Contd. on page 10)

Date of issue: 05.08.2025 Version number 5 Revision: 05.08.2025

Trade name: G-Premio BOND

(Contd. of page 9)

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

· Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flammable liquids Category 2: Flammable liquids – Category 2

Skin corrosion Category 1A: Skin corrosion/irritation – Category 1A

Skin irritation Category 2: Skin corrosion/irritation – Category 2

Serious eye damage Category 1: Serious eye damage/eye irritation – Category 1

Eye irritation Category 2: Serious eye damage/eye irritation – Category 2

Skin sensitisation Category 1: Skin sensitisation - Category 1

Skin sensitisation Sub-category 1B: Skin sensitisation – Category 1B

Reproductive toxicity Category 1: Reproductive toxicity - Category 1

Specific target organ toxicity - single exposure Category 3: Specific target organ toxicity (single exposure) - Category 3

 $Haz ardous\ to\ the\ aquatic\ environment\ acute\ Category\ 1:\ Haz ardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ haz ard\ -\ Category\ 1:\ Haz ardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ haz ard\ -\ Category\ 1:\ Haz ardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ haz ard\ -\ Category\ 1:\ Haz ardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ haz ard\ -\ Category\ 1:\ Haz ardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ haz ard\ -\ Category\ 1:\ Haz ardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ haz ard\ -\ Category\ 1:\ Haz ardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ haz ard\ -\ Category\ 1:\ Haz ardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ haz ard\ -\ Category\ 1:\ Haz ardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ haz ard\ -\ Category\ 1:\ Haz ardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ haz ard\ -\ Acute\ -\ Acut$ 

Hazardous to the aquatic environment chronic Category 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Hazardous to the aquatic environment chronic Category 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 (Contd. on page 11)

NZ -

*Date of issue: 05.08.2025 Version number 5 Revision: 05.08.2025* 

Trade name: G-Premio BOND

(Contd. of page 10)

- ·Sources
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- \* \* Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

NIZ