

Safety Data Sheet in accordance with HSNO

Printing date 19.07.2024

Version number 4

Revision: 19.07.2024

1 Identification of the substance or mixture and of the supplier




- **Product identifier**
- **Trade name:** KOOLINER Liquid
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Auxillary for dental technology
- **Details of the supplier of the safety data sheet**
Henry Schein Dental

243-249 Bush Road, Rosedale
Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855
- **Further information obtainable from:** Regulatory affairs
- **Emergency telephone number:** 0800 764 766 (National Poisons Centre)

2 Hazards identification

- **Classification of the substance or mixture**

Flammable liquids Category 3	H226 Flammable liquid and vapour.
Skin irritation Category 2	H315 Causes skin irritation.
Skin sensitisation Category 1	H317 May cause an allergic skin reaction.
Specific target organ toxicity - single exposure Category 3	H335 May cause respiratory irritation.
Specific target organ toxicity - repeated exposure Category 2	H373 May cause damage to organs through prolonged or repeated exposure.
- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Exemptions**
The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).
- **Hazard pictograms**
  
GHS02 GHS07 GHS08
- **Signal word** Warning
- **Hazard-determining components of labelling:**
isobutyl methacrylate
N,N-dimethyl-p-toluidine
- **Hazard statements**
Flammable liquid and vapour.
Causes skin irritation.
May cause an allergic skin reaction.

(Contd. on page 2)

Safety Data Sheet in accordance with HSNO

Printing date 19.07.2024

Version number 4

Revision: 19.07.2024

Trade name: KOOLINER_Liquid

(Contd. of page 1)

*May cause respiratory irritation.**May cause damage to organs through prolonged or repeated exposure.***· Precautionary statements***Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.**Do not breathe dust/fume/gas/mist/vapours/spray.**Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.**IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***· Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures**· Description:***Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.***· Dangerous components:**

CAS: 97-86-9 EINECS: 202-613-0	isobutyl methacrylate Flammable liquids Category 3, H226; Skin irritation Category 2, H315; Skin sensitisation Sub-category 1B, H317; Specific target organ toxicity - single exposure Category 3, H335	90-<100%
CAS: 99-97-8 EINECS: 202-805-4	N,N-dimethyl-p-toluidine Acute oral toxicity Category 3, H301; Acute dermal toxicity Category 3, H311; Acute inhalation toxicity Category 3, H331; Specific target organ toxicity - repeated exposure Category 2, H373; Flammable liquids Category 4, H227; Hazardous to the aquatic environment chronic Category 3, H412	1-<2.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· General information:*Immediately remove any clothing soiled by the product.**Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.**If symptoms persist consult doctor.***· After inhalation:***Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.**Do not use mouth to mouth or mouth to nose resuscitation.**Take affected persons into fresh air and keep quiet.***· After skin contact:***Immediately wash with water and soap and rinse thoroughly.**Seek medical treatment.**If skin irritation continues, consult a doctor.***· After eye contact:***Protect unharmed eye.**Rinse opened eye for several minutes under running water.*

(Contd. on page 3)

Safety Data Sheet in accordance with HSNO

Printing date 19.07.2024

Version number 4

Revision: 19.07.2024

Trade name: KOOLINER_Liquid

(Contd. of page 2)

If symptoms persist consult doctor.

- **After swallowing:**

*Rinse out mouth and then drink plenty of water.**If symptoms persist consult doctor.*

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** Allergic reactions

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire fighting measures

- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.

- **For safety reasons unsuitable extinguishing agents:** Water

- **Special hazards arising from the substance or mixture**

*Formation of toxic gases is possible during heating or in case of fire.**No further relevant information available.*

- **Protective equipment:**

*Mouth respiratory protective device.**Wear self-contained respiratory protective device.*

- **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

*Remove persons from danger area.**Keep away from ignition sources.**Avoid contact with the eyes and skin.**Wear protective clothing.*

- **Environmental precautions:**

*Do not allow product to reach sewage system or any water course.**Do not allow to penetrate the ground/soil.*

- **Methods and material for containment and cleaning up:**

*Ensure adequate ventilation.**Absorb liquid components with liquid-binding material.**Dispose of the material collected according to regulations.*

- **Reference to other sections**

*See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.*

7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

*Ensure good ventilation/exhaustion at the workplace.**Prevent formation of aerosols.**Avoid contact with the eyes and skin.*

- **Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

(Contd. on page 4)

Safety Data Sheet in accordance with HSNO

Printing date 19.07.2024

Version number 4

Revision: 19.07.2024

Trade name: KOOLINER_Liquid

(Contd. of page 3)

*Protect against electrostatic charges.**Do not spray onto a naked flame or any incandescent material.***· Storage:****· Requirements to be met by storerooms and receptacles:** *Store only in unopened original receptacles.***· Information about storage in one common storage facility:** *Store away from foodstuffs.***· Further information about storage conditions:***Keep container tightly sealed.**Protect from heat and direct sunlight.**Store in a cool place.***· Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

· Additional information about design of technical facilities: *No further data; see section 7.***· Ingredients with limit values that require monitoring at the workplace:***The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.***· PNECs****99-97-8 N,N-dimethyl-p-toluidine**

PNEC Aqua 152.59 µg/L (freshwater)

· Additional information: *The lists valid during the making were used as basis.***· Personal protective equipment:****· General protective and hygienic measures:***The usual precautionary measures are to be adhered to when handling chemicals.**Avoid contact with the eyes and skin.**Wash hands before breaks and at the end of work.**Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing***· Respiratory protection:** *Suitable respiratory protective device recommended.***· Protection of hands:**

Protective gloves

· Material of gloves*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.***· Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***· Eye protection:**

Tightly sealed goggles

-NZ-

(Contd. on page 5)

Safety Data Sheet

in accordance with HSNO

Printing date 19.07.2024

Version number 4

Revision: 19.07.2024

Trade name: KOOLINER_Liquid

(Contd. of page 4)

9 Physical and chemical properties

- **General Information**
- **Appearance:**
- **Form:** Liquid
- **Colour:** Light yellow
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**
- **Melting point/freezing point:** Undetermined.
- **Initial boiling point and boiling range:** 151 °C
- **Flash point:** 49 °C
- **Flammability (solid, gas):** Flammable.
- **Auto-ignition temperature:** Undetermined.
- **Decomposition temperature:** Not determined.
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Vapour pressure:** Not determined.
- **Density at 20 °C:** 0.9 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with**
- **water:** Insoluble.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
- **Dynamic at 20 °C:** 0.9 mPas
- **Kinematic:** Not determined.
- **Solvent content:**
- **VOC (EC)** 0.0 g/l
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

-NZ-

Safety Data Sheet in accordance with HSNO

Printing date 19.07.2024

Version number 4

Revision: 19.07.2024

Trade name: KOOLINER_Liquid

(Contd. of page 5)

· **LD/LC50 values relevant for classification:**

99-97-8 N,N-dimethyl-p-toluidine

Oral	LD50	1,650 mg/kg (rat (f+m))
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	1.4 mg/l (rat (f+m))

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **Repeated dose toxicity** May cause damage to organs through prolonged or repeated exposure.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
No further relevant information available.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

99-97-8 N,N-dimethyl-p-toluidine

LC50/96h	46 mg/L (fish)
----------	----------------

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Safety Data Sheet

in accordance with HSNO

Printing date 19.07.2024

Version number 4



Revision: 19.07.2024

Trade name: KOOLINER_Liquid

(Contd. of page 6)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	UN2283
· NZS, IMDG, IATA	
· UN proper shipping name	2283 ISOBUTYL METHACRYLATE, STABILIZED
· NZS	ISOBUTYL METHACRYLATE, STABILIZED
· IMDG, IATA	
· Transport hazard class(es)	
· NZS	
	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
	
· Class	3 Flammable liquids.
· Label	3
· Packing group	
· NZS, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	Yes
· Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	30
· EMS Number:	F-E,S-D
· Stowage Category	C
· Stowage Code	SW1 Protected from sources of heat.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Temperature control is not required, in regards to Special Provision 386. Product uses chemical stabilization.
· NZS	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3

(Contd. on page 8)

Safety Data Sheet

in accordance with HSNO

Printing date 19.07.2024

Version number 4

Revision: 19.07.2024

Trade name: KOOLINER_Liquid

(Contd. of page 7)

· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2283 ISOBUTYL METHACRYLATE, STABILIZED, 3, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **New Zealand Inventory of Chemicals**

All ingredients are listed.

· **HSNO Approval numbers**

97-86-9 isobutyl methacrylate

HSR001173

· **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS07 GHS08

· **Signal word** Warning

· **Hazard-determining components of labelling:**

isobutyl methacrylate

N,N-dimethyl-p-toluidine

· **Hazard statements**

Flammable liquid and vapour.

Causes skin irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category** P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

(Contd. on page 9)

Safety Data Sheet in accordance with HSNO

Printing date 19.07.2024

Version number 4

Revision: 19.07.2024

Trade name: **KOOLINER_Liquid**

(Contd. of page 8)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

· **Relevant phrases**

H226 Flammable liquid and vapour.
 H227 Combustible liquid.
 H301 Toxic if swallowed.
 H311 Toxic in contact with skin.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H331 Toxic if inhaled.
 H335 May cause respiratory irritation.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H412 Harmful to aquatic life with long lasting effects.

· **Department issuing SDS:** Regulatory affairs

· **Contact:** msds@gc.dental

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flammable liquids Category 3: Flammable liquids – Category 3
 Flammable liquids Category 4: Flammable liquids – Category 4
 Acute oral toxicity Category 3: Acute toxicity – Category 3
 Skin irritation Category 2: Skin corrosion/irritation – Category 2
 Skin sensitisation Category 1: Skin sensitisation – Category 1
 Skin sensitisation Sub-category 1B: Skin sensitisation – Category 1B
 Specific target organ toxicity - single exposure Category 3: Specific target organ toxicity (single exposure) – Category 3
 Specific target organ toxicity - repeated exposure Category 2: Specific target organ toxicity (repeated exposure) – Category 2
 Hazardous to the aquatic environment chronic Category 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **Sources**

- ECHA (<http://echa.europa.eu/>)
- EnviChem (www.echemportal.org)

· *** Data compared to the previous version altered.**

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.