

Date of issue: 27.06.2025 Version number 5 Revision: 27.06.2025

1 Identification of the substance or mixture and of the supplier

- · Other means of identification
- · Trade name: GC Temp PRINT
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- · Details of the supplier of the safety data sheet Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

· Further information obtainable from: Regulatory affairs

· Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Skin sensitisation Category 1 H317 May cause an allergic skin reaction. Reproductive toxicity Category 1 H360 May damage fertility or the unborn child.

Specific target organ toxicity - repeated exposure H373 May cause damage to the lung through Category 2 prolonged or repeated exposure. Route of exposure: Inhalation.

Hazardous to the aquatic environment chronic Category 2H411 Toxic to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms







GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Urethane Dimethacrylate (UDMA)

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica

2,2'-ethylenedioxydiethyl dimethacrylate

· Hazard statements

May cause an allergic skin reaction.

(Contd. on page 2)

Date of issue: 27.06.2025 Version number 5 Revision: 27.06.2025

Trade name: GC_Temp_PRINT

(Contd. of page 1)

May damage fertility or the unborn child.

May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. Toxic to aquatic life with long lasting effects.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/Information on ingredients

- · Chemical characterisation: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

Dangerous components:		
CAS: 72869-86-4 EINECS: 276-957-5	Urethane Dimethacrylate (UDMA) Hazardous to the aquatic environment chronic Category 2, H411; Skin sensitisation Sub-category 1B, H317	50-<75%
CAS: 109-16-0 EINECS: 203-652-6	2,2'-ethylenedioxydiethyl dimethacrylate Skin sensitisation Sub-category 1B, H317	10-<25%
CAS: 14808-60-7 EINECS: 238-878-4	Quartz Specific target organ toxicity - repeated exposure Category 1, H372	10-<25%
CAS: 68909-20-6 EINECS: 272-697-1	Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica Specific target organ toxicity - repeated exposure Category 2, H373	5-<10%
CAS: 41637-38-1	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid. Hazardous to the aquatic environment chronic Category 4, H413	2.5-<5%
CAS: 75980-60-8 EINECS: 278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Reproductive toxicity Category 1, H360; Skin sensitisation Sub-category 1B, H317	1-<2.5%
CAS: 2440-22-4 EINECS: 219-470-5	2-(2H-benzotriazol-2-yl)-p-cresol Acute inhalation toxicity Category 3, H331; Skin sensitisation Category 1, H317	0.2-<0.5%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide Carcinogenicity – Category 2, H351	0.2-<0.5%

·SVHC

75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

· Additional information: For the wording of the listed hazard phrases refer to section 16.

- N2

Date of issue: 27.06.2025 Version number 5 Revision: 27.06.2025

Trade name: GC Temp PRINT

(Contd. of page 2)

4 First aid measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

· Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Date of issue: 27.06.2025 Version number 5 Revision: 27.06.2025

Trade name: GC_Temp_PRINT

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · Storage.
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Appropriate engineering controls No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:	
14808-60-7 Quartz	
TWA (New Zealand)	Long-term value: 0.2 mg/m³ confirmed carcinogen; respirable dust
WES (New Zealand)	Long-term value: 0.2 mg/m³ confirmed carcinogen; respirable dust
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction
13463-67-7 titanium dioxide	
WES (New Zealand)	Long-term value: 10 mg/m³ interim WES

· DNELs

13463-67-7 titanium dioxide

Inhalative DNEL inhalation 10 mg/m3 (man)

- · Additional information: The lists valid during the making were used as basis.
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:



(Contd. on page 5)

Trade name: GC Temp PRINT

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· General Information

· Appearance:

· Form: Fluid

• Colour: According to product specification

• Odour:
• Odour threshold:
• pH-value:

Undetermined.
Not determined.
Not determined.

· Change in condition

Melting point/freezing point:
 Initial boiling point and boiling range: Undetermined.
 Flash point:
 Flammability
 Auto-ignition temperature:
 Decomposition temperature:
 Undetermined.
 Not determined.

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:

Not determined.

Vapour pressure:

Not determined.

Not determined.

Not determined.

1.3 g/cm³

Relative density

Not determined.

Vapour density

Not determined.

Not determined.

Not determined.

· Solubility in / Miscibility with

water: Insoluble.
Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic at 20 °C: 2,000 mPasKinematic: Not determined.

· Solvent content:

 \cdot **VOC (EC)** 0.0 g/l

(Contd. on page 6)

Date of issue: 27.06.2025 Version number 5 Revision: 27.06.2025

Trade name: GC_Temp_PRINT

(Contd. of page 5)

	(Conta. or page 3)
Other information	
Particle characteristics	SiO2: Diameter particle structure = 2.5 - 50 nm (TEM, d50, number-based)
	Diameter agglomerate = 5 - 50 mm (laser diffraction dry module, d50, volume based)
	68909-20-6 Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica:
	set including amorphous nanoforms; surface-treated nanoforms;
	Spheroidal; amorphous forms; amorphous nanoform
· Physical state	Fluid

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 1	· LD/LC50 values relevant for classification:		
72869-86-4	72869-86-4 Urethane Dimethacrylate (UDMA)		
Oral	LD50	>5,000 mg/kg (rat female) (OECD 401)	
2440-22-4	2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol		
Oral	LD50	10,000 mg/kg (rat (f+m))	
Inhalative	LC50/4 h	0.59 mg/l (rat (f+m))	
13463-67-	13463-67-7 titanium dioxide		
Oral	LD50	>5,000 mg/kg (mouse) (OECD 420)	
Inhalative	LC50/4 h	>6.82 mg/l (rat male)	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity May damage fertility or the unborn child.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Interactive effects
- · Repeated dose toxicity May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 7)

Date of issue: 27.06.2025 Version number 5 Revision: 27.06.2025

Trade name: GC_Temp_PRINT

(Contd. of page 6)

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
NZS, IMDG, IATA	UN3082
UN proper shipping name	
NZS	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Urethane Dimethacrylate (UDMA))
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Urethane Dimethacrylate (UDMA), 2-(2)
	benzotriazol-2-yl)-p-cresol), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Urethane Dimethacrylate (UDMA))

(Contd. on page 8)

Date of issue: 27.06.2025 Version number 5 Revision: 27.06.2025

Trade name: GC_Temp_PRINT

	(Contd. of page
Transport hazard class(es)	
NZS	
1 1 2 2 2 3 3 3 3 3 3 3 3 3 3	
Class Label	9 (M6) Miscellaneous dangerous substances and articles. 9
IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles.9
Packing group NZS, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No Symbol (fish and tree)
Special marking (NZS): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Miscellaneous dangerous substances and article. 90 F-A,S-F A
Transport in bulk according to Annex II of Margand the IBC Code	pol Not applicable.
Transport/Additional information:	
NZS Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	(-)
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Date of issue: 27.06.2025 Version number 5 Revision: 27.06.2025

Trade name: GC_Temp_PRINT

(Contd. of page 8)

· UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (URETHANE DIMETHACRYLATE (UDMA)), 9, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealan	· New Zealand Inventory of Chemicals	
72869-86-4	Urethane Dimethacrylate (UDMA)	
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	
14808-60-7	Quartz	
68909-20-6	Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica	
41637-38-1	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid.	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
10287-53-3	ethyl 4-dimethylaminobenzoate	
2530-85-0	3-trimethoxysilylpropyl methacrylate	
2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol	
13463-67-7	titanium dioxide	
128-37-0	Butylated hydroxytoluene	
1309-37-1	Iron(III)oxide	
1317-61-9	triiron tetraoxide	
20344-49-4	Iron hydroxide oxide	
68611-44-9	Silane, dichlorodimethyl-, reaction products with silica	

· HSNO Approval numbers

14808-60-7 Quartz

HSR003125

- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms







GHS07

GHS08

GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

Urethane Dimethacrylate (UDMA)

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica

2,2'-ethylenedioxydiethyl dimethacrylate

· Hazard statements

May cause an allergic skin reaction.

May damage fertility or the unborn child.

May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Toxic to aquatic life with long lasting effects.

(Contd. on page 10)

Date of issue: 27.06.2025 Version number 5 Revision: 27.06.2025

Trade name: GC Temp PRINT

(Contd. of page 9)

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Relevant phrases

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute inhalation toxicity Category 3: Acute toxicity – Category 3

Skin sensitisation Category 1: Skin sensitisation - Category 1

Skin sensitisation Sub-category 1B: Skin sensitisation – Category 1B

Carcinogenicity - Category 2: Carcinogenicity - Category 2

Reproductive toxicity Category 1: Reproductive toxicity - Category 1

Specific target organ toxicity - repeated exposure Category 1: Specific target organ toxicity (repeated exposure) - Category 1

Specific target organ toxicity - repeated exposure Category 2: Specific target organ toxicity (repeated exposure) - Category 2

Hazardous to the aquatic environment chronic Category 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

(Contd. on page 11)

Date of issue: 27.06.2025 Version number 5 Revision: 27.06.2025

Trade name: GC_Temp_PRINT

(Contd. of page 10)

Hazardous to the aquatic environment chronic Category 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

- ·Sources
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- * Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

N7