

Safety Data Sheet in accordance with HSNO

Printing date 15.12.2022

Version number 4

Revision: 15.12.2022

1 Identification of the substance or mixture and of the supplier

· **Product identifier**

· **Trade name:** GC Tray Adhesive

· **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Auxillary for dental technology

· **Details of the supplier of the safety data sheet**
Henry Schein Dental

243-249 Bush Road, Rosedale
Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

· **Further information obtainable from:** Regulatory affairs

· **Emergency telephone number:** 0800 764 766 (National Poisons Centre)

2 Hazards identification

· **Classification of the substance or mixture**

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 2 H373 May cause damage to the central nervous system and the peripheral nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· **Label elements**

· **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Exemptions**

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· **Hazard pictograms**



GHS02 GHS07 GHS08 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**

Naphtha

toluene

heptane

Naphtha (petroleum), acid-treated

(Contd. on page 2)

Safety Data Sheet in accordance with HSNO

Printing date 15.12.2022

Version number 4

Revision: 15.12.2022

Trade name: GC_Tray_Adhesive

(Contd. of page 1)

· Hazard statements*Highly flammable liquid and vapour.**Causes skin irritation.**Suspected of damaging fertility or the unborn child.**May cause damage to the central nervous system and the peripheral nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.**May be fatal if swallowed and enters airways.**Toxic to aquatic life with long lasting effects.***· Precautionary statements***If medical advice is needed, have product container or label at hand.**Keep out of reach of children.**Read carefully and follow all instructions.**Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.**Do not breathe dust/fume/gas/mist/vapours/spray.**IF SWALLOWED: Immediately call a POISON CENTER/ doctor.**Do NOT induce vomiting.**IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**IF exposed or concerned: Get medical advice/attention.**Specific treatment (see on this label).**Take off contaminated clothing and wash it before reuse.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***· Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures**· Description:**

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:

CAS: 8030-30-6 EINECS: 232-443-2	Naphtha Asp. Tox. 1, H304	25-<50%
CAS: 108-88-3 EINECS: 203-625-9	toluene Flam. Liq. 2, H225; Repr. 2, H361; STOT RE 2, H373; Asp. Tox. 1, H304; Skin Irrit. 2, H315; STOT SE 3, H336	≥10-<20%
CAS: 142-82-5 EINECS: 205-563-8	heptane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; STOT SE 3, H336	≥10-<20%
CAS: 64742-15-0 EINECS: 265-115-2	Naphtha (petroleum), acid-treated Asp. Tox. 1, H304	10-<25%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

NZ
(Contd. on page 3)

Safety Data Sheet in accordance with HSNO

Printing date 15.12.2022

Version number 4

Revision: 15.12.2022

Trade name: GC_Tray_Adhesive

(Contd. of page 2)

4 First aid measures

- **Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
If symptoms persist consult doctor.
- **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
Take affected persons into fresh air and keep quiet.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
Seek medical treatment.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
If symptoms persist consult doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Remove persons from danger area.
Keep away from ignition sources.
Avoid contact with the eyes and skin.
Wear protective clothing.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to penetrate the ground/soil.
In case of seepage into the ground inform responsible authorities.
- **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.

(Contd. on page 4)

Safety Data Sheet in accordance with HSNO

Printing date 15.12.2022

Version number 4

Revision: 15.12.2022

Trade name: GC_Tray_Adhesive

(Contd. of page 3)

- Absorb liquid components with liquid-binding material.*
Dispose of the material collected according to regulations.
- **Reference to other sections**
 - See Section 7 for information on safe handling.*
 - See Section 8 for information on personal protection equipment.*
 - See Section 13 for disposal information.*

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Do not inhale dust / smoke / mist.
Prevent formation of aerosols.
Avoid contact with the eyes and skin.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Do not spray onto a naked flame or any incandescent material.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** *Store away from foodstuffs.*
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
Store in a cool place.
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** *No further data; see item 7.*
- **Control parameters**

Ingredients with limit values that require monitoring at the workplace:

108-88-3 toluene

WES (New Zealand)	Short-term value: 377 mg/m ³ , 100 ppm Long-term value: 75 mg/m ³ , 20 ppm skin, oto, bio
-------------------	---

IOELV (European Union)	Short-term value: 384 mg/m ³ , 100 ppm Long-term value: 192 mg/m ³ , 50 ppm Skin
------------------------	--

142-82-5 heptane

WES (New Zealand)	Short-term value: 2050 mg/m ³ , 500 ppm Long-term value: 1640 mg/m ³ , 400 ppm oto
-------------------	--

(Contd. on page 5)

Safety Data Sheet in accordance with HSNO

Printing date 15.12.2022

Version number 4

Revision: 15.12.2022

Trade name: GC_Tray_Adhesive

(Contd. of page 4)

IOELV (European Union) Long-term value: 2085 mg/m³, 500 ppm

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Avoid contact with the eyes and skin.
Wash hands before breaks and at the end of work.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
- **Respiratory protection:** Suitable respiratory protective device recommended.
- **Protection of hands:**



Protective gloves

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	Blue
Odour:	Characteristic
Odour threshold:	Not determined.
- pH-value: Not determined.
- **Change in condition**

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	55 °C
- Flash point: -17 °C
- Flammability (solid, gas): Highly flammable.
- Ignition temperature: Undetermined.
- Decomposition temperature: Not determined.

(Contd. on page 6)

Safety Data Sheet in accordance with HSNO

Printing date 15.12.2022

Version number 4

Revision: 15.12.2022

Trade name: GC_Tray_Adhesive

(Contd. of page 5)

· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	1.8 Vol %
Upper:	13 Vol %
· Vapour pressure:	Not determined.
· Density at 20 °C:	0.7615 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	14.0 %
VOC (EC)	106.6 g/l
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**
- **LD/LC50 values relevant for classification:** No further relevant information available.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** No irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant
- **Repeated dose toxicity** May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 7)

Safety Data Sheet in accordance with HSNO

Printing date 15.12.2022

Version number 4

Revision: 15.12.2022

Trade name: GC_Tray_Adhesive

(Contd. of page 6)

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
Repr. 2

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxical effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|----------------------------------|--|
| · UN-Number | UN1993 |
| · NZS, IMDG, IATA | |
| · UN proper shipping name | 1993 FLAMMABLE LIQUID, N.O.S. (HEPTANES, toluene), ENVIRONMENTALLY HAZARDOUS, special provision 640D |
| · NZS | |
| · IMDG | FLAMMABLE LIQUID, N.O.S. (HEPTANES, toluene), MARINE POLLUTANT |
| · IATA | FLAMMABLE LIQUID, N.O.S. (HEPTANES, toluene) |

(Contd. on page 8)

NZ

Safety Data Sheet

in accordance with HSNO

Printing date 15.12.2022

Version number 4

Revision: 15.12.2022

Trade name: GC_Tray_Adhesive

(Contd. of page 7)

· **Transport hazard class(es)**· **NZS**· **Class**

3 (F1) Flammable liquids.

· **Label**

3

· **IMDG**· **Class**

3 Flammable liquids.

· **Label**

3

· **IATA**· **Class**

3 Flammable liquids.

· **Label**

3

· **Packing group**· **NZS, IMDG, IATA**

II

· **Environmental hazards:**

Product contains environmentally hazardous substances: heptane

· **Marine pollutant:**

No

· **Special marking (NZS):**

Symbol (fish and tree)

Symbol (fish and tree)

· **Special precautions for user**

Warning: Flammable liquids.

· **Hazard identification number (Kemler code):**

33

· **EMS Number:**

F-E, S-E

· **Stowage Category**

B

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **NZS**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category**

2

· **Tunnel restriction code**

D/E

(Contd. on page 9)

Safety Data Sheet in accordance with HSNO

Printing date 15.12.2022

Version number 4

Revision: 15.12.2022

Trade name: GC_Tray_Adhesive

(Contd. of page 8)

· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (HEPTANES, TOLUENE), 3, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **New Zealand Inventory of Chemicals**

108-88-3	toluene
142-82-5	heptane

· **HSNO Approval numbers**

108-88-3	toluene	HSR001227
142-82-5	heptane	HSR001164

· **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS07 GHS08 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**

Naphtha

toluene

heptane

Naphtha (petroleum), acid-treated

· **Hazard statements**

Highly flammable liquid and vapour.

Causes skin irritation.

Suspected of damaging fertility or the unborn child.

May cause damage to the central nervous system and the peripheral nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

May be fatal if swallowed and enters airways.

Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

(Contd. on page 10)

Safety Data Sheet in accordance with HSNO

Printing date 15.12.2022

Version number 4

Revision: 15.12.2022

Trade name: GC_Tray_Adhesive

(Contd. of page 9)

*IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**
E2 Hazardous to the Aquatic Environment
P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

- **Relevant phrases**
H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
- **Department issuing SDS:** Regulatory affairs
- **Contact:** msds@gc.dental
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Repr. 2: Reproductive toxicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- **Sources**
 - ECHA (<http://echa.europa.eu/>)
 - EnviChem (www.echemportal.org)
- *** Data compared to the previous version altered.**
This version replaces all previous versions.
Disclaimer:
The information contained herein is believed to be true and accurate. However, all statements, recommendations

(Contd. on page 11)

Safety Data Sheet
in accordance with HSNO

Printing date 15.12.2022

Version number 4

Revision: 15.12.2022

Trade name: GC_Tray_Adhesive

(Contd. of page 10)

or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

-NZ-