

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.08.2023

Version number 5 (replaces version 4)

Revision: 23.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: Essentia Red-Brown, Black, White Modifier · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxillary for dental technology • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax + 32/(0)16/40.26.84msds@gc.dental · Further information obtainable from: Regulatory affairs · 1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Exemptions The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). · Hazard pictograms GHS07 GHS09 · Signal word Warning (Contd. on page 2) GB

Printing date 23.08.2023

Version number 5 (replaces version 4)

Revision: 23.08.2023

Trade name: Essentia_Red-Brown,_Black,_White_Modifier

	(Contd. of page 1)
· Hazard-deter	mining components of labelling:
	nethacrylate (UDMA)
2,2'-ethylened	lioxydiethyl dimethacrylate
2-(2H-benzot	riazol-2-yl)-p-cresol
Hazard stater	ments
H315 Causes	skin irritation.
H319 Causes	serious eye irritation.
H317 May ca	use an allergic skin reaction.
H411 Toxic to	o aquatic life with long lasting effects.
Precautionar	y statements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+	-P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
D501	present and easy to do. Continue rinsing.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional in	formation:
2% of the mission	xture consists of component(s) of unknown toxicity.
Contains 2 %	of components with unknown hazards to the aquatic environment.
2.3 Other haz	
	BT and vPvB assessment
• PBT: Not app	
vPvB: Not ap	plicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

Aquatic Chronic 2, H411; Skin Sens. 1B, H317	
1	
2,2-dimethyl-1,3-propanediyl bismethacrylate	10-<25%
Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Silane, dichlorodimethyl-, reaction products with silica	10-<25%
nanoforms, amorphous forms, surface-treated nanoforms	
titanium dioxide	1-<2.5%
Carc. 2, H351	
substance with a Community workplace exposure limit	
3-methylbutyl 4-(dimethylamino)benzoate	1-<2.5%
Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
2,2'-ethylenedioxydiethyl dimethacrylate	0.5-<1%
Skin Sens. 1, H317	
	 Skin Irrit. 2, H315; Eye Irrit. 2, H319 Silane, dichlorodimethyl-, reaction products with silica Nanoform: Spheroidal, amorphous nanoform, set including amorphous nanoforms, amorphous forms, surface-treated nanoforms titanium dioxide Carc. 2, H351 substance with a Community workplace exposure limit 3-methylbutyl 4-(dimethylamino)benzoate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 2,2'-ethylenedioxydiethyl dimethacrylate

Printing date 23.08.2023

Version number 5 (replaces version 4)

Revision: 23.08.2023

Trade name: Essentia_Red-Brown,_Black,_White_Modifier

CAS: 1879-09-0 6-tert-butyl-2,4-xylenol 0.5-<19 EINECS: 217-533-1 Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 0.5-<19	(Co Iron(III)oxide substance with a Community workplace exposure limit	ontd. of page 2) 0.5-<1%
		0.5-<1%
CAS: 2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol 0.5-<19		0.5-<1%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.
- If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

- If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- *CO2*, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 4)

Printing date 23.08.2023

Version number 5 (replaces version 4)

Revision: 23.08.2023

Trade name: Essentia_Red-Brown,_Black,_White_Modifier

(Contd. of page 3)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide

WEL Long-term value: 10* 4** mg/m³ *total inhalable **respirable

1309-37-1 Iron(III)oxide

WEL Short-term value: 10* mg/m³ Long-term value: 5* 10** 4*** mg/m³ *fume (as Fe),**total respirable,***respirable

· DNELs

13463-67-7 titanium dioxide

Inhalative DNEL inhalation 10 mg/m3 (man)

(Contd. on page 5)

GB

Printing date 23.08.2023

Version number 5 (replaces version 4)

Revision: 23.08.2023

(Contd. of page 4)

Trade name: Essentia_Red-Brown,_Black,_White_Modifier

1879-09-0 6-tert-butyl-2,4-xylenol
Inhalating DNEL inhalation 0.14 mg/m2 (mgn)

Inhalative DNEL inhalation 0.14 mg/m3 (man)

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

• General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

• *Respiratory protection:*

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended.

• Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

..

· Eye/face protection



. . .

*

Tightly sealed goggles

SECTION 9: Physical and chemical properties

· General Information	
· Physical state	Fluid
Colour:	According to product specification
Odour:	Light
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
· Upper:	Not determined.

(Contd. on page 6)

GB

Printing date 23.08.2023

Version number 5 (replaces version 4)

Revision: 23.08.2023

Trade name: Essentia_Red-Brown,_Black,_White_Modifier

Flash point:	(Contd. of page)
	Not applicable.
Auto-ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Insoluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.9 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	SiO2: Diameter particle structure = $2.5 - 50$ nm (TEM
	d50, number-based)
	Diameter agglomerate = $5 - 50$ mm (laser diffraction dr
	module, d50, volume based)
	68611-44-9 Silane, dichlorodimethyl-, reaction product
	with silica: Spheroidal, amorphous nanoform, se
	including amorphous nanoforms, amorphous forms surface-treated nanoforms
	<i>v v</i>
9.2 Other information	
Appearance:	
Form:	Pasty
Important information on protection of health a	ana
environment, and on safety.	Duoduct is not solficriting
Ignition temperature: Explosive properties:	Product is not selfigniting. Product does not present an explosion hazard.
Explosive properties. Solvent content:	1 roduci does noi present un explosion nuzuru.
VOC (EC)	$0.0 \ g/l$
Change in condition	0.0 g/l
Evaporation rate	Not determined.
•	ivoi ueieimineu.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Oxidising gases Gases under pressure	Void
Oxidising gases Gases under pressure Flammable liquids	Void Void
Oxidising gases Gases under pressure Flammable liquids Flammable solids	Void Void Void
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Void Void Void Void
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Void Void Void Void
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Void Void
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void Void Void Void Void
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable ga	Void Void Void Void Void Void Ises
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable ga in contact with water	Void Void Void Void Void Void Ises Void
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable ga in contact with water Oxidising liquids	Void Void Void Void Void Void Ises Void Void
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable ga in contact with water	Void Void Void Void Void Void Ises Void

Printing date 23.08.2023

Version number 5 (replaces version 4)

Revision: 23.08.2023

Trade name: Essentia_Red-Brown,_Black,_White_Modifier

		(Contd. of page 6)
· Corrosive to metals · Desensitised explosives	Void Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (OECD 401)

Oral LD50 >5,000 mg/kg (mouse) (OECD 420)

Inhalative |LC50/4 h| > 6.82 mg/l (rat male)

1309-37-1 Iron(III)oxide

13463-67-7 titanium dioxide

Oral LD50 >5,000 mg/kg (rat (f+m))

1879-09-0 6-tert-butyl-2,4-xylenol

Oral	LD50	910 mg/kg (rat (f+m)) (OECD 401)
Dermal	LD50	<200 mg/kg (rabbit) (OECD 402)

2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol

Oral LD50 10,000 mg/kg (rat (f+m))

Inhalative LC50/4 h = 0.59 mg/l (rat (f+m))

· Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

• Respiratory or skin sensitisation May cause an allergic skin reaction.

· Additional toxicological information:

• *Repeated dose toxicity No further relevant information available.*

• **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** No further relevant information available.

• 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.



GB

*

^{10.2} Chemical stability

Printing date 23.08.2023

Version number 5 (replaces version 4)

Revision: 23.08.2023

Trade name: Essentia_Red-Brown,_Black,_White_Modifier

(Contd. of page 7)

GB

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

- 14.1 UN number or ID number - ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S. (Urethane Dimethacrylate (UDMA), 6-terr
	butyl-2,4-xylenol)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S. (Urethane Dimethacrylate (UDMA), 6-ter
	butyl-2,4-xylenol), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S. (Urethane Dimethacrylate (UDMA), 6-ter
	butyl-2,4-xylenol)

Printing date 23.08.2023

Version number 5 (replaces version 4)

Revision: 23.08.2023

Trade name: Essentia_Red-Brown,_Black,_White_Modifier

	(Contd. of page
· 14.3 Transport hazard class(es)	
ADR	
· Class	9 (M6) Miscellaneous dangerous substances and articles.
· Label	9
· IMDG, IATA	
- Class	9 Miscellaneous dangerous substances and articles.
· Label	9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	
· Marine pollutant:	No
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
Special marking (ADK). Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Miscellaneous dangerous substances and articles. 90
EMS Number:	<i>F-A,S-F</i>
Stowage Category	A
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	Maximum nei quantity per outer packaging: 1000 mi 3
Tunnel restriction code	(-)
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
	(Contd. on page 1

Printing date 23.08.2023

Version number 5 (replaces version 4)

Revision: 23.08.2023

Trade name: Essentia_Red-Brown,_Black,_White_Modifier

• UN "Model Regulation": UN 3082 ENVIRONMENTALLY H. SUBSTANCE, LIQUID, N.O.S. (DIMETHACRYLATE (UDMA), 6-TERT	
XYLENOL), 9, III	URETHAN

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category E2 Hazardous to the Aquatic Environment

- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H302 Harmful if swallowed. H310 Fatal in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 Calculation method · Department issuing SDS: Regulatory affairs · Contact: msds@gc.dental · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 (Contd. on page 11)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.08.2023

Version number 5 (replaces version 4)

Revision: 23.08.2023

Trade name: Essentia_Red-Brown,_Black,_White_Modifier

(Contd. of page 10) Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity - Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 · Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) • * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.