

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 4 (replaces version 3)

Revision: 25.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: GC_Fuji_IX_GP_FAST_Liquid 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxillary for dental technology • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax + 32/(0)16/40.26.84msds@gc.dental · Further information obtainable from: Regulatory affairs · 1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- · Classification according to Regulation (EC) No 1272/2008
- Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). Hazard pictograms



· Signal word Danger

- *Hazard-determining components of labelling: Tartaric acid*
- *Hazard statements* H318 Causes serious eye damage.

(Contd. on page 2)

GB

Printing date 25.01.2024

Version number 4 (replaces version 3)

Revision: 25.01.2024

(Contd. of page 1)

Trade name: GC_Fuji_IX_GP_FAST_Liquid

· Precautionary statements

Wear eye protection / face protection. P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310

Immediately call a POISON CENTER/doctor.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:				
CAS: 9003-01-4	Polyacrylic acid	Eye Irrit. 2, H319	25-<50%	
CAS: 87-69-4	Tartaric acid	Eye Dam. 1, H318	5-<10%	
EINECS: 201-766-0				

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

- If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Rinse opened eve for several minutes under running water.

Call a doctor immediately.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Printing date 25.01.2024

Version number 4 (replaces version 3)

Revision: 25.01.2024

Trade name: GC_Fuji_IX_GP_FAST_Liquid

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.
6.3 Methods and material for containment and cleaning up: Use neutralising agent.

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Avoid contact with the eyes and skin.
- · Information about fire and explosion protection: Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GR

Printing date 25.01.2024

Version number 4 (replaces version 3)

Revision: 25.01.2024

Trade name: GC_Fuji_IX_GP_FAST_Liquid

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- *The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin.*
- Wash hands before breaks and at the end of work.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Respiratory protection: Suitable respiratory protective device recommended.
- · Hand protection



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical proper	rties
General Information	E1: 1
· Physical state	Fluid
· Colour:	Light yellow
· Odour:	Odourless
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.

(Contd. on page 5)

GB

Printing date 25.01.2024

Version number 4 (replaces version 3)

Revision: 25.01.2024

Trade name: GC_Fuji_IX_GP_FAST_Liquid

	(Contd. of page 4
· Flash point:	Not applicable.
· Auto-ignition temperature:	Undetermined.
• Decomposition temperature:	Not determined.
$\cdot pH at 20 ^{\circ}C$	1.9
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Insoluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
• Density and/or relative density	
• Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· ·	
• 9.2 Other information	
· Appearance:	
· Form:	Liquid
• Important information on protection of health a environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Water:	52.0 %
· VOC (EC)	$0.0 \ g/l$
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
• Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable ga	ses
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 6)

GB

Printing date 25.01.2024

Version number 4 (replaces version 3)

Revision: 25.01.2024

Trade name: GC_Fuji_IX_GP_FAST_Liquid

(Contd. of page 5)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: No further relevant information available.
- · Serious eye damage/irritation Causes serious eye damage.
- · Additional toxicological information:
- · Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

GB -

Printing date 25.01.2024

Version number 4 (replaces version 3)

Revision: 25.01.2024

Trade name: GC_Fuji_IX_GP_FAST_Liquid

(Contd. of page 6)

· Uncleaned packaging:

*

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport information

• 14.1 UN number or ID number • ADR, IMDG, IATA	not regulated		
· 14.2 UN proper shipping name · ADR, IMDG, IATA	not regulated		
· 14.3 Transport hazard class(es)			
· ADR, ADN, IMDG, IATA			
· Class	not regulated		
· 14.4 Packing group · ADR, IMDG, IATA	not regulated		
· 14.5 Environmental hazards:			
Marine pollutant:	No		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Maritime transport in bulk according to IMO			
instruments	Not applicable.		
· UN "Model Regulation":	not regulated		

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H318 Causes serious eye damage. H319 Causes serious eye irritation.

(Contd. on page 8)

GB

Printing date 25.01.2024

Version number 4 (replaces version 3)

Revision: 25.01.2024

Trade name: GC_Fuji_IX_GP_FAST_Liquid

	(Contd. of page
Classification according to Regulation (EC) N	10 1272/2008 Calculation method
Department issuing SDS: Regulatory affairs	
Contact: msds@gc.dental	
Abbreviations and acronyms:	
	andises dangereuses par route (European Agreement Concerning the Internation
Carriage of Dangerous Goods by Road)	5 I V I 5 5
IMDG: International Maritime Code for Dangerous Good	ls
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and	
EINECS: European Inventory of Existing Commercial Ch	emical Substances
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the America VOC: Volatile Organic Compounds (USA, EU)	n Chemical Society)
LC50: Lethal concentration, 50 percent	
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent	
<i>PBT: Persistent, Bioaccumulative and Toxic</i>	
vPvB: very Persistent and very Bioaccumulative	
Eye Dam. 1: Serious eye damage/eye irritation – Categor	y 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category	, 2
Sources	
• ECHA (http://echa.europa.eu/)	
• EnviChem (www.echemportal.org)	
* Data compared to the previous version alter	ed.
This version replaces all previous versions.	
Disclaimer:	
The information contained herein is believed t	o be true and accurate. However, all statements, recommendatio
	tee, representation or warranty, express or implied, on our pa
	lied that the information set out in this document is accurate
<i>i i i</i> 1	
1 0	nility in connection with the use of this information or the produc
0	d by the purchaser/user. The information contained herein is al
	oidance of doubt, however, nothing in this document excludes
limits our liability for death or personal injury	caused by our negligence or for fraudulent misrepresentation.

GB