

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.08.2018

Version number 2

Revision: 20.01.2016

SECTION 1: Identification

- · 1.1 Product identifier
- Trade name: GC FujiCEM Paste A
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxiliary for dental technology
- \cdot 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental

· Information department: Regulatory affairs

· 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

SECTION 2: Hazard(s) identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 *H319 Causes serious eye irritation.*

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labeled according to the CLP regulation.

• Hazard pictograms



· Signal word Warning

Hazard-determining components of labeling:
2-hydroxyethyl metacrylate
Urethane Dimethacrylate (UDMA)
Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

⁻ EU

Version number 2

Revision: 20.01.2016

Trade name: GC FujiCEM Paste A

Printing date 02.08.2018

	(Contd. of page 1)
· Precautionary s	tatements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazard	ds
· Results of PBT of	and vPvB assessment

• *PBT:* Not applicable.

• **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:			
868-77-9	2-hydroxyethyl metacrylate	10-<25%	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317		
1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane	5-<10%	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335		
72869-86-4	Urethane Dimethacrylate (UDMA)	5-<10%	
	Skin Sens. 1, H317		
128-37-0	Butylated hydroxytoluene	≥0.25-<0.5%	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	1	
· Additional i	• Additional information: For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First-aid measures

· 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

If skin irritation continues, consult a doctor.

• After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)

[·]EU

Printing date 02.08.2018

Version number 2

Revision: 20.01.2016

Trade name: GC FujiCEM Paste A

(Contd. of page 2)

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions • 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Fire-fighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

• 6.3 Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.

Dispose of the collected material according to regulations.

- 6.4 Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.

• Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Printing date 02.08.2018

Version number 2

Revision: 20.01.2016

(Contd. of page 3)

Trade name: GC FujiCEM Paste A

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

128-37-0 Butylated hydroxytoluene

Dermal DNEL dermal 0.5 mg/kg bw/day (man)

Inhalative DNEL inhalation 3.5 mg/m3 (man)

• Additional information: The lists that were valid during the creation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Avoid contact with the eyes and skin.
- Wash hands before breaks and at the end of work.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- \cdot Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- •9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:
 - Form:

Pasty

(Contd. on page 5)

Printing date 02.08.2018

Version number 2

Revision: 20.01.2016

Trade name: GC FujiCEM Paste A

	(Cor	ntd. of page
Color:	Yellow	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	97 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	t er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VÕC (EC)	0.0 g/l	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

FI

Printing date 02.08.2018

Version number 2

Revision: 20.01.2016

Trade name: GC FujiCEM Paste A

(Contd. of page 5)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

\cdot LD/LC50 values that are relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral | LD50 | > 5000 mg/kg (rat female) (OECD 401)

128-37-0 Butylated hydroxytoluene

Oral |*LD50* | > 6000 mg/kg (rat (f+m)) (*OECD* 401)

- Primary irritant effect:
- on the skin:
- Causes skin irritation.
- \cdot on the eye:
- Causes serious eye irritation.
- Sensitization:
- May cause an allergic skin reaction.
- \cdot Additional toxicological information:

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Repeated dose toxicity No further relevant information available.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- \cdot **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) > 1.2 mg/l (daphnia magna) (OECD 202)

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- **Remark:** Harmful to fish
- · Additional ecological information:
- · General notes:

Harmful to aquatic organisms

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 7)

Printing date 02.08.2018

Version number 2

Revision: 20.01.2016

(Contd. of page 6)

Trade name: GC FujiCEM Paste A

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European	waste catalogue
------------	-----------------

	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except
	kitchen and restaurant wastes not arising from immediate health care)
18 01 00	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 06*	chemicals consisting of or containing hazardous substances

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

~ ~	tion	
14.1 UN-Number	not negulated	
ADR, ADN, IMDG, IATA	not regulated	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group		
ADR, IMDĞ, IATA	not regulated	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Anna	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

(Contd. on page 8)

EU

EU

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.08.2018

Version number 2

Revision: 20.01.2016

Trade name: GC FujiCEM Paste A

G_{1} (1) (2) $(2$	(Contd. of page
• Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
128-37-0 Butylated hydroxytoluene	A
MAK (German Maximum Workplace Concentration)	`
128-37-0 Butylated hydroxytoluene	
NIOSH-Ca (National Institute for Occupational Safety and Health)	`
None of the ingredients is listed.	
Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed.	ied out.

· Relevant phrases

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
Classification according to Regulation (EC) No 1272/2008 Calculation method

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 DNEL: Derived No-Effect Level (REACH)
 (Contd. on page 9)

Printing date 02.08.2018

Version number 2

Revision: 20.01.2016

Trade name: GC FujiCEM Paste A

LC50. Lashal concentration 50 memory	(Contd. of page 8)
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent	
PBT: Persistent. Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
· Sources	
• ECHA (http://echa.europa.eu/)	
• EnviChem (www.echemportal.org)	
• * Data compared to the previous version altered.	
This version replaces all previous versions.	
Disclaimer:	
The information contained herein is believed to be true and accurate. However, all statements, re or suggestions are made without any guarantee, representation or warranty, express or impli	
Therefore, no warranty is made or to be implied that the information set out in this documen complete, and we accordingly exclude all liability in connection with the use of this information	
referred to herein. All such risks are assumed by the purchaser/user. The information container subject to change without notice. For the guidance of doubt, however, nothing in this documents are been as the subject to change and the subject to change	
subject to change without notice. For the avoidance of doubt, however, nothing in this docun limits our liability for death or personal injury caused by our negligence or for fraudulent misrepr	
	EU —