

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2023

Version number 3 (replaces version 2)

Revision: 30.11.2023

 SECTION 1: Identification of the substance/mixture and of the company/undertaking

 · 1.1 Product identifier

 · Trade name:

 <u>GC_FujiCEM_2_Paste_B</u>

 Nanoform

 · 1.2 Relevant identified uses of the substance or mixture and uses advised against

 No further relevant information available.

· Application of the substance / the mixture Auxiliary for dental technology

1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental

· Information department: Regulatory affairs

· 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labeled according to the CLP regulation.
- · Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: Tartaric acid

· Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

EU

Printing date 30.11.2023

Version number 3 (replaces version 2)

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

P310 Immediately call a poison center/doctor.

• Additional information:

1.2 % of the mixture consists of component(s) of unknown toxicity.

Contains 1.2 % of components with unknown hazards to the aquatic environment.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:				
9003-01-4	Polyacrylic acid	Eye Irrit. 2, H319	25-<50%	
14808-60-7	Quartz	STOT RE 1, H372	10-<25%	
87-69-4	Tartaric acid	Eye Dam. 1, H318	5-<10%	
7631-86-9	silicon dioxide		2.5-<5%	
Additional information: For the wording of the listed hazard phrases refer to section 16				

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Seek medical treatment. If skin irritation continues, consult a doctor.

- · After eye contact:
- Protect unharmed eye.

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

- After swallowing:
- *Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.*

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

(Contd. of page 1)

Printing date 30.11.2023

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.

• 6.3 Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. Dispose of the collected material according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- Avoid contact with the eyes and skin.
- · Information about protection against explosions and fires: Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 30.11.2023

Version number 3 (replaces version 2)

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

(Contd. of page 3)

	trol parameters
-	ents with limit values that require monitoring at the workplace:
	0-7 Quartz
BOELV	Long-term value: $0.1* mg/m^3$
	*respirable fraction
· Addition	al information: The lists that were valid during the creation were used as basis.
	psure controls
	al information about design of technical systems: No further data; see section 7.
	l protective equipment:
	protective and hygienic measures:
	al precautionary measures for handling chemicals should be followed.
	ntact with the eyes and skin.
	nds before breaks and at the end of work. ay from foodstuffs, beverages and feed.
	tely remove all soiled and contaminated clothing.
	ig equipment: Suitable respiratory protective device recommended.
	on of hands:
The sele varies fr the glove Penetra	
SECTI	ON 9: Physical and chemical properties

Not applicable.

- General Information
 Physical state
 Color:
 Odor:
 Odor threshold:
 Melting point/Melting range:
 Boiling point/Boiling range:
 Undetermined.
- · Flammability (solid, gaseous):

*

(Contd. on page 5)

EU -

Printing date 30.11.2023

Version number 3 (replaces version 2)

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

	(Contd. of page
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Auto igniting:	Undetermined.
Decomposition temperature:	Not determined.
pH-value:	Not determined.
Viscosity:	
Kinematic:	Not determined.
Dynamic:	Not determined.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/water):	Not determined.
Vapor pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Particle characteristics	SiO2: Diameter particle structure = $2.5 - 50$ nm (TEM)
	d50, number-based)
	Diameter agglomerate = $5 - 50$ mm (laser diffraction dr
	module, d50, volume based)
	7631-86-9 silicon dioxide:
	set including amorphous nanoforms
	non-surface-treated nanoforms
	Shape: Spheroidal
	Structure: amorphous forms
	Crystallinity: amorphous nanoform
9.2 Other information	
Appearance:	
Form:	Pasty
Important information on protection of health	•
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Solvent content:	· ·
Water:	36.4 %
VOC (EC)	0.0 g/l
Change in condition	-
Evaporation rate	Not determined.
Information with regard to physical hazard class	ses
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
	Void
Self-reactive substances and mixtures	
Self-reactive substances and mixtures Pyrophoric liquids	Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void

EU

Printing date 30.11.2023

Version number 3 (replaces version 2)

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

		(Contd. of page 5)
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamma	ble gases	
in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

7631-86-9 silicon dioxide

Oral LD50 10,000 mg/kg (rat (f+m))

• on the skin: Based on available data, the classification criteria are not met.

• on the eye: Causes serious eye damage.

- Sensitization: Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.

• Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

• Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

• Additional toxicological information:

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• *Repeated dose toxicity No further relevant information available.*

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.

• 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 7)

EU

Printing date 30.11.2023

Version number 3 (replaces version 2)

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- · Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- European waste catalogue

 18 00 00
 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE)

 18 01 00
 wastes from natal care, diagnosis, treatment or prevention of disease in humans

 18 01 06*
 chemicals consisting of or containing hazardous substances
 - · Uncleaned packagings:
 - *Recommendation: Disposal must be made according to official regulations.*

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	not regulated	
14.2 UN proper shipping name DOT, ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group		
ADR, IMDĞ, IATA	not regulated	
14.5 Environmental hazards:		
Marine pollutant:	No	

Printing date 30.11.2023

Version number 3 (replaces version 2)

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

		(Contd. of page 7)			
· 14.6 Special precautions for user	Not applicable.				
· 14.7 Transport in bulk according to Annex II of					
MARPOL73/78 and the IBC Code	Not applicable.				
· UN "Model Regulation":	not regulated				

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· Proposition 65

• Chemicals known to cause cancer:

14808-60-7 Quartz

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

14808-60-7 Quartz

· MAK (German Maximum Workplace Concentration)

14808-60-7 Quartz

·NIOSH-Ca (National Institute for Occupational Safety and Health)

14808-60-7 Quartz

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 9)

A2

1

EU

Printing date 30.11.2023

Version number 3 (replaces version 2)

Revision: 30.11.2023

(Contd. of page 8)

Trade name: GC_FujiCEM_2_Paste_B

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental

• Date of previous version 30.11.2023

• Version number of previous version: 2

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

• * Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.