

Page 1/10

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.04.2021

Version number 1

Revision: 23.04.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: GC Fuji Ortho LC Paste Pak Automix - Paste A

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Auxiliary for dental technology

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental

· Information department: Regulatory affairs

· 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

Skin Irrit. 2 H315 Causes skin irritation.

*Eye Irrit.* 2 *H319 Causes serious eye irritation.* 

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). • Hazard pictograms



· Signal word Warning

• Hazard-determining components of labeling: 2-hydroxyethyl metacrylate Urethane Dimethacrylate (UDMA) Potassium persulfate • Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

<sup>-</sup> EU

Printing date 23.04.2021

Version number 1

Revision: 23.04.2021

### Trade name: GC Fuji Ortho LC Paste Pak Automix - Paste A

(Contd. of page 1) H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. · Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterization: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

| · Dangerous    | components:  |           |
|----------------|--|-----------|
| 868-77-9       | 868-77-9 2-hydroxyethyl metacrylate  |           |
|                | Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317  |           |
| 1830-78-0      | 2-Hydroxy-1,3 dimethacryloxypropane  | 2.5-<5%   |
|                | Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335   |           |
| 72869-86-4     | Urethane Dimethacrylate (UDMA)   | 2.5-<5%   |
|                | Aquatic Chronic 2, H411; Skin Sens. 1B, H317   |           |
| 128-37-0       | Butylated hydroxytoluene   | 0.5-<1%   |
|                | Aquatic Acute 1, H400; Aquatic Chronic 1, H410   |           |
| 7727-21-1      | Potassium persulfate   | 0.2-<0.5% |
|                | Ox. Sol. 3, H272; Resp. Sens. 1, H334; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye<br>Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 | _         |
| · Additional i | <i>nformation:</i> For the wording of the listed hazard phrases refer to section 16.   |           |

SECTION 4: First aid measures

#### • 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

*Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.* 

(Contd. on page 3)

Printing date 23.04.2021

Version number 1

Revision: 23.04.2021

(Contd. of page 2)

### Trade name: GC Fuji Ortho LC Paste Pak Automix - Paste A

*If skin irritation continues, consult a doctor.* 

• After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• *After swallowing: Rinse out mouth and then drink plenty of water.* 

Rinse out mouth and then arink plenty of wate

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6:** Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid formation of dust. Avoid contact with the eyes and skin. Wear protective clothing. · 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities. - 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Prevent formation of dust. Dispose of the collected material according to regulations. · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

Printing date 23.04.2021

Version number 1

Revision: 23.04.2021

#### Trade name: GC Fuji Ortho LC Paste Pak Automix - Paste A

(Contd. of page 3)

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

*Any deposit of dust which cannot be avoided must be regularly removed. Avoid contact with the eyes and skin.* 

• *Information about protection against explosions and fires: Dust can combine with air to form an explosive mixture.* 

· 7.2 Conditions for safe storage, including any incompatibilities

• Storage:

• **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.

· Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · DNELs

#### 128-37-0 Butylated hydroxytoluene

Dermal DNEL dermal 0.5 mg/kg bw/day (man)

Inhalative DNEL inhalation 3.5 mg/m3 (man)

• *Additional information:* The lists that were valid during the creation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

· Breathing equipment: Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 23.04.2021

Version number 1

Revision: 23.04.2021

### Trade name: GC Fuji Ortho LC Paste Pak Automix - Paste A

(Contd. of page 4)

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

| 9.1 Information on basic physical a  | nd chemical properties                        |  |  |  |  |  |
|--------------------------------------|---|--|--|--|--|--|
| General Information                  |   |  |  |  |  |  |
| Appearance:                          |   |  |  |  |  |  |
| Form:                                | Pasty   |  |  |  |  |  |
| Color:                               | Light yellow                                  |  |  |  |  |  |
| Odor:                                | Odorless                                      |  |  |  |  |  |
| Odor threshold:                      | Not determined.                               |  |  |  |  |  |
| pH-value:                            | Not applicable.                               |  |  |  |  |  |
| Change in condition                  |   |  |  |  |  |  |
| Melting point/Melting range:         | Undetermined.                                 |  |  |  |  |  |
| Boiling point/Boiling range:         | Undetermined.                                 |  |  |  |  |  |
| Flash point:                         | 97 °C   |  |  |  |  |  |
| Flammability (solid, gaseous):       | Not determined.                               |  |  |  |  |  |
| Ignition temperature:                | Undetermined.                                 |  |  |  |  |  |
| Decomposition temperature:           | Not determined.                               |  |  |  |  |  |
| Auto igniting:                       | Product is not selfigniting.                  |  |  |  |  |  |
| Danger of explosion:                 | Product does not present an explosion hazard. |  |  |  |  |  |
| Explosion limits:                    |   |  |  |  |  |  |
| Lower:                               | Not determined.                               |  |  |  |  |  |
| Upper:                               | Not determined.                               |  |  |  |  |  |
| Vapor pressure:                      | Not applicable.                               |  |  |  |  |  |
| Density:                             | Not determined.                               |  |  |  |  |  |
| Relative density                     | Not determined.                               |  |  |  |  |  |
| Vapor density                        | Not applicable.                               |  |  |  |  |  |
| Evaporation rate                     | Not applicable.                               |  |  |  |  |  |
| Solubility in / Miscibility with     |   |  |  |  |  |  |
| Water:                               | Insoluble.                                    |  |  |  |  |  |
| Partition coefficient (n-octanol/wat | er): Not determined.                          |  |  |  |  |  |
| Viscosity:                           |   |  |  |  |  |  |
| Dynamic:                             | Not applicable.                               |  |  |  |  |  |
| Kinematic:                           | Not applicable.                               |  |  |  |  |  |

Printing date 23.04.2021

Version number 1

Revision: 23.04.2021

(Contd. of page 5)

### Trade name: GC Fuji Ortho LC Paste Pak Automix - Paste A

· Solvent content:

Organic solvents:

• 9.2 Other information

0.0 % *No further relevant information available.* 

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

### · LD/LC50 values that are relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

*Oral LD50 >5,000 mg/kg (rat female) (OECD 401)* 

128-37-0 Butylated hydroxytoluene

*Oral* |*LD50* | >6,000 mg/kg (rat (f+m)) (OECD 401)

· Primary irritant effect:

• on the skin:

Causes skin irritation.

on the eye:

Causes serious eye irritation.

• Sensitization:

May cause an allergic skin reaction.

• Additional toxicological information:

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• *Repeated dose toxicity No further relevant information available.* 

• *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) No further relevant information available.* 

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.* 

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 23.04.2021

Version number 1

Revision: 23.04.2021

Trade name: GC Fuji Ortho LC Paste Pak Automix - Paste A

(Contd. of page 6)

### SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

### 128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Harmful to fish
- Additional ecological information:
- · General notes:
- Harmful to aquatic organisms
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- Danger to drinking water if even extremely small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

| L . | Lui opeun wusie euniogue   |  |  |
|-----|--|--|--|
| Γ   | 18 00 00   | 18 00 00 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEP' |  |
|     |  | KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE)            |  |
| Γ   | 18 01 00   | wastes from natal care, diagnosis, treatment or prevention of disease in humans  |  |
| Γ   | 18 01 06* chemicals consisting of or containing hazardous substances |  |  |

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

### SECTION 14: Transport information

• 14.1 UN-Number

· ADR, ADN, IMDG, IATA

not regulated

· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA

not regulated

(Contd. on page 8)

EU -

Printing date 23.04.2021

Version number 1

Revision: 23.04.2021

### Trade name: GC Fuji Ortho LC Paste Pak Automix - Paste A

|   |                 | (Contd. of page 7) |
|---|-----------------|--------------------|
| · 14.3 Transport hazard class(es)   |                 |                    |
| · ADR, ADN, IMDG, IATA<br>· Class   | not regulated   |                    |
| · 14.4 Packing group<br>· ADR, IMDG, IATA   | not regulated   |                    |
| <ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>                        | No              |                    |
| · 14.6 Special precautions for user   | Not applicable. |                    |
| • 14.7 Transport in bulk according to Annex II of<br>MARPOL73/78 and the IBC Code Not applicable. |                 |                    |
| · UN "Model Regulation":  | not regulated   |                    |

# SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

### Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### • TLV (Threshold Limit Value established by ACGIH)

128-37-0 Butylated hydroxytoluene

#### · MAK (German Maximum Workplace Concentration)

128-37-0 Butylated hydroxytoluene

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

A4

4

Printing date 23.04.2021

Version number 1

Revision: 23.04.2021

Trade name: GC Fuji Ortho LC Paste Pak Automix - Paste A

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 8)

# SECTION 16: Other information

#### · Relevant phrases

H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 Calculation method · Department issuing SDS: Regulatory affairs · Contact: msds@gc.dental · Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Ox. Sol. 3: Oxidizing solids – Category 3 Acute Tox. 4: Acute toxicity - oral - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 · Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) \* \* Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products

referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also (Contd. on page 10)

Printing date 23.04.2021

Version number 1

Revision: 23.04.2021

Trade name: GC Fuji Ortho LC Paste Pak Automix - Paste A

(Contd. of page 9) subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

EU