

Page 1/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.01.2024

Version number 4 (replaces version 3)

Revision: 31.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: GC Fuji VARNISH

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Auxiliary for dental technology

1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental

· Information department: Regulatory affairs

· 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

#### · 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: isopropyl acetate
Hazard statements
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)

EU

Printing date 31.01.2024

Version number 4 (replaces version 3)

Revision: 31.01.2024

## Trade name: GC\_Fuji\_VARNISH

<b>D2</b> 00	(Contd. of page 1)
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+	+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351+	+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Additional in	8
	namaldehyde, Cornmint oil. May produce an allergic reaction.
14 % of the n	nixture consists of component(s) of unknown toxicity.
Contains 14	% of components with unknown hazards to the aquatic environment.
	tains: Reportable explosives precursors. Making available, introduction, possession and use Regulation (EU) 2019/1148, Article 9.
• 2.3 Other ha	zards
· Results of PL	3T and vPvB assessment
DDT. Not an	

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

# SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterization: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:		
108-21-4	isopropyl acetate	50-<75%
	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	
67-64-1		≥10-<20%
	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	
104-55-2	cinnamaldehyde	0.5-<1%
	Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
68917-18-0	Cornmint oil	0.5-<1%
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	
• Additional information: For the wording of the listed hazard phrases refer to section 16.		

# **SECTION 4:** First aid measures

## • 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- If symptoms persist consult doctor.
- After inhalation:

\*

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

#### • After skin contact:

- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.

(Contd. on page 3)

EU

Printing date 31.01.2024

#### Version number 4 (replaces version 3)

Revision: 31.01.2024

(Contd. of page 2)

## Trade name: GC\_Fuji\_VARNISH

#### • After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil.

Do not allow to penetrate the ground/soll.

- In case of seepage into the ground inform responsible authorities.
- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation. Absorb liquid components with liquid-binding material. Dispose of the collected material according to regulations.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.

(Contd. on page 4)

EU

Printing date 31.01.2024

Version number 4 (replaces version 3)

Revision: 31.01.2024

## Trade name: GC\_Fuji\_VARNISH

Information about protection against explosions and fires:	(Contd. of page
Keep ignition sources away - Do not smoke.	
Protect against electrostatic charges.	
Do not spray on a naked flame or any incandescent material.	
7.2 Conditions for safe storage, including any incompatibilities	
Storage:	
Requirements to be met by storerooms and receptacles:	
Store in a cool location.	
Store only in unopened original receptacles.	
Information about storage in one common storage facility: Store away from foodstuffs.	
Further information about storage conditions:	
Keep receptacle tightly sealed.	
Store in cool, dry conditions in well sealed receptacles.	
Protect from heat and direct sunlight.	
Store in a cool place. 7 <b>.3 Specific end use(s)</b> No further relevant information available.	
SECTION 8: Exposure controls/personal protection	
8.1 Control parameters	
8.1 Control parameters	
8.1 Control parameters Components with limit values that require monitoring at the workplace:	
8.1 Control parameters         Components with limit values that require monitoring at the workplace:         67-64-1 acetone         IOELV       Long-term value: 1210 mg/m³, 500 ppm	
8.1 Control parameters Components with limit values that require monitoring at the workplace: 67-64-1 acetone	
<ul> <li>8.1 Control parameters</li> <li>Components with limit values that require monitoring at the workplace:</li> <li>67-64-1 acetone</li> <li>IOELV Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>8.2 Exposure controls</li> </ul>	
<ul> <li>8.1 Control parameters</li> <li>Components with limit values that require monitoring at the workplace:</li> <li>67-64-1 acetone</li> <li>IOELV Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>8.2 Exposure controls</li> <li>Additional information about design of technical systems: No further data; see section 7.</li> </ul>	
<ul> <li>8.1 Control parameters</li> <li>Components with limit values that require monitoring at the workplace:</li> <li>67-64-1 acetone</li> <li>IOELV Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>8.2 Exposure controls</li> </ul>	
<ul> <li>8.1 Control parameters</li> <li>Components with limit values that require monitoring at the workplace:</li> <li>67-64-1 acetone</li> <li>IOELV Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>8.2 Exposure controls</li> <li>Additional information about design of technical systems: No further data; see section 7.</li> <li>Personal protective equipment:</li> </ul>	
<ul> <li>8.1 Control parameters</li> <li>Components with limit values that require monitoring at the workplace:</li> <li>67-64-1 acetone</li> <li>IOELV Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>8.2 Exposure controls</li> <li>Additional information about design of technical systems: No further data; see section 7.</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> </ul>	
<ul> <li>8.1 Control parameters</li> <li>Components with limit values that require monitoring at the workplace:</li> <li>67-64-1 acetone</li> <li>IOELV Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>8.2 Exposure controls</li> <li>Additional information about design of technical systems: No further data; see section 7.</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> <li>The usual precautionary measures for handling chemicals should be followed.</li> </ul>	
<ul> <li>8.1 Control parameters</li> <li>Components with limit values that require monitoring at the workplace:</li> <li>67-64-1 acetone</li> <li>IOELV Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>8.2 Exposure controls</li> <li>Additional information about design of technical systems: No further data; see section 7.</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> <li>The usual precautionary measures for handling chemicals should be followed.</li> <li>Avoid contact with the eyes and skin.</li> </ul>	
<ul> <li>8.1 Control parameters</li> <li>Components with limit values that require monitoring at the workplace:</li> <li>67-64-1 acetone</li> <li>IOELV Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm</li> <li>Additional information: The lists that were valid during the creation were used as basis.</li> <li>8.2 Exposure controls</li> <li>Additional information about design of technical systems: No further data; see section 7.</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> <li>The usual precautionary measures for handling chemicals should be followed.</li> <li>Avoid contact with the eyes and skin.</li> <li>Wash hands before breaks and at the end of work.</li> </ul>	

- **Breathing equipment:** Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5) EU

Printing date 31.01.2024

\*

Version number 4 (replaces version 3)

Revision: 31.01.2024

# Trade name: GC\_Fuji\_VARNISH

En en este d'an	(Contd. of pag
Eye protection:	
Tightly sealed goggles	
SECTION 9: Physical and chemical pr	operties
9.1 Information on basic physical and chemical	l properties
General Information	
Physical state	Fluid
Color:	Colorless
Odor:	Ester-like
Odor threshold:	Not determined.
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	55.8-56.6 °C
Flammability (solid, gaseous):	Highly flammable.
Explosion limits:	
Lower:	1.8 Vol %
Upper:	13 Vol %
Flash point:	<-18 °C
Auto igniting:	Undetermined.
Decomposition temperature:	Not determined.
pH-value:	Not determined.
Viscosity:	
Kinematic:	Not determined.
Dynamic:	Not determined.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/water):	Not determined.
Vapor pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	$0.903 \text{ g/cm}^3$
Relative density	Not determined.
Vapor density	Not determined.
9.2 Other information	
Appearance:	Liquid
Form:	Liquid
Important information on protection of hea	un ana
environment, and on safety.	Product is not solficriting
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Solvent content:	81.0.0/
Organic solvents:	81.0 % 721.4 ~//
VOC (EC)	731.4 g/l
Change in condition	Not determined.
Evaporation rate	
Information with regard to physical hazard cla Explosives	isses Void
Explosives Flammable gases	Void Void
r ummuble guses	r Olu

- EU -

Printing date 31.01.2024

Version number 4 (replaces version 3)

Revision: 31.01.2024

#### Trade name: GC\_Fuji\_VARNISH

		(Contd. of page 5
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Highly flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammal	ble gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

• 11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

108-21-4 isopropyl acetate

*Oral LD50 9,800 mg/kg (rat (f+m))* 

#### 67-64-1 acetone

Oral LD50 5,800 mg/kg (rat (f+m))

Dermal LD50 20,000 mg/kg (rabbit)

104-55-2 cinnamaldehyde

*Oral LD50 2,220 mg/kg (rat (f+m))* 

Dermal LD50 >1,000 mg/kg (rabbit)

• on the skin: Based on available data, the classification criteria are not met.

• on the eye: Causes serious eye irritation.

• Sensitization: Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

 $\cdot$  **Reproductive toxicity** Based on available data, the classification criteria are not met.

• Specific target organ toxicity - single exposure May cause drowsiness or dizziness.

• Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 31.01.2024

Version number 4 (replaces version 3)

Revision: 31.01.2024

Trade name: GC\_Fuji\_VARNISH

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 6)

· Additional toxicological information:

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• *Repeated dose toxicity* No further relevant information available.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.
- 11.2 Information on other hazards

#### • Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

18 00 00 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE)

18 01 00 wastes from natal care, diagnosis, treatment or prevention of disease in humans

18 01 06\* chemicals consisting of or containing hazardous substances

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.* 

(Contd. on page 8)

Printing date 31.01.2024

\*

Version number 4 (replaces version 3)

Revision: 31.01.2024

# Trade name: GC\_Fuji\_VARNISH

(Contd. of page 7)

EU

14.1 UN-Number ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Isopropyl acetate, Acetone)
ADR	1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ACETA)
IMDC LATA	ACETONE), special provision 640D FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ACETA)
IMDG, IATA	ACETONE)
14.3 Transport hazard class(es)	
ADR	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	33
EMS Number:	F-E, <u>S-E</u> B
Stowage Category 14.7 Transport in bulk according to Annex II o	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E

Printing date 31.01.2024

Version number 4 (replaces version 3)

Revision: 31.01.2024

Trade name: GC\_Fuji\_VARNISH

	(Contd. of page 8)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ACETATE, ACETONE), 3, II

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

## · Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

• TLV (Threshold Limit Value)

67-64-1 acetone

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 10)

Ι

A4

Printing date 31.01.2024

#### Version number 4 (replaces version 3)

Revision: 31.01.2024

(Contd. of page 9)

3

3

Trade name: GC\_Fuji\_VARNISH

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

67-64-1 acetone

• Regulation (EC) No 273/2004 on drug precursors

67-64-1 acetone

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 acetone

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

- H336 May cause drowsiness or dizziness.
- *H411 Toxic to aquatic life with long lasting effects.*
- EUH066 Repeated exposure may cause skin dryness or cracking.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

• Date of previous version 31.01.2024

• Version number of previous version: 3

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

(Contd. on page 11)

EU

Printing date 31.01.2024

#### Version number 4 (replaces version 3)

Revision: 31.01.2024

(Contd. of page 10)

EU -

## Trade name: GC\_Fuji\_VARNISH

#### · Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

• \* Data compared to the previous version altered.

*This version replaces all previous versions. Disclaimer:* 

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.