

# References

As of 18 June 2024



Start injecting with our strongest  
direct restorative ever

G-ænial® Universal  
Injectable



GC



## G-aenial Universal Injectable Universal light-cured radiopaque injectable composite

1. The Ratings. Gaenial Universal Injectable, Dental Advisor Vol 35, No6 Nov/Dec 2018
2. Interrelation among the handling, mechanical, and wear properties of the newly developed flowable resin composites. A. Imai, T. Takamizawa, R. Sugimura, A. Tsujimoto, R. Ishii, M. Kawazu, T. Saito, M. Miyazaki. Journal of the Mechanical Behavior of Biomedical Materials 89 (2019) 72-80 <https://doi.org/10.1016/j.jmbbm.2018.09.019>
3. Bis-MEPP-based Flowable Resin Has Low Sorption and High Color Stability. IADR-Vancouver 2019. Available in : <https://iadr.abstractarchives.com/abstract/19iags-3181071/bis-mepp-based-flowable-resin-has-low-sorption-and-high-color-stability>.
4. Injectable Resin Composite, Preliminary Clinical Report: 1 Year Follow-Up. IADR-Vancouver 2019. Available in : <https://iadr.abstractarchives.com/abstract/19iags-3183775/injectable-resin-composite-preliminary-clinical-report-1-year-follow-up>.
5. Interfacial Bond Strength and Fracture Behaviour of Bi-layered Composite Structures. IADR-Vancouver 2019. Available in: <https://iadr.abstractarchives.com/abstract/19iags-3178137/interfacial-bond-strength-and-fracture-behaviour-of-bi-layered-composite-structures>
6. New Universal Flowable Composites: Mechanical and Structural Analysis. IADR-Vancouver 2019. Available in: <https://iadr.abstractarchives.com/abstract/19iags-3181532/new-universal-flowable-composites-mechanical-and-structural-analysis>
7. Wear Simulation of Flowable and Low-viscosity Bulk-fill Resin Composites. IADR-Vancouver 2019. <https://iadr2019.zerista.com/event/member/582576>
8. Gloss Retention of Direct Composites and Corresponding CAD Composite Blocks IADR-Vancouver 2019. S. Ardu, O. Duc, I. Krejci, E. Bétrisey, E. Di Bella, R. Daher. Clin Exp Dent Res. 2022;8:282-286 <https://iadr.abstractarchives.com/abstract/19iags-3185252/gloss-retention-of-direct-composites-and-corresponding-cad-composite-blocks>
9. Clinical Report of Class II Restorations Made Using an Injectable Resin Composite. G. Corsentino, M. Ferrari. J Dent Res J Dent Res Vol 99 (Spec Iss A): 1383, <https://iadr2020.zerista.com/event/member/678005>, 2020
10. Adhesive Interface and Chemical Composition of Nanoparticulate Composite Universal Injectable. J.U. Echevarria. J Dent Res Vol 99 Issue 6, June 2020 (Spec IssA) p 0746. <https://iadr.abstractarchives.com/abstract/20iags-3307659/adhesive-interface-and-chemical-composition-of-nanoparticulate-composite-universal-injectable>
11. Post-orthodontic recontouring of anterior teeth using composite injection technique with a digital workflow. K. Hosaka, A. Tichy, Y. Motoyama, K. Mizutani, W.-J. Lai, Z. Kanno, J. Tagami, M. Nakajima. J Esthet Restor Dent. 2020;1-7. 2. <https://doi.org/10.1111/jerd.12619>





12. Replacing mandibular central incisors with a direct resin-bonded fixed dental prosthesis by using a bilayering composite resin injection technique with a digital workflow: A dental Technique. K. Hosaka, A. Tichy, Y. Hasegawa, Y. Motoyama, M. Kanazawa, J. Tagami, M. Nakajima. *J Prosthet Dent* . 2020 Aug 13;S0022 3913(20)30375-9. <https://www.sciencedirect.com/science/article/abs/pii/S0022391320303759>
13. Dental Reshaping Using the Composite Resin Injection Technique after Dental Trauma and Orthodontic Treatment. M. Georgios, M.P. Maroulakos, E. Tsoukala, M.V. Angelopoulou. *Journal of Dentistry for Children* 88 (2): 144-47, 2021. <https://pubmed.ncbi.nlm.nih.gov/34321148/>
14. Surface Properties and Microhardness of Composites After Polishing and Aging. S.G.Ülkü, N. Ünlü. Abstract O127, PER-IADR Marseille, September 2022
15. Optical Characteristics of Short Fiber-Reinforced Composite in Bilayered Structure. A. Sarmiala, L. Lassila, T. Närhi, P. Vallittu, A.-M. Le Bell-Rönnlöf. Abstract P263 – PER-IADR Marseille, September 2022
16. Depth of Cure, Hardness, Roughness and Filler Dimension of Bulk-Fill Flowable, Conventional Flowable and High-Strength Universal Injectable Composites: An In Vitro Study. Ludovichetti FS, Lucchi P, Zambon G, Pezzato L, Bertolini R, Zerman N, Stellini E, Mazzoleni S. *Nanomaterials* (Basel). 2022 Jun 7;12(12):1951. doi: 10.3390/nano12121951 - PMID: 35745293 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9228197/>
17. The injectable composite resin technique: Minimally invasive reconstruction of esthetics and function. Geštakovski, D. Clinical case report with 2-year follow-up. *Quintessence International*, 50(9), 712-719, 2019 <https://doi.org/10.3290/j.qi.a43089>
18. Accuracy of Direct Composite Veneers via Injectable Resin Composite and Silicone Matrices in Comparison to Diagnostic Wax-Up. V. Kouri, D. Moldovani, E. Papazoglou. *J Funct Biomater*. 2023 Jan; 14(1): 32. doi: 10.3390/jfb14010032
19. Wear behavior at margins of direct composite with CAD/CAM composite and enamel. Lassila, L., Novotny, R., Säilynoja, E., Vallittu, P. K., & Garoushi, S. (2023). *Clinical Oral Investigations*, 1, 1-8. <https://doi.org/10.1007/s00784-023-04883-w>
20. Injectable Flowable Resin-based Composite Veneers Prior to Ceramic Veneers. J. Villalobos-Tinoco, C. Jurado, R. Sanchez-Hernandez, A. Elgreatly, A. Alshabib, A. Tsujimoto. (2023). *Operative Dentistry*, 48(4), 351-357. <https://doi.org/10.2341/22-048-t>
21. Injection moulding technique with injectable composites: quick fix or long-lasting solution? M. Peumans, D. Geštakovski, J. Mattiussi, K. Karagiannopoulos. (2023). *International Dentistry African Edition*, 13(1), 14-22.
22. In vitro wear resistance of conventional and flowable composites containing various filler types after thermomechanical loading. Turk, S., Erden Kayalidere, E., Celik, E. U., & Yasa, B. (2023). *Journal of Esthetic and Restorative Dentistry*. <https://doi.org/10.1111/jerd.13137>
23. Surface Properties and Wear Resistance of Injectable and Computer-Aided Design/Computer Aided Manufacturing-Milled Resin Composite Thin Occlusal Veneers. Elsahn, N. A., El-Damanhoury, H. M., Shirazi, Z., & Saleh, A. R. M. (2022). *European Journal of Dentistry*, 17(03), 663-672. <https://doi.org/10.1055/s-0042-1750769>
24. A comparative assessment of color stability among various commercial resin composites. MB Uctasli, Sufyan Garoushi, M Uctasli, PK Vallittu, L Lassila.



- BMC Oral Health* (2023) 23:789. <https://doi.org/10.1186/s12903-023-03515-9>
25. Effects of cycling loading on surface roughness of highly-filled flowable composite surface roughness flowables. Checchi, V., Corciolani, L., Marawic, T., Generali, L., Breschi, L., & Mazzitelli, C. (2023). Collegio Dei Docenti Universitari Di Discipline Odontostomatologiche ETS. <https://doi.org/10.19256/abstract.cduo.03.2023>
  26. Effect of different finishing and polishing procedures on surface roughness and microbial adhesion on highly-filled composites for injectable mold technique. Vulović, S., Stašić, J. N., Ilić, J., Todorović, M., Jevremović, D., & Milić-Lemić, A. (2023). *Journal of Esthetic and Restorative Dentistry*, 35(6), 917–926. <https://doi.org/10.1111/jerd.13045>
  27. Effects of Translucency and Thickness of Lithium Disilicate-Reinforced Glass-Ceramic Veneers on the Degree of Conversion of a Purely Light-Curing Bonding Resin: An In Vitro Study. Poca, A., De Peretti Della Rocca, K., Nasr, K., Ducassé, R., & Canceill, T. (2023). *Polymers*, 15(7). <https://doi.org/10.3390/polym15071617>
  28. Bai, X., Chen, Y., Pow, E., & Tsoi, J. (2023). Wet and dry challenge of four injectable composite materials. *Dental Materials*, 39, e11–e12. <https://doi.org/10.1016/J.DENTAL.2023.08.024>
  29. Azusa Miyagawa, Takayuki Murata, Takumasa Kimura, Takayuki Ueno, T. K. (2018). Mechanical Properties of Novel Injectable Composite Resin, G-ænial Universal Injectable. *Iadr*, 97(B), 2000. <https://iadr2018.zerista.com/event/member/492101>
  30. Flexural and Wear Properties of Injectable Resin Composites. IADR Abstract Archives. Chen, Y., Bai, X., Loh, Y. M., Wang, C., Pow, E., & Tsoi, J. K. (2022). <https://iadr.abstractarchives.com/abstract/22iags-3723319/flexural-and-wear-properties-of-injectable-resin-composites>
  31. Discoloration Resistance Property of Variable Low-Viscosity Composite Resins. Fukuyo, Y., Murata, T., Machida, D., & Fusejima, F. (2022). IADR Abstract Archives. <https://iadr.abstractarchives.com/abstract/51am-3646027/discoloration-resistance-property-of-variable-low-viscosity-composite-resins>
  32. Impact of Clear Silicon Materials on the Polymerization of Composites. Säilynoja, E., Garoushi, S., Prinssi, R., Vallittu, P., Dopheide, B., & Lassila, L. (2021). IADR Abstract Archives. <https://iadr.abstractarchives.com/abstract/21iags-3572058/impact-of-clear-silicon-materials-on-the-polymerization-of-composites>
  33. Hybrid Glass Material and Injectable Composite: Dental Sealants Trials. Vendrametto Forcin, L., Carochi, R., Rios, D., de Lima Navarro, M. F., Menezes-Silva, R., Bastos, R., Felix, R., Bombonatti, J., Albergaria, L., Obeid, A., Di Campli, F., Marcenes, W., Brondino, N., Pistelli, G., Borgno, F., & De Barros, S. (2023). IADR Abstract Archives. <https://iadr.abstractarchives.com/abstract/23iags-3895837/hybrid-glass-material-and-injectable-composite-dental-sealants-trials>
  34. Assessment of a highly-filled flowable composite for the repair of indirect composites. Kanar, Ö., Meşeli, S., Korkut, B., Köken, S., Tağtekin, D., & Yanıkoğlu, F. (2024). *Journal of Oral Science*, 66(1), 42–49. <https://doi.org/10.2334/JOSNUSD.23-0166>



35. The Effect of Current Finishing and Polishing Systems on the Surface Roughness of Different Resin Composites. Terzi, A., Sarikaya, T., Atalay, C., & Gürkan, S. (2023). CED IADR Abstract Archives. <https://iadr.abstractarchives.com/abstract/ced-iadr2023-3934173/the-effect-of-current-finishing-and-polishing-systems-on-the-surface-roughness-of-different-resin-composites>
36. "INJECTABLE Resin Composite" for Long-Lasting Aesthetic Restorations. Y. Fukuyo, S. Kariya, Y. Shinozak<sup>1</sup>. IADR New Orleans, March 2024, Presentation Number: 1423. [Online Planner \(ativ.me\)](#)
37. Correlation Between Composite %Filler and Strength, Modulus, and Shrinkage Stress. C. Lopez, N. Casselman Lawson, N. Machado, T. Gomes, T. Lawson, J. Vadapalli. IADR New Orleans, March 2024, Presentation Number: 0480
38. Mechanical Properties of Bulk-Fill Flow Resins With Different Technologies. A. Capellan, A. Teixeira Obeid, M. Mattar de Amoêdo Campos Velo, L. Vendrametto Forcin, N. Cristina Brondino, J. Fraga Bombonatti, R. Lia Mondelli. IADR New Orleans, March 2024, Presentation Number: 1421.
39. The mechanical, wear, antibacterial properties and biocompatibility of injectable restorative materials under wet challenge. Yanning Chen, Xuedong Bai, Mengxiao Xu, Tianyu Zhou, Yee Man Loh, Chunjin Wang, Edmond Ho Nang Pow, James Kit Hon Tsoi. Journal of Dentistry 146 (2024) 105025 <https://doi.org/10.1016/j.jdent.2024.105025>
40. Comparative Evaluation of Two Different Fiber-Reinforced Composite Materials in Class 1 Post-Endodontic Restorations in Molars—A Randomized Clinical Study. Ranka, S., Rao, A. S., Shah, U., Solanki, D., Pawar, A. M., Reda, R., Zanza, A., & Testarelli, L. (2022). Materials, 15(21), 7858. <https://doi.org/10.3390/ma15217858>
41. Bai, X., Chen, Y., Zhou, T., Pow, E. H. N., & Tsoi, J. K. H. (2024). The chemical and optical stability evaluation of injectable restorative materials under wet challenge. Journal of Dentistry, 146, 105031. <https://doi.org/10.1016/j.jdent.2024.105031>
- 42.

## Articles Dental Magazines

1. Nanohybrid direct resin composite G-aenial Universal Injectable. T. Takamizawa, A. Tsujimoto, M. Miyazaki. Dental Diamond 2017, p.136-141

