

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.02.2024

*

Version number 2 (replaces version 1)

Revision: 05.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: G-CEM Try-In Paste · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxillary for dental technology • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax + 32/(0)16/40.26.84msds@gc.dental · Further information obtainable from: Regulatory affairs · 1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 Void · Exemptions The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). · Hazard pictograms Void · Signal word Void · Hazard statements Void • Additional information: Contains Urethane Dimethacrylate (UDMA). May produce an allergic reaction. Safety data sheet available on request. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. GR (Contd. on page 2)

Printing date 05.02.2024

Version number 2 (replaces version 1)

Revision: 05.02.2024

Trade name: G-CEM_Try-In_Paste

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

CAS: 56-81-5	glycerol	90-<100%
EINECS: 200-289-5	substance with a Community workplace exposure limit	
CAS: 7631-86-9 EINECS: 231-545-4	silicon dioxide Nanoform: set including amorphous nanoforms non-surface-treated nanoforms Shape: Spheroidal Structure: amorphous forms Crystallinity: amorphous nanoform	5-<10%
CAS: 1344-28-1 EINECS: 215-691-6	aluminium oxide Nanoform: non-surface-treated nanoforms Shape: Spheroidal Structure: crystalline forms Crystallinity: crystalline nanoform	1-<2.5%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2	titanium dioxide Carc. 2, H351 substance with a Community workplace exposure limit	0.5-<1%
CAS: 68611-44-9 EINECS: 271-893-4	Silane, dichlorodimethyl-, reaction products with silica Nanoform: set including amorphous nanoforms surface-treated nanoforms Shape: Spheroidal Structure: amorphous forms Crystallinity: amorphous nanoform	0.2-<0.5%
CAS: 72869-86-4 EINECS: 276-957-5	Urethane Dimethacrylate (UDMA) Aquatic Chronic 2, H411; Skin Sens. 1B, H317	≥0.25-<0.5%

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information: If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

· After skin contact: If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

+ 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

(Contd. on page 3)

GB

Printing date 05.02.2024

Version number 2 (replaces version 1)

Revision: 05.02.2024

Trade name: G-CEM_Try-In_Paste

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
 Wear protective clothing.
 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.

• 6.3 Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.

- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GR

(Contd. of page 2)

Printing date 05.02.2024

Version number 2 (replaces version 1)

Revision: 05.02.2024

Trade name: G-CEM_Try-In_Paste

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

56-81-5 glycerol

WEL Long-term value: 10 mg/m³

13463-67-7 titanium dioxide

WEL Long-term value: 10* 4** mg/m³ *total inhalable **respirable

· DNELs

13463-67-7 titanium dioxide

Inhalative DNEL inhalation 10 mg/m3 (man)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.
- *Respiratory protection:* Suitable respiratory protective device recommended.
- · Hand protection Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical pro	perties
· General Information	
· Physical state	Fluid
· Colour:	Yellow
· Odour:	Alcohol-like
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling ran	ge 290 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	0.9 Vol %
· Upper:	0.0 Vol %
· Flash point:	160 °C
· Auto-ignition temperature:	Undetermined.
· Decomposition temperature:	Not determined.
· рН	Not determined.

(Contd. on page 5)

GB

Printing date 05.02.2024

Version number 2 (replaces version 1)

Revision: 05.02.2024

Trade name: G-CEM_Try-In_Paste

	(Contd. of page
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Insoluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	$1.3 \ g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	SiO2: Diameter particle structure = $2.5 - 50$ nm (TEM)
	d50, number-based)
	Diameter agglomerate = $5 - 50 \text{ mm}$ (laser diffraction di module, $d50$, volume based)
	Al2O3: Diameter particle structure = $2 - 100 \text{ nm}$ (d5)
	number-based)
	7631-86-9 silicon dioxide:
	set including amorphous nanoforms
	non-surface-treated nanoforms
	Shape: Spheroidal
	Structure: amorphous forms
	Crystallinity: amorphous nanoform
	1344-28-1 aluminium oxide:
	non-surface-treated nanoforms
	Shape: Spheroidal
	Structure: crystalline forms
	Crystallinity: crystalline nanoform
	68611-44-9 Silane, dichlorodimethyl-, reaction produc
	with silica:
	set including amorphous nanoforms
	surface-treated nanoforms
	Shape: Spheroidal
	Structure: amorphous forms
	Crystallinity: amorphous nanoform
9.2 Other information	
Appearance:	
Form:	Pasty
Important information on protection of health a	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	90.0 %
VÕC (EC)	0.0 g/l
Change in condition	~
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Information with regard to physical hazard classes Explosives	Void

GB

Printing date 05.02.2024

Version number 2 (replaces version 1)

Revision: 05.02.2024

Trade name: G-CEM_Try-In_Paste

		(Contd. of page
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammal	ble gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

c

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met. . ..

$\cdot LD/LC50$	values rele	vant for classification:
7631-86-9	silicon dio)xide
Oral	LD50	10,000 mg/kg (rat (f+m))
13463-67-	7 titanium	dioxide
Oral	LD50	>5,000 mg/kg (mouse) (OECD 420)
Inhalative	LC50/4 h	>6.82 mg/l (rat male)
72869-86-	4 Urethan	e Dimethacrylate (UDMA)
Oral	LD50	>5,000 mg/kg (rat female) (OECD 401)
· Skin corro	osion/irrita	tion Based on available data, the classification criteria are not met.
· Serious ey	e damage/	<i>irritation</i> Based on available data, the classification criteria are not met.
· Respirator	ry or skin s	ensitisation Based on available data, the classification criteria are not met.
· Germ cell	mutagenic	ity Based on available data, the classification criteria are not met.
· Carcinoge	enicity Base	ed on available data, the classification criteria are not met.
· Reproduct	tive toxicity	Based on available data, the classification criteria are not met.
· STOT_cin	ala avnosu	re Based on available data, the classification criteria are not met

STOT-single exposure Based on available data, the classification criteria are not met. • STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Printing date 05.02.2024

Version number 2 (replaces version 1)

Revision: 05.02.2024

(Contd. of page 6)

Trade name: G-CEM_Try-In_Paste

· Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

· Repeated dose toxicity No further relevant information available.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:

• General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number
 ADR, ADN, IMDG, IATA

not regulated

· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA

not regulated

(Contd. on page 8)

GB —

Printing date 05.02.2024

Version number 2 (replaces version 1)

Revision: 05.02.2024

Trade name: G-CEM_Try-In_Paste

		(Contd. of page 7)
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.	
· UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

• *Reportable explosives precursors*

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- H411 Toxic to aquatic life with long lasting effects.
- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 9)

GB

Printing date 05.02.2024

Version number 2 (replaces version 1)

Revision: 05.02.2024

Trade name: G-CEM_Try-In_Paste

(Contd. of page 8) CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent DS0: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Sens. IB: Skin sensitisation – Category IB Carc. 2: Carcinogenicity – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) • * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendationss or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or	7
Disclaimer:	-
The information contained herein is believed to be true and accurate. However, all statements, recommendations	-
or suggestions are made without any guarantee, representation or warranty, express or implied, on our part.	-