

Page 1/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

• Trade name: G-Premio BOND

Nanoform

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxiliary for dental technology
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental

· Information department: Regulatory affairs

· 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

•	Classification acco	ording to Regulation (EC) No 1272/2008
	Flam. Liq. 2	H225 Highly flammable liquid and vapour.
	Skin Corr. 1A	H314 Causes severe skin burns and eye damage.
	Eye Dam. 1	H318 Causes serious eye damage.
	Skin Sens. 1	H317 May cause an allergic skin reaction.
	STOT SE 3	H336 May cause drowsiness or dizziness.
	Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: acetone

(Contd. on page 2)

⁻ EU

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

Trade name: G-Premio_BOND

		d. of page 1)
2,2'-ethylenediox	xydiethyl dimethacrylate	
• Hazard statemen		
	ummable liquid and vapour.	
	rvere skin burns and eye damage.	
H317 May cause	e an allergic skin reaction.	
H336 May cause	e drowsiness or dizziness.	
	o aquatic life with long lasting effects.	
· Precautionary st	statements	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P260	Do not breathe dusts or mists.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin w	ith water/
	shower.	
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,	if present
	and easy to do. Continue rinsing.	
P310	Immediately call a poison center/doctor.	
P321	Specific treatment (see on this label).	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/inte	rnational
	regulations.	
· Additional infor	rmation:	
Product contain	ins: Reportable explosives precursors. Making available, introduction, possessior	i and use
according to Reg	gulation (EU) 2019/1148, Article 9.	
· 2.3 Other hazard	ds	
· Results of PBT a	and vPvB assessment	
· PBT: Not applic	cable.	
• vPvB: Not applie	icable.	
• Determination o	of endocrine-disrupting properties	
128-37-0 Butyla	ated hydroxytoluene	List II

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

67-64-1	acetone	25-<50%
	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	
1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane	≥10-<20%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
85590-00-7	methacryloyloxydecyl dihydrogen phosphate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5-<10%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
68611-44-9	Silane, dichlorodimethyl-, reaction products with silica	5-<10%
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	2.5-<5%
	Skin Sens. 1, H317	
		(Contd. on page

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

Trade name: G-Premio_BOND

		(Contd. of page 2)
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1-<2.5%
	Repr. 2, H361f	
128-37-0	Butylated hydroxytoluene	≥0.25-<0.5%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 (II)	
1344-28-1	aluminium oxide	0.2-<0.5%
· Additional i	<i>information:</i> For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

- *Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.*
- If symptoms persist consult doe
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

If skin irritation continues, consult a doctor.

- After eye contact:
- Protect unharmed eye. Rinse opened eye for several minutes under running water. Call a doctor immediately.
- *After swallowing: Rinse out mouth and then drink plenty of water.*
- If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.

(Contd. on page 4)

EU

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

(Contd. of page 3)

Trade name: G-Premio_BOND

Keep away from ignition sources
Avoid contact with the eyes and skin.
Wear protective clothing.
6.2 Environmental precautions:
Do not allow product to reach sewage system or any water course.
Do not allow to penetrate the ground/soil.
6.3 Methods and material for containment and cleaning up:
Ensure adequate ventilation.
Use neutralizing agent.
Absorb liquid components with liquid-binding material.
Dispose of the collected material according to regulations.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Avoid contact with the eyes and skin.
 Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Do not spray on a naked flame or any incandescent material.

· 7.2 Conditions for safe storage, including any incompatibilities

• Storage:

• *Requirements to be met by storerooms and receptacles: Store in a cool location.*

Store only in unopened original receptacles.

· Information about storage in one common storage facility: Store away from foodstuffs.

- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Store in a cool place.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

67-64-1 acetone

IOELV Long-term value: 1210 mg/m³, 500 ppm

· DNELs

128-37-0 Butylated hydroxytoluene

Dermal DNEL dermal 0.5 mg/kg bw/day (man)

Inhalative DNEL inhalation 3.5 mg/m3 (man)

(Contd. on page 5)

⁻ EU

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

Trade name: G-Premio_BOND

Vash hands before breaks and at the end of work. leep away from foodstuffs, beverages and feed. nmediately remove all soiled and contaminated clothing. treathing equipment: Suitable respiratory protective device recommended. rotection of hands:	Additional information: The lists that we	(Contd. of page 4) (Contd. of page 4)
dditional information about design of technical systems: No further data; see section 7. errsonal protective equipment: "eneral protective and hygenic measures: he usual precautionary measures for handling chemicals should be followed. void contact with the eyes and skin. Yash hands before breaks and at the end of work. eep away from foodstuffs, beverages and feed. mmediately remove all soiled and contaminated clothing. Treathing equipment: Suitable respiratory protective device recommended. Totection of hands: Protective gloves Taterial of gloves Meterial of gloves Meterial of gloves Meterial of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qualit aries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistant aries glove material can not be calculated in advance and has therefore to be checked prior to the application. tenetration time of glove material the exact break through time has to be found out by the manufacturer of the protective gloves and has beerved. Tightly sealed goggles	8.2 Exposure controls	
<pre>tersonal protective equipment: imeral protective and hygienic measures: he usual precautionary measures for handling chemicals should be followed. void contact with the eyes and skin. 'ash hands before breaks and at the end of work. 'eep away from foodstuffs, beverages and feed. mediately remove all soiled and contaminated clothing. treathing equipment: Suitable respiratory protective device recommended. 'rotection of hands: ''''''''''''''''''''''''''''''''''''</pre>		technical systems: No further data: see section 7.
Feneral protective and hygienic measures: he usual precautionary measures for handling chemicals should be followed. void contact with the eyes and skin. Vash hands before breaks and at the end of work. ieep away from foodstuffs, beverages and feed. nmediately remove all soiled and contaminated clothing. ireaching equipment: Suitable respiratory protective device recommended. rotection of hands: Image: Suitable gloves Anterial of gloves he selection of the suitable gloves does not only depend on the material, but also on further marks of qualities from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance glove material can not be calculated in advance and has therefore to be checked prior to the application. enteriotion time of glove material he exact break through time has to be found out by the manufacturer of the protective gloves and has beserved. ye protection: Tightly sealed goggles ECTION 9: Physical and chemical properties enterration inported in formation here as through time has to be found properties enterration on basic physical and chemical properties enterration on basic physical and chemical properties enterration function on basic physical and chemical properties entered information wh		
he usual precautionary measures for handling chemicals should be followed. void contact with the eyes and skin. Vash hands before breaks and at the end of work. eee away from foodstuffs, beverages and feed. mediately remove all soiled and contaminated clothing. reaching equipment: Suitable respiratory protective device recommended. rotection of hands:		<i>es</i> :
Vash hands before breiks and at the end of work. ieep away from foodstuffs, beverages and feed. nmediately remove all solied and contaminated clothing. irreathing equipment: Suitable respiratory protective device recommended. irretection of hands:	The usual precautionary measures for ha	ndling chemicals should be followed.
ree p away from foodstuffs, beverages and feed. mmediately remove all soiled and contaminated clothing. Freathing equipment: Suitable respiratory protective device recommended. Freathing equipment: Suitable respiratory protective device recommended. Frotection of hands: Frotective gloves Frotective gloves Material of gloves Interial can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time has to be found out by the manufacturer of the protective gloves and has beserved. Fightly sealed goggles FECTION 9: Physical and chemical properties Fightly sealed goggles Fightly sealed goggles Figh	Avoid contact with the eyes and skin.	
nmediately remove all soiled and contaminated clothing. reaching equipment: Suitable respiratory protective device recommended. rotection of hands: www.protective gloves Protective gloves Interial of gloves he selection of the suitable gloves does not only depend on the material, but also on further marks of quality aries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistant the selection of the suitable gloves does not only depend on the material, but also on further marks of quality aries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistant the selection time of glove material the exact break through time has to be found out by the manufacturer of the protective gloves and has beserved. ye protection:		
reacting equipment: Suitable respiratory protective device recommended. rotection of hands:		
rotection of hands: Protective gloves Protective gloves Protective gloves he selection of the suitable gloves does not only depend on the material, but also on further marks of quality aries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance are glove material can not be calculated in advance and has therefore to be checked prior to the application. the exact break through time has to be found out by the manufacturer of the protective gloves and has bserved. ye protection: Fightly sealed goggles FCTION 9: Physical and chemical properties eneral Information thysical state Fluid 'ofor: Yellow More: Acetone-like Not determined.		
Vertice gloves Interial of gloves the selection of the suitable gloves does not only depend on the material, but also on further marks of quality arises from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance glove material can not be calculated in advance and has therefore to be checked prior to the application. venetration time of glove material the exact break through time has to be found out by the manufacturer of the protective gloves and has beserved. type protection: vip: Venetation on basic physical and chemical properties Perticution on basic physical and chemical properties Perticution: Vip: Vip: Vip: Physical state Fluid Vip:		ry protective device recommended.
Naterial of gloves the selection of the suitable gloves does not only depend on the material, but also on further marks of quality aries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance glove material can not be calculated in advance and has therefore to be checked prior to the application. Several substances the application. The exact break through time has to be found out by the manufacturer of the protective gloves and has beerved. Severation: Tightly sealed goggles VECTION 9: Physical and chemical properties Fections: Vertical state Fluid vertical state vertical state	Protection of hands:	
the selection of the suitable gloves does not only depend on the material, but also on further marks of quality aries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance are glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time has to be found out by the manufacturer of the protective gloves and has beserved. Tightly sealed goggles	Protective gloves	
ECTION 9: Physical and chemical properties I Information on basic physical and chemical properties General Information Physical state Fluid Volor: Acetone-like Not determined.	the glove material can not be calculated i Penetration time of glove material	in advance and has therefore to be checked prior to the application.
.1 Information on basic physical and chemical properties General Information Physical state Fluid Solor: Yellow Odor: Acetone-like Odor threshold: Not determined.		
General InformationPhysical stateFluidSolor:YellowOdor:Acetone-likeOdor threshold:Not determined.	, i i i i i i i i i i i i i i i i i i i	* *
Physical stateFluidColor:YellowOdor:Acetone-likeOdor threshold:Not determined.	General Information	
Yolor: Yellow Odor: Acetone-like Odor threshold: Not determined.	Physical state	Fluid
Not determined.	Color:	Yellow
		4 . 1.1
<i>lelting point/Melting range: -95 °C</i>	Odor:	
	Odor threshold:	Not determined.

Boiling point/Boiling range:
Flammability (solid, gaseous):
Explosion limits:
Lower:
Upper:
Flash point:
Auto igniting:
Decomposition temperature:
pH-value at 20 °C:
Viscosity:

· Kinematic:

· Dynamic:

-95 °C 55 °C Highly flammable. 2.6 Vol % 13 Vol % -17 °C Undetermined. Not determined. 1.8

Not determined. Not determined.

(Contd. on page 6)

EU

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

Trade name: G-Premio_BOND

	(Contd. of page
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/water):	Not determined.
Vapor pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	$0.94 \ g/cm^3$
Relative density	Not determined.
Vapor density	Not determined.
Particle characteristics	SiO2: Diameter particle structure = $2.5 - 50$ nm (TEN
	d50, number-based)
	Diameter agglomerate $= 5 - 50 \text{ mm}$ (laser diffraction di
	module, d50, volume based)
	Al2O3: Diameter particle structure = $2 - 100$ nm (d5)
	number-based)
	68611-44-9 Silane, dichlorodimethyl-, reaction produc
	with silica: Spheroidal, amorphous nanoform, so
	including amorphous nanoforms, amorphous form
	surface-treated nanoforms
	1344-28-1 aluminium oxide: Spheroidal, crystallin
	nanoform, crystalline forms, non-surface-treate
	nanoforms
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of h	-
environment, and on safety.	
	Product is not selfigniting
Ignition temperature:	Product is not selfigniting. Product does not present an explosion hazard
Ignition temperature: Danger of explosion:	<i>Product is not selfigniting.</i> <i>Product does not present an explosion hazard.</i>
Ignition temperature: Danger of explosion: Solvent content:	Product does not present an explosion hazard.
Ignition temperature: Danger of explosion: Solvent content: Organic solvents:	Product does not present an explosion hazard. 33.0 %
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water:	Product does not present an explosion hazard. 33.0 % 24.0 %
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC)	Product does not present an explosion hazard. 33.0 %
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition	Product does not present an explosion hazard. 33.0 % 24.0 %
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined.
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard c	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Elasses
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Elasses Void
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Plasses Void Void
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Product does not present an explosion hazard. 24.0 % 400.6 g/l Not determined. Product does not present an explosion hazard. 24.0 % 400.6 g/l Not determined. Product does not present an explosion hazard. 24.0 % 400.6 g/l Not determined. Product does not present an explosion hazard. 24.0 % 400.6 g/l Not determined. Product does not present an explosion hazard. 24.0 % 400.6 g/l Not determined. Product does not present an explosion hazard. Product does not present an explosi
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Plasses Void Void Void Void Void Void Void
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Plasses Void Void Void Void Void Void Void Void Void Void
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Plasses Void Void Void Void Void Void Void Highly flammable liquid and vapour.
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Plasses Void Void Void Void Void Void Void Highly flammable liquid and vapour. Void
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Elasses Void Void Void Void Void Void Highly flammable liquid and vapour. Void
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Elasses Void Void Void Void Void Highly flammable liquid and vapour. Void
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Plasses Void Void Void Void Void Void Highly flammable liquid and vapour. Void
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Plasses Void Void Void Void Void Void Highly flammable liquid and vapour. Void
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flamma	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Plasses Void Vo
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flamma in contact with water	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Plasses Void Void Void Void Void Void Highly flammable liquid and vapour. Void
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flamma in contact with water Oxidising liquids	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Plasses Void Void Void Void Void Void Highly flammable liquid and vapour. Void
Ignition temperature: Danger of explosion: Solvent content: Organic solvents: Water: VOC (EC) Change in condition Evaporation rate Information with regard to physical hazard of Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flamma in contact with water	Product does not present an explosion hazard. 33.0 % 24.0 % 400.6 g/l Not determined. Plasses Void Void Void Void Void Void Highly flammable liquid and vapour. Void

i page - EU -

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

Trade name: G-Premio_BOND

		(Contd. of page 6)
· Corrosive to metals · Desensitised explosives	Void Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5,800 mg/kg (rat (f+m))

Dermal LD50 20,000 mg/kg (rabbit)

128-37-0 Butylated hydroxytoluene

Oral LD50 >6,000 mg/kg (rat (f+m)) (OECD 401)

• on the skin: Causes severe skin burns and eye damage.

• on the eye: Causes serious eye damage.

• Sensitization: May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• Specific target organ toxicity - single exposure May cause drowsiness or dizziness.

• Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

• Additional toxicological information:

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Repeated dose toxicity No further relevant information available.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.

· 11.2 Information on other hazards

· Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

List II

(Contd. on page 8)

^{· 10.2} Chemical stability

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

Trade name: G-Premio_BOND

(Contd. of page 7)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• European waste catalogue	· Euro	pean	waste	catalogi	ıe
----------------------------	--------	------	-------	----------	----

	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT
	KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE)
18 01 00	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 06*	chemicals consisting of or containing hazardous substances

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, IMDG, IATA	UN1090	
14.2 UN proper shipping name		
DOT	Acetone	
ADR	1090 ACETONE	
IMDG, IATA	ACETONE	

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

Trade name: G-Premio_BOND

	(Contd. of pa
14.3 Transport hazard class(es)	
ADR	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
14.4 Packing group ADR, IMDG, IATA	П
	11
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids 33 F-E,S-D E
14.7 Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml
Transport category Tunnel restriction code	Maximum net quantity per outer packaging: 500 ml 2 D/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1090 ACETONE, 3, II

(Contd. on page 10)

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

Trade name: G-Premio_BOND

(Contd. of page 9)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

1344-28-1 aluminium oxide

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

· TLV (Threshold Limit Value)

67-64-1 acetone

128-37-0 Butylated hydroxytoluene

1344-28-1 aluminium oxide

· MAK (German Maximum Workplace Concentration)

128-37-0 Butylated hydroxytoluene

1344-28-1 aluminium oxide

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 11)

Ι

A4

A4

A4

4

2

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

(Contd. of page 10)

3

3

Trade name: G-Premio_BOND

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

67-64-1 acetone

· Regulation (EC) No 273/2004 on drug precursors

67-64-1 acetone

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 acetone

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental

• Date of previous version 21.06.2023

• Version number of previous version: 3

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids - Category 2 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Printing date 20.07.2023

Version number 4 (replaces version 3)

Revision: 20.07.2023

(Contd. of page 11)

EU

Trade name: G-Premio_BOND

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 · Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

• * Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.