



Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name:

#### GRADIA PLUS MODELLING LIQUID

Nanoforn

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxiliary for dental technology
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC EUROPE N.V. Interleuvenlaan 33

B-3001 Leuven

Tel. +32/(0)16/74.10.00

Fax + 32/(0)16/40.26.84

msds@gc.dental

- · Information department: Regulatory affairs
- · 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms







GHS05

GHS07

GHS09

- · Signal word Danger
- · Hazard-determining components of labeling:

(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate

2,2'-ethylenedioxydiethyl dimethacrylate

Urethane Dimethacrylate (UDMA)

2-(2H-benzotriazol-2-yl)-p-cresol

(Contd. on page 2)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

### Trade name: GRADIA\_PLUS\_MODELLING\_LIQUID

(Contd. of page 1)

#### · Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

*P272* Contaminated work clothing must not be allowed out of the workplace.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

*P362+P364* Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· Determination of endocrine-disrupting properties
--

128-37-0 Butylated hydroxytoluene

List II

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

Skin Sens. 1, H317   1565-94-2   (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate   5-<   Eye Dam. 1, H318; Skin Sens. 1, H317   5-<   Aquatic Chronic 2, H411; Skin Sens. 1B, H317   5-<   Aquatic Chronic 2, H411; Skin Sens. 1B, H317   5-<   Butylated hydroxytoluene   0.5-   Aquatic Acute 1, H400; Aquatic Chronic 1, H410   (II)   1879-09-0   6-tert-butyl-2,4-xylenol   Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319   2440-22-4   2-(2H-benzotriazol-2-yl)-p-cresol   Acute Tox. 3, H331; Aquatic Chronic 1, H410; Skin Sens. 1, H317   75980-60-8   diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide   0.5-	1637-38-1	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-	50-<75%
109-16-0   2,2'-ethylenedioxydiethyl dimethacrylate   Skin Sens. 1, H317   1565-94-2   (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate   5-<		enoic acid.	
Skin Sens. 1, H317		Aquatic Chronic 4, H413	
1565-94-2 (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate Eye Dam. 1, H318; Skin Sens. 1, H317  72869-86-4 Urethane Dimethacrylate (UDMA) Aquatic Chronic 2, H411; Skin Sens. 1B, H317  68611-44-9 Silane, dichlorodimethyl-, reaction products with silica  5-< 128-37-0 Butylated hydroxytoluene Aquatic Acute 1, H400; Aquatic Chronic 1, H410 (II)  1879-09-0 6-tert-butyl-2,4-xylenol Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319  2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol Acute Tox. 3, H331; Aquatic Chronic 1, H410; Skin Sens. 1, H317  75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide  0.5-	109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	10-<25%
Eye Dam. 1, H318; Skin Sens. 1, H317         72869-86-4       Urethane Dimethacrylate (UDMA)       5-         Aquatic Chronic 2, H411; Skin Sens. 1B, H317       5-         68611-44-9       Silane, dichlorodimethyl-, reaction products with silica       5-         128-37-0       Butylated hydroxytoluene       0.5-         Aquatic Acute 1, H400; Aquatic Chronic 1, H410       (II)         1879-09-0       6-tert-butyl-2,4-xylenol       0.5-         Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319       0.5-         2440-22-4       2-(2H-benzotriazol-2-yl)-p-cresol	,	Skin Sens. 1, H317	
72869-86-4 Urethane Dimethacrylate (UDMA) Aquatic Chronic 2, H411; Skin Sens. 1B, H317  58611-44-9 Silane, dichlorodimethyl-, reaction products with silica  128-37-0 Butylated hydroxytoluene Aquatic Acute 1, H400; Aquatic Chronic 1, H410 (II)  1879-09-0 6-tert-butyl-2,4-xylenol Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319  2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol Acute Tox. 3, H331; Aquatic Chronic 1, H410; Skin Sens. 1, H317  75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide  0.5-	1565-94-2	(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	5-<10%
Aquatic Chronic 2, H411; Skin Sens. 1B, H317         68611-44-9       Silane, dichlorodimethyl-, reaction products with silica       5-         128-37-0       Butylated hydroxytoluene       0.5-         Aquatic Acute 1, H400; Aquatic Chronic 1, H410       (II)         1879-09-0       6-tert-butyl-2,4-xylenol       0.5-         Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319       0.5-         2440-22-4       2-(2H-benzotriazol-2-yl)-p-cresol Acute Tox. 3, H331; Aquatic Chronic 1, H410; Skin Sens. 1, H317       0.5-         75980-60-8       diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide       0.5-		Eye Dam. 1, H318; Skin Sens. 1, H317	
5- 128-37-0 Butylated hydroxytoluene 0.5- Aquatic Acute I, H400; Aquatic Chronic 1, H410 (II) 0.5- 1879-09-0 6-tert-butyl-2,4-xylenol Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 0.5- 2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol Acute Tox. 3, H331; Aquatic Chronic 1, H410; Skin Sens. 1, H317 0.5- 75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide 0.5-	2869-86-4	Urethane Dimethacrylate (UDMA)	5-<10%
128-37-0       Butylated hydroxytoluene       0.5-         Aquatic Acute 1, H400; Aquatic Chronic 1, H410       (II)         1879-09-0       6-tert-butyl-2,4-xylenol       0.5-         Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319       0.5-         2440-22-4       2-(2H-benzotriazol-2-yl)-p-cresol		Aquatic Chronic 2, H411; Skin Sens. 1B, H317	
Aquatic Acute 1, H400; Aquatic Chronic 1, H410       (II)         1879-09-0       6-tert-butyl-2,4-xylenol       0.5-         Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319       0.5-         2440-22-4       2-(2H-benzotriazol-2-yl)-p-cresol Acute Tox. 3, H331; Aquatic Chronic 1, H410; Skin Sens. 1, H317       0.5-         75980-60-8       diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide       0.5-	8611-44-9	Silane, dichlorodimethyl-, reaction products with silica	5-<10%
(II)       0.5-         1879-09-0       6-tert-butyl-2,4-xylenol       0.5-         Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319       0.5-         2440-22-4       2-(2H-benzotriazol-2-yl)-p-cresol       0.5-         Acute Tox. 3, H331; Aquatic Chronic 1, H410; Skin Sens. 1, H317       0.5-         75980-60-8       diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide       0.5-	128-37-0	Butylated hydroxytoluene	0.5-<1%
1879-09-0       6-tert-butyl-2,4-xylenol       0.5-         Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319       0.5-         2440-22-4       2-(2H-benzotriazol-2-yl)-p-cresol		/ <del></del> /	
Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319  2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol 0.5- Acute Tox. 3, H331; Aquatic Chronic 1, H410; Skin Sens. 1, H317  75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide 0.5-			0.5 < 10/
Skin Irrit. 2, H315; Eye Irrit. 2, H319         2440-22-4       2-(2H-benzotriazol-2-yl)-p-cresol	_		0.5-<1%
Acute Tox. 3, H331; Aquatic Chronic 1, H410; Skin Sens. 1, H317  75980-60-8   diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide   0.5-		Acute Tox. 2, H310; S101 RE 2, H3/3; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide 0.5-	2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol	0.5-<1%
		Acute Tox. 3, H331; Aquatic Chronic 1, H410; Skin Sens. 1, H317	
Repr 2 H361f	5980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0.5-<1%
11001, 2, 11001,		Repr. 2, H361f	

– FI

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA PLUS MODELLING LIQUID

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

*If skin irritation continues, consult a doctor.* 

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

(Contd. on page 4)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA PLUS MODELLING LIQUID

(Contd. of page 3)

#### · 6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Dispose of the collected material according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs					
128-37-01	128-37-0 Butylated hydroxytoluene				
Dermal	DNEL dermal	0.5 mg/kg bw/day (man)			
Inhalative	DNEL inhalation	3.5 mg/m3 (man)			
1879-09-0	1879-09-0 6-tert-butyl-2,4-xylenol				
Inhalative	DNEL inhalation	0.14 mg/m3 (man)			

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Additional information about design of technical systems: No further data; see section 7.
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

· Breathing equipment: Suitable respiratory protective device recommended.

(Contd. on page 5)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA PLUS MODELLING LIQUID

(Contd. of page 4)

#### Protection of hands:



#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Color: Light yellow · Odor: **Odorless** · Odor threshold: Not determined. · Melting point/Melting range: Undetermined. 283 °C · Boiling point/Boiling range:

· Flammability (solid, gaseous): Not applicable.

· Explosion limits:

· Lower: Not determined. · Upper: Not determined.

123 °C · Flash point:

Undetermined. · Auto igniting: Not determined. · Decomposition temperature: Not determined. · pH-value:

· Viscosity:

· Kinematic: Not determined. Not determined. Dynamic:

· Solubility in / Miscibility with

Insoluble. · Water:

· Partition coefficient (n-octanol/water): Not determined. Not determined. · Vapor pressure:

· Density and/or relative density

Density at 20 °C:  $1.2 \, g/cm^3$ · Relative density Not determined.

(Contd. on page 6)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA\_PLUS\_MODELLING\_LIQUID

	(Contd. of page
Vapor density	Not determined.
Particle characteristics	SiO2: Diameter particle structure = 2.5 - 50 nm (TEM
	d50, number-based)
	Diameter agglomerate $= 5 - 50$ mm (laser diffraction dr
	module, d50, volume based)
	68611-44-9 Silane, dichlorodimethyl-, reaction product
	with silica: Spheroidal, amorphous nanoform, se
	including amorphous nanoforms, amorphous forms
	surface-treated nanoforms
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of hea	alth and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	0.0  g/l
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cla	isses
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammab	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA\_PLUS\_MODELLING\_LIQUID

(Contd. of page 6)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 1	· LD/LC50 values that are relevant for classification:				
72869-86-4	72869-86-4 Urethane Dimethacrylate (UDMA)				
Oral	LD50	>5,000 mg/kg (rat female) (OECD 401)			
128-37-0 E	128-37-0 Butylated hydroxytoluene				
Oral	LD50	>6,000 mg/kg (rat (f+m)) (OECD 401)			
1879-09-0	1879-09-0 6-tert-butyl-2,4-xylenol				
Oral	LD50	910 mg/kg (rat (f+m)) (OECD 401)			
Dermal	LD50	<200 mg/kg (rabbit) (OECD 402)			
2440-22-4	2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol				
Oral	LD50	10,000 mg/kg (rat (f+m))			
Inhalative	LC50/4 h	0.59  mg/l  (rat  (f+m))			

- · on the skin: Based on available data, the classification criteria are not met.
- · on the eye: Causes serious eye damage.
- · Sensitization: May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · Specific target organ toxicity single exposure Based on available data, the classification criteria are not met.
- · Specific target organ toxicity repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

List II

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

· 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 8)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA\_PLUS\_MODELLING\_LIQUID

(Contd. of page 7)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European	waste catalogue
18 00 00	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT
	KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE)
18 01 00	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 06*	chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name	
$\cdot DOT$	not regulated
· ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (Urethane Dimethacrylate (UDMA), 6-tel
	butyl-2,4-xylenol)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI
	N.O.S. (Urethane Dimethacrylate (UDMA), 6-tert-butyl-2,
	xylenol), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI
	N.O.S. (Urethane Dimethacrylate (UDMA), 6-tert-butyl-2,
	xylenol)

1 page 2

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA\_PLUS\_MODELLING\_LIQUID

(Contd. of page 8) · 14.3 Transport hazard class(es)  $\cdot ADR$ · Class 9 (M6) Miscellaneous dangerous substances and articles · Label · IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles · Label · 14.4 Packing group · ADR, IMDG, IATA III· 14.5 Environmental hazards: · Marine pollutant: No Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · Special marking (IATA): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles Hazard identification number (Kemler code): 90 F-A,S-F· EMS Number: · Stowage Category A· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information:  $\cdot ADR$ · Limited quantities (LQ) 5L· Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3 · Tunnel restriction code (-) $\cdot$  IMDG · Limited quantities (LQ) 5L· Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml (Contd. on page 10)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA PLUS MODELLING LIQUID

(Contd. of page 9)

· UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (URETHANE DIMETHACRYLATE (UDMA), 6-TERT-BUTYL-2,4-XYLENOL), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

128-37-0 Butylated hydroxytoluene

A4

· MAK (German Maximum Workplace Concentration)

128-37-0 Butylated hydroxytoluene

4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

(Contd. on page 11)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA\_PLUS\_MODELLING\_LIQUID

(Contd. of page 10)

#### · REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

*None of the ingredients is listed.* 

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

- · Relevant phrases
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H361f Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.
- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental
- · Date of previous version 25.07.2023
- · Version number of previous version: 1
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Acute Tox. 4: Acute toxicity - Category 4

Printing date 25.07.2023 *Version number 2 (replaces version 1)* Revision: 25.07.2023

Trade name: GRADIA PLUS MODELLING LIQUID

(Contd. of page 11)

Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 3: Acute toxicity - Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 2: Reproductive toxicity - Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

#### Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- \* \* Data compared to the previous version altered.

This version replaces all previous versions.

#### Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.