



Revision: 25.07.2023 Printing date 25.07.2023 Version number 2 (replaces version 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: GRADIA PLUS PASTE HB & GRADIA PLUS GUM HB
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00

Fax + 32/(0)16/40.26.84

msds@gc.dental

- · Further information obtainable from: Regulatory affairs
- · 1.4 Emergency telephone number:

National poison center for United Kingdom of Great Britain and Northern Ireland:

Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383

Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180

Penarth: +44 292 071 55 54

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eve Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

2,2'-ethylenedioxydiethyl dimethacrylate

(Contd. on page 2)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA_PLUS_PASTE_HB_&_GRADIA_PLUS_GUM_HB

(Contd. of page 1)

Urethane Dimethacrylate (UDMA)

 $(1-methylethylidene) bis [4,1-phenylene oxy(2-hydroxy-3,1-propane diyl)] \ bis methac rylate$

1,3,5-Triazine-2,4,6-triamine, polymer with formaldehyde

2-(2H-benzotriazol-2-yl)-p-cresol

· Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

and 2-methylprop-2-enoic acid.	Dangerous components:		
EINECS: 203-652-6 Skin Sens. 1, H317 CAS: 72869-86-4 Urethane Dimethacrylate (UDMA) 2.5 EINECS: 276-957-5 Aquatic Chronic 2, H411; Skin Sens. 1B, H317 1- CAS: 1565-94-2 (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate 1- EINECS: 216-367-7 Eye Dam. 1, H318; Skin Sens. 1, H317 0.5 CAS: 1309-37-1 Iron(III)oxide 0.5 EINECS: 215-168-2 substance with a Community workplace exposure limit 0.5 CAS: 9003-08-1 1,3,5-Triazine-2,4,6-triamine, polymer with formaldehyde 0.5	ZAS: 41637-38-1	and 2-methylprop-2-enoic acid.	10-<25%
EINECS: 276-957-5 Aquatic Chronic 2, H411; Skin Sens. 1B, H317 CAS: 1565-94-2 (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate EINECS: 216-367-7 Einecy Dam. 1, H318; Skin Sens. 1, H317 CAS: 1309-37-1 Iron(III)oxide EINECS: 215-168-2 substance with a Community workplace exposure limit CAS: 9003-08-1 1,3,5-Triazine-2,4,6-triamine, polymer with formaldehyde 0.5			5-<10%
EINECS: 216-367-7 propanediyl)] bismethacrylate Eye Dam. 1, H318; Skin Sens. 1, H317 CAS: 1309-37-1 Iron(III)oxide 0.5 EINECS: 215-168-2 substance with a Community workplace exposure limit CAS: 9003-08-1 1,3,5-Triazine-2,4,6-triamine, polymer with formaldehyde 0.5			2.5-<5%
EINECS: 215-168-2 substance with a Community workplace exposure limit CAS: 9003-08-1 1,3,5-Triazine-2,4,6-triamine, polymer with formaldehyde 0.5		propanediyl)] bismethacrylate	1-<2.5%
L			0.5-<1%
· · · · · · · · · · · · · · · · · · ·	CAS: 9003-08-1	Eye Dam. 1, H318; Skin Sens. 1, H317; STOT SE 3, H335	0.5-<1% (Contd. on pag

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA_PLUS_PASTE_HB_&_GRADIA_PLUS_GUM_HB

G16 12462 67.7		(Contd. of page 2
CAS: 13463-67-7	titanium dioxide	0.5-<1%
EINECS: 236-675-5	Carc. 2, H351	
Index number: 022-006-00-2	substance with a Community workplace exposure limit	
CAS: 13463-67-7	titanium dioxide	0.5-<1%
EINECS: 236-675-5	Carc. 2, H351	
Index number: 022-006-00-2	Substance with a Community workplace exposure limit.	
	Nanoform: Spheroidal, crystalline nanoform, set including	
	crystalline nanoforms with precise crystal structure,	
	crystalline forms, non-surface-treated nanoforms.	
CAS: 68611-44-9	Silane, dichlorodimethyl-, reaction products with silica	1-<2.5%
EINECS: 271-893-4	Nanoform: Spheroidal, amorphous nanoform, set including	
	amorphous nanoforms, amorphous forms, surface-	
	treated nanoforms	
CAS: 128-37-0	Butylated hydroxytoluene	≥0.25-<0.5%
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Substance identified as having endocrine disrupting properties (II)	
CAS: 1879-09-0	6-tert-butyl-2,4-xylenol	0.1-<0.2%
EINECS: 217-533-1	Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411;	0.1 0.270
EII(ECS. 217 333 1	Acute Tox. 2, 11310, STOT RE 2, 11373, Aquatic Cirronic 2, 11411, Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol	0.1-<0.2%
EINECS: 219-470-5	L	0.1-<0.2/0
	Acute Tox. 3, H331; Aquatic Chronic 1, H410; Skin Sens. 1, H317	0.1.0.407
CAS: 75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0.1-<0.2%
EINECS: 278-355-8	Repr. 2, H361f	
Index number: 015-203-00-X		

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA PLUS PASTE HB & GRADIA PLUS GUM HB

(Contd. of page 3)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

GB ·

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA_PLUS_PASTE_HB_&_GRADIA_PLUS_GUM_HB

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· 8.1 Control parameters		
· Ingredients with limit values that require monitoring at the workplace:		
1309-37-1 Iron(III)oxide		
WEL Short-term value: 10* mg/m³		
Long-term value: $5*10**4*** mg/m^3$		
*fume (as Fe), **total respirable, ***respirable		
13463-67-7 titanium dioxide		
WEL Long-term value: 10* 4** mg/m³		
*total inhalable **respirable		
13463-67-7 titanium dioxide		
WEL Long-term value: 10* 4** mg/m³		
*total inhalable **respirable		
· DNELs		
13463-67-7 titanium dioxide		
Inhalative DNEL inhalation 10 mg/m3 (man)		
13463-67-7 titanium dioxide		
Inhalative DNEL inhalation 10 mg/m3 (man)		
128-37-0 Butylated hydroxytoluene		
Dermal DNEL dermal 0.5 mg/kg bw/day (man)		
Inhalative DNEL inhalation 3.5 mg/m3 (man)		
1879-09-0 6-tert-butyl-2,4-xylenol		
Inhalative DNEL inhalation 0.14 mg/m3 (man)		

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Hand protection



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.


(Contd. on page 6)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA_PLUS_PASTE_HB_&_GRADIA_PLUS_GUM_HB

(Contd. of page 5)

· Eye/face protection



SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state

· Colour: According to product specification

Odourless · Odour: Not determined. · Odour threshold: · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range 190 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Not determined. · Lower: · Upper: Not determined. >150 °C · Flash point: · Auto-ignition temperature: Undetermined. Not determined. · Decomposition temperature: Not determined. $\cdot pH$

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

·Solubility

Insoluble. · water: · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined.

· Density and/or relative density

 $2 g/cm^3$ · Density at 20 °C:

· Relative density Not determined. · Vapour density Not determined.

· Particle characteristics SiO2: Diameter particle structure = 2.5 - 50 nm (TEM,

d50, number-based)

Diameter agglomerate = 5 - 50 mm (laser diffraction dry

module, d50, volume based)

TiO2: Diameter particle structure = 72 nm (dynamic

light scattering, d50, number-based)

13463-67-7 titanium dioxide: Spheroidal, crystalline nanoform, set including crystalline nanoforms with precise crystal structure, crystalline forms, non-surface-

treated nanoforms

68611-44-9 Silane, dichlorodimethyl-, reaction products with silica: Spheroidal, amorphous nanoform, set including amorphous nanoforms, amorphous forms,

surface-treated nanoforms

(Contd. on page 7)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA_PLUS_PASTE_HB_&_GRADIA_PLUS_GUM_HB

(Contd. of page 6)

92	Other	inform	ation
7.4	Oiner	unun	шит

· Appearance:

Form: Pasty

Important information on protection of health and environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

 \cdot VOC (EC) 0.0 g/l

· Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard classes

Void · Explosives Void · Flammable gases · Aerosols Void Void · Oxidising gases Void · Gases under pressure · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· Desensitised explosives

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
72869-8	6-4 Uretha	ne Dimethacrylate (UDMA)	
Oral	LD50	>5,000 mg/kg (rat female) (OECD 401)	

(Contd. on page 8)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA_PLUS_PASTE_HB_&_GRADIA_PLUS_GUM_HB

		(Contd. of pag
1309-37-1	Iron(III)o	xide
Oral	LD50	>5,000 mg/kg (rat (f+m))
13463-67-	7 titanium	dioxide
Oral	LD50	>5,000 mg/kg (mouse) (OECD 420)
Inhalative	LC50/4 h	>6.82 mg/l (rat male)
13463-67-	7 titanium	dioxide
Oral	LD50	>5,000 mg/kg (mouse) (OECD 420)
Inhalative	LC50/4 h	>6.82 mg/l (rat male)
128-37-0 I	Butylated h	ydroxytoluene
Oral	LD50	>6,000 mg/kg (rat (f+m)) (OECD 401)
1879-09-0	6-tert-buty	yl-2,4-xylenol
Oral	LD50	910 mg/kg (rat (f+m)) (OECD 401)
Dermal	LD50	<200 mg/kg (rabbit) (OECD 402)
2440-22-4	2-(2H-ber	zotriazol-2-yl)-p-cresol
Oral	LD50	10,000 mg/kg (rat (f+m))
Inhalative	LC50/4 h	0.59 mg/l (rat (f+m))
Serious ev	e damage/	irritation Causes serious eve irritation.

- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Additional toxicological information:
- · Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

· 11.2 Information on other hazards

· Endocri	Endocrine disrupting properties	
128-37-0	Butylated hydroxytoluene	List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:	
72869-86-4 Urethane Dimethacrylate (UDMA)	
EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)	
128-37-0 Butylated hydroxytoluene	
EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)	

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 9)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA_PLUS_PASTE_HB_&_GRADIA_PLUS_GUM_HB

(Contd. of page 8)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTI	ON 14:	Transport	t ini	formation

5DC 1101v 14. Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	not regulated	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.	
· UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- · Relevant phrases
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.

(Contd. on page 10)

Printing date 25.07.2023 Version number 2 (replaces version 1) Revision: 25.07.2023

Trade name: GRADIA PLUS PASTE HB & GRADIA PLUS GUM HB

(Contd. of page 9)

```
H319 Causes serious eye irritation.
```

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H361f Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

· Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)

* * Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.