

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.07.2023

Version number 3 (replaces version 2)

Revision: 04.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier Trade name: GC Initial IQ LP NF refresh liquid / GC Initial IQ Layering-over-Zircon Liner thinner 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxillary for dental technology • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax + 32/(0)16/40.26.84msds@gc.dental · Further information obtainable from: Regulatory affairs · 1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Exemptions The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). · Hazard pictograms Void · Signal word Void · Hazard statements H412 Harmful to aquatic life with long lasting effects. · Precautionary statements *P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.* · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. GB (Contd. on page 2)

Printing date 04.07.2023

## Version number 3 (replaces version 2)

Revision: 04.07.2023

Trade name: GC\_Initial\_IQ\_LP\_NF\_refresh\_liquid\_/\_GC\_Initial\_IQ\_Layering-over-Zircon\_Liner\_thinner

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:				
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol substance with a Community workplace exposure limit	90-<100%		
CAS: 7646-85-7	Zinc chloride	≥0.25-<0.5%		
EINECS: 231-592-0 Index number: 030-003-00-2				
	Specific concentration limit: STOT SE 3; H335: $C \ge 5$ %			
	substance with a Community workplace exposure limit			
• Additional information: For the wording of the listed hazard phrases refer to section 16.				

# **SECTION 4:** First aid measures

- 4.1 Description of first aid measures
- General information: If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

- After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

- If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5:** Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

GB

Printing date 04.07.2023

## Version number 3 (replaces version 2)

Revision: 04.07.2023

Trade name: GC\_Initial\_IQ\_LP\_NF\_refresh\_liquid\_/\_GC\_Initial\_IQ\_Layering-over-Zircon\_Liner\_thinner

(Contd. of page 2)

### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
   Wear protective clothing.
   6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities. • 6.3 Methods and material for containment and cleaning up:
- Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 57-55-6 Propylene glycol

- WEL Long-term value: 474\* 10\*\* mg/m<sup>3</sup>, 150\* ppm
  - \*total vapour and particulates \*\*particulates

7646-85-7 Zinc chloride

WEL Short-term value: 2 mg/m<sup>3</sup>

Long-term value: 1 mg/m<sup>3</sup>

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.

- · Respiratory protection: Suitable respiratory protective device recommended.
- Hand protection Protective gloves

(Contd. on page 4)

Printing date 04.07.2023

# Version number 3 (replaces version 2)

Revision: 04.07.2023

Trade name: GC\_Initial\_IQ\_LP\_NF\_refresh\_liquid\_/\_GC\_Initial\_IQ\_Layering-over-Zircon\_Liner\_thinner

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection Safety glasses

2

## **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and chemical proper	rties
· General Information	
· Physical state	Fluid
· Colour:	According to product specification
· Odour:	Characteristic
• Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	2.6 Vol %
· Upper:	12.6 Vol %
· Flash point:	Not applicable.
· Auto-ignition temperature:	Undetermined.
· Decomposition temperature:	Not determined.
· pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
· Solubility	
· water:	Insoluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	
· Appearance:	
· Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	r ····r
Organic solvents:	92.0 %
· Water:	2.5 %
· VOC (EC)	943.7 g/l
	(Contd. on page 5)
	(Conta. on page 5)

Printing date 04.07.2023

## Version number 3 (replaces version 2)

Revision: 04.07.2023

### Trade name: GC\_Initial\_IQ\_LP\_NF\_refresh\_liquid\_/\_GC\_Initial\_IQ\_Layering-over-Zircon\_Liner\_thinner

		(Contd. of page
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard cla	ISSES	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammal	ble gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

7646-85-7 Zinc chloride

Oral LD50 350 mg/kg (rat (f+m))

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

 $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$ 

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

<sup>-</sup> GB -

Printing date 04.07.2023

## Version number 3 (replaces version 2)

Revision: 04.07.2023

(Contd. of page 5)

# Trade name: GC\_Initial\_IQ\_LP\_NF\_refresh\_liquid\_/\_GC\_Initial\_IQ\_Layering-over-Zircon\_Liner\_thinner

• Additional toxicological information:

- *Repeated dose toxicity No further relevant information available.*
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.

• 11.2 Information on other hazards

## · Endocrine disrupting properties

None of the ingredients is listed.

# SECTION 12: Ecological information

### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.

# **SECTION 14:** Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	not regulated	
• 14.2 UN proper shipping name • ADR, ADN, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
		(Contd. on page 7)

Printing date 04.07.2023

Revision: 04.07.2023

### Trade name: GC\_Initial\_IQ\_LP\_NF\_refresh\_liquid\_/\_GC\_Initial\_IQ\_Layering-over-Zircon\_Liner\_thinner

		(Contd. of page 6)
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	<b>g to IMO</b> Not applicable.	
· UN "Model Regulation":	not regulated	

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

#### · Relevant phrases

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
Classification according to Regulation (EC) No 1272/2008 Calculation method

- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental

· Abbreviations and acronvms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 · Sources • ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

(Contd. on page 8)

<sup>-</sup> GB

Printing date 04.07.2023

## Version number 3 (replaces version 2)

Revision: 04.07.2023

Trade name: GC\_Initial\_IQ\_LP\_NF\_refresh\_liquid\_/\_GC\_Initial\_IQ\_Layering-over-Zircon\_Liner\_thinner

(Contd. of page 7)

GB

#### • \* Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.