

References

As of 24 November 2022



GC Initial LRF
BLOCK
Leucite reinforced glass
ceramic CAD/CAM block





GC Initial LRF BLOCK Leucite reinforced glass ceramic CAD/CAM block

1. Edge Chipping Resistance of Glass Ceramic Block for CAD/CAM. K. Kato et al. J Dent Res Vol 99 (Spec Iss A): 0083, <https://iadr2020.zerista.com/event/member/676580>, 2020
2. Wear resistance of CAD/CAM glass ceramic blocks. T. Hoshino et al. J Dent Res Vol 99 (Spec Iss A): 1823, <https://iadr2020.zerista.com/event/member/677583>, 2020
3. In vitro Surface Roughness of Novel Lithium Silicate CAD/CAM Material. A. Valcanaia. J Dent Res Vol 99 (Spec Iss A): 1827, <https://iadr2020.zerista.com/event/member/677587>, 2020
4. Fracture Strength Evaluation of CAD/CAM Endocrowns After Thermo-Mechanical Aging. B. Dikici, E. Türkes Basaran, G. Barut, N. Donmez, E. Can Say. Abstract O024 - PER-IADR Marseille, September 2022
5. Translucency and Value of CAD/CAM Glass-Ceramic Veneers After Hydrothermal Aging. T. Unal, E. Can Say. Abstract P349 - PER-IADR Marseille, September 2022

Articles in Dental magazines

1. CFAO : les matériaux accessibles. Partie 1 – Matériaux usinables : les céramiques vitreuses. H.F. Chabouis, S. Le Goff, S. Marniquet & C. Moussally. BioMatériaux Cliniques, Vol. 1 – n°2 octobre 2016, pp. 44-52.
2. Material choices for CAD/CAM Dentistry. Sameer Puri. DentistryToday.com, February 2018
- 3.