

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.12.2022

Version number 3 (replaces version 2)

Revision: 01.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: GC LiSi PressVest SR Liquid · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxillary for dental technology • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax + 32/(0)16/40.26.84msds@gc.dental · Further information obtainable from: Regulatory affairs · 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.) National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Eye Irrit. 2 H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.

 2.2 Label elements
 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.
 Hazard pictograms



• Signal word Danger

• *Hazard-determining components of labelling: isopropyl alcohol*

• Hazard statements

H225 Highly flammable liquid and vapour.

(Contd. on page 2)

GB

Printing date 01.12.2022

Version number 3 (replaces version 2)

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

	(Contd. of page 1)
H319 Cause	es serious eye irritation.
H336 May c	cause drowsiness or dizziness.
· Precautiona	ary statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
Additional i	information:
3.2 % of the	mixture consists of component(s) of unknown toxicity.
Contains 3.2	2 % of components with unknown hazards to the aquatic environment.
· 2.3 Other he	azards
· Results of P	PBT and vPvB assessment
· PBT: Not ap	
• vPvB: Not a	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

• Dangerous components: CAS: 67-63-0 isopropyl alcohol 90-<100%</td> EINECS: 200-661-7 Isopropyl alcohol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336 90-<100%</td> ALIX: Lie Lie Charles and the second second

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

- After skin contact: If skin irritation continues, consult a doctor.
- After eye contact:
- Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 01.12.2022

Version number 3 (replaces version 2)

Revision: 01.12.2022

(Contd. of page 2)

Trade name: GC_LiSi_PressVest_SR_Liquid

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources. Avoid contact with the eyes and skin. Wear protective clothing. · 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities. · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations. · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.
Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Do not spray onto a naked flame or any incandescent material.

(Contd. on page 4)

GB

Printing date 01.12.2022

Version number 3 (replaces version 2)

Revision: 01.12.2022

(Contd. of page 3)

Trade name: GC_LiSi_PressVest_SR_Liquid

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Store in a cool location.
Store only in unopened original receptacles.
Information about storage in one common storage facility: Store away from foodstuffs.
Further information about storage conditions: Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
Store in a cool place.
7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

67-63-0 isopropyl alcohol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing
- · Respiratory protection: Suitable respiratory protective device recommended.
- · Hand protection



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

GB

Printing date 01.12.2022

Version number 3 (replaces version 2)

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

Eye/face protection	(Contd. of pag
Tightly sealed goggles	
<u> </u>	
SECTION 0. Division and shawing a grant	49.00
SECTION 9: Physical and chemical proper	
9.1 Information on basic physical and chemical prop	perties
General Information Physical state	Fluid
Colour:	Fiuta Colourless
Odour:	Characteristic
Odour: Odour threshold:	Not determined.
<i>Melting point/freezing point:</i>	Not determined. Undetermined.
Boiling point or initial boiling point and boiling range	
Flammability	Highly flammable.
Lower and upper explosion limit	riging frammaore.
Lower:	2 Vol %
Upper:	12 Vol %
Flash point:	13 °C
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
<i>pH at 20 °C</i>	6-8
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Insoluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	Ehuid
Form:	Fluid
Important information on protection of health an aminon mont and on safety	na
environment, and on safety. Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not settigning. Product does not present an explosion hazard.
Solvent content:	i rouaci abes noi present an explosion nazara.
Organic solvents:	95.2 %
VOC (EC)	952.0 g/l
Change in condition	···· 5/1
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
o	· · · · · · · · · · · · · · · · · · ·

- GB -

Printing date 01.12.2022

Version number 3 (replaces version 2)

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

		(Contd. of page 5
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Highly flammable liquid and vapour.	
· Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammal	ble gases	
in contact with water	Void	
• Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

· LD/LC50	values	relevant	for	classification:	
-----------	--------	----------	-----	-----------------	--

67-63-0 isopropyl a	lcohol
Oral LD50	4,570 mg/kg (rat (f+m))
Dermal LD50	13,400 mg/kg (rab)
Inhalative LC50/4 l	a 30 mg/l (rat (f+m))

• Serious eye damage/irritation Causes serious eye irritation.

- STOT-single exposure May cause drowsiness or dizziness.
- Additional toxicological information:

• *Repeated dose toxicity No further relevant information available.*

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 7)

GB

Printing date 01.12.2022

Version number 3 (replaces version 2)

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR, IMDG, IATA	UN1219	
14.2 UN proper shipping name		
ADR	1219 ISOPROPYL ALCOHOL mixture	
IMDG, IATA	ISOPROPYL ALCOHOL mixture	
ADR		
- Class	3 (F1) Flammable liquids.	
· Label	3	

Printing date 01.12.2022

Version number 3 (replaces version 2)

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

	(Contd. of p
IMDG, IATA	
V	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDĞ, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	<i>33</i>
EMS Number:	F-E,S-D
Stowage Category	В
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1219 ISOPROPYL ALCOHOL MIXTURE, 3, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

GB

Printing date 01.12.2022

Revision: 01.12.2022

Trade name: GC_LiSi_PressVest_SR_Liquid

(Contd. of page 8)

Relevant ph	rases
	v flammable liquid and vapour.
	s serious eye irritation.
	ause drowsiness or dizziness.
	on according to Regulation (EC) No 1272/2008 Calculation method
Department	issuing SDS: Regulatory affairs
	ds@gc.dental
	ns and acronyms:
ADR: Accord	elatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internatio
	ingerous Goods by Road)
	tional Maritime Code for Dangerous Goods
	ional Air Transport Association Harmonised System of Classification and Labelling of Chemicals
	pean Inventory of Existing Commercial Chemical Substances
	pean List of Notified Chemical Substances
	Abstracts Service (division of the American Chemical Society)
	Organic Compounds (USA, EU)
	oncentration, 50 percent lose, 50 percent
	t, Bioaccumulative and Toxic
	sistent and very Bioaccumulative
	lammable liquids – Category 2
	rious eye damage/eye irritation – Category 2
-	ecific target organ toxicity (single exposure) – Category 3
Sources	
	p://echa.europa.eu/)
	(www.echemportal.org)
	pared to the previous version altered.
	replaces all previous versions.
Disclaimer:	
	tion contained herein is believed to be true and accurate. However, all statements, recommendation
	ons are made without any guarantee, representation or warranty, express or implied, on our pa
	no warranty is made or to be implied that the information set out in this document is accurate
	nd we accordingly exclude all liability in connection with the use of this information or the produ
referred to	herein. All such risks are assumed by the purchaser/user. The information contained herein is a
	hange without notice. For the avoidance of doubt, however, nothing in this document excludes

limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.