

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.12.2023

Revision: 14.12.2023 *Version number 4 (replaces version 3)* SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: GC Modeling Liquid Nanoform 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxiliary for dental technology · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental · Information department: Regulatory affairs · 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation. Eve Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling: *Urethane Dimethacrylate (UDMA)* 2-Hydroxy-1,3 dimethacryloxypropane

(Contd. on page 2)

EU

Printing date 14.12.2023

Version number 4 (replaces version 3)

Revision: 14.12.2023

Trade name: GC_Modeling_Liquid

	(Contd. of page 1)
2-hydroxyethyl metacrylate	
· Hazard statements	
H315 Causes skin irritation.	
H319 Causes serious eye irritation.	
H317 May cause an allergic skin reaction.	
H335 May cause respiratory irritation.	
H411 Toxic to aquatic life with long lasting effects.	
· Precautionary statements	
P261 Avoid breathing dust/fume/gas/mist/vapors/spray	
P272 Contaminated work clothing must not be allowed out of th	e workplace.
<i>P280 Wear protective gloves / eye protection / face protection.</i>	
P305+P351+P338 If in eyes: Rinse cautiously with water for several minute	es. Remove contact lenses, if present
and easy to do. Continue rinsing.	
P405 Store locked up.	
P501 Dispose of contents/container in accordance with loc	al/regional/national/international
regulations.	
· 2.3 Other hazards	
· Results of PBT and vPvB assessment	

• *Kesults of PBT and vPv* • *PBT:* Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous	components:	
72869-86-4	Urethane Dimethacrylate (UDMA)	25-<50%
	Aquatic Chronic 2, H411; Skin Sens. 1B, H317	
1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane	25-<50%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
868-77-9	2-hydroxyethyl metacrylate	10-<25%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
	Silane, dichlorodimethyl-, reaction products with silica	1-<2.5%
· Additional i	<i>nformation:</i> For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

(Contd. on page 3)

[•] EU

Printing date 14.12.2023

Version number 4 (replaces version 3)

Revision: 14.12.2023

(Contd. of page 2)

Trade name: GC_Modeling_Liquid

If skin irritation continues, consult a doctor.

• After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material. Dispose of the collected material according to regulations.

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

EU

Printing date 14.12.2023

Version number 4 (replaces version 3)

Revision: 14.12.2023

(Contd. of page 3)

Trade name: GC_Modeling_Liquid

Avoid contact with the eyes and skin.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

· Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

· 8.2 Exposure controls

• Additional information about design of technical systems: No further data; see section 7.

- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 14.12.2023

Version number 4 (replaces version 3)

Revision: 14.12.2023

Trade name: GC_Modeling_Liquid

	(Contd. of page
SECTION 9: Physical and chemical pr	operties
9.1 Information on basic physical and chemica	l properties
General Information	
Physical state	Fluid
Color:	Light yellow
Odor:	Characteristic
Odor threshold:	Not determined.
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	$>250 \ ^{\circ}C$
Flammability (solid, gaseous):	Not applicable.
Explosion limits:	11
Lower:	Not determined.
Upper:	Not determined.
Flash point:	>98 °C
Auto igniting:	Undetermined.
Decomposition temperature:	Not determined.
pH-value:	Not determined.
Viscosity:	
Kinematic:	Not determined.
Dynamic:	Not determined.
Solubility in / Miscibility with	1101 weiel milleu.
Water:	Insoluble.
Partition coefficient (n-octanol/water):	Not determined.
Vapor pressure:	Not determined.
vapor pressure. Density and/or relative density	
Density ana/or relative density Density:	Not determined.
Density: Relative density	Not determined.
Vapor density Particle characteristics	Not determined. SiO2: Diameter partials structure = 2.5 , 50 pm (TEN
Particle characteristics	SiO2: Diameter particle structure = $2.5 - 50$ nm (TEN d_{50} number based)
	d50, number-based)
	Diameter agglomerate = $5 - 50 \text{ mm}$ (laser diffraction diameter agglomerate = $5 - 50 \text{ mm}$ (laser diffraction diameter agglomerate)
	module, d50, volume based)
	68611-44-9 Silane, dichlorodimethyl-, reaction produc
	with silica:
	set including amorphous nanoforms
	surface-treated nanoforms
	Shape: Spheroidal
	Structure: amorphous forms
	Crystallinity: amorphous nanoform
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of hea	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product los not servigenting. Product does not present an explosion hazard.
Solvent content:	rouner uoes not present un exprosion nuzuru.
VOC (EC)	0.0 g/l
Change in condition	0.0 8/1
Evaporation rate	Not determined.
	noi aeiei minea.

Printing date 14.12.2023

Version number 4 (replaces version 3)

Revision: 14.12.2023

Trade name: GC_Modeling_Liquid

		(Contd. of page
Information with regard to physical hazard cl	lasses	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamma	ble gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (OECD 401)

• on the skin: Causes skin irritation.

• on the eye: Causes serious eye irritation.

• Sensitization: May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• Specific target organ toxicity - single exposure May cause respiratory irritation.

• Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

EU -

Printing date 14.12.2023

Version number 4 (replaces version 3)

Revision: 14.12.2023

(Contd. of page 6)

List II

Trade name: GC_Modeling_Liquid

• Additional toxicological information:

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Repeated dose toxicity No further relevant information available.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

• 11.2 Information on other hazards

· Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European	waste catalogue
18 00 00	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE)
18 01 00	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 06*	chemicals consisting of or containing hazardous substances

• Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

(Contd. on page 8)

Printing date 14.12.2023

*

Version number 4 (replaces version 3)

Revision: 14.12.2023

Trade name: GC_Modeling_Liquid

(Contd. of page 7)

14.1 UN-Number	
ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name	
DOT	not regulated
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
IMDG	LIQUID, N.O.S. (Urethane Dimethacrylate (UDMA)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (Urethane Dimethacrylate (UDMA), Butylay hydroxytoluene), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S. (Urethane Dimethacrylate (UDMA))
14.3 Transport hazard class(es)	
ADR	
Class Label	9 (M6) Miscellaneous dangerous substances and articles 9
IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles 9
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
-	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Kemler code): EMS Number:	90 F-A,S-F
LMS Number: Stowage Category	г-А,5-г А
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Transport/Additional information:	
ADR	
ADK Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
(-2)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

Printing date 14.12.2023

Version number 4 (replaces version 3)

Revision: 14.12.2023

Trade name: GC_Modeling_Liquid

	(Contd. of page 8
· Transport category · Tunnel restriction code	3 (-)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
• UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (URETHANE DIMETHACRYLATE (UDMA)), 9, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

128-37-0 Butylated hydroxytoluene

· MAK (German Maximum Workplace Concentration)

128-37-0 Butylated hydroxytoluene

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• Seveso category E2 Hazardous to the Aquatic Environment

• Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

(Contd. on page 10)

A4

4

EU

Printing date 14.12.2023

Version number 4 (replaces version 3)

Revision: 14.12.2023

Trade name: GC_Modeling_Liquid

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. of page 9)

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

• *REGULATION (EU) 2019/1148*

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 Calculation method · Department issuing SDS: Regulatory affairs · Contact: msds@gc.dental · Date of previous version 14.12.2023 · Version number of previous version: 3 • Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

(Contd. on page 11)

Printing date 14.12.2023

Version number 4 (replaces version 3)

Revision: 14.12.2023

(Contd. of page 10)

EU -

Trade name: GC_Modeling_Liquid

· Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

• * Data compared to the previous version altered.

This version replaces all previous versions. Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.