

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.05.2023

Version number 4 (replaces version 3)

Revision: 23.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name:

<u>OPTIGLAZE_color_(Clear, Orange, Red, Brown, Grey, Black, Pink, Yellow, Blue, Green, White, Ivory White)</u>

Nanoform

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxiliary for dental technology
- 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental

· Information department: Regulatory affairs

· 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- Methyl methacrylate • Hazard statements
- H225 Highly flammable liquid and vapour.

(Contd. on page 2)

EU

Printing date 23.05.2023

Revision: 23.05.2023

Trade name: OPTIGLAZE color (Clear, Orange, Red, Brown, Grey, Black, Pink, Yellow, Blue, Green, White, Ivory _White)

(Contd. of page 1) H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. · Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Additional information: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous	components:	
	Methyl methacrylate	50-<75%
	Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	1
7631-86-9	silicon dioxide	5-<10%
13463-67-7	titanium dioxide	2.5-<5%
	Carc. 2, H351	1
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1-<2.5%
	Repr. 2, H361f	1
Additional i	uformation. For the wording of the listed har and physics refer to section 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- If symptoms persist consult doctor.
- After inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

- Immediately wash with water and soap and rinse thoroughly.
- Seek medical treatment.
- If skin irritation continues, consult a doctor.

(Contd. on page 3)

Printing date 23.05.2023

Version number 4 (replaces version 3)

Revision: 23.05.2023

Trade name: OPTIGLAZE_color_(Clear,_Orange,_Red,_Brown,_Grey,_Black,_Pink,_Yellow,_Blue,_Green,_White,_Ivory _White)

(Contd. of page 2)

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist consult doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.
6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

Absorb liquid components with liquid-binding material. Dispose of the collected material according to regulations.

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

Printing date 23.05.2023

Version number 4 (replaces version 3)

Revision: 23.05.2023

Trade name: OPTIGLAZE_color_(Clear,_Orange,_Red,_Brown,_Grey,_Black,_Pink,_Yellow,_Blue,_Green,_White,_Ivory __White)
(Contd. of page 3)
Avoid contact with the eyes and skin.

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Do not spray on a naked flame or any incandescent material.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in unopened original receptacles.
Information about storage in one common storage facility: Store away from foodstuffs.
Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Store in a cool place.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Components with limit values that require monitoring at the workplace:

80-62-6 Methyl methacrylate

IOELV Short-term value: 100 ppm Long-term value: 50 ppm

· DNELs

80-62-6 Methyl methacrylate

Dermal DNEL dermal 13.67 mg/kg bw/day (man) (worker, l. te., syst.)

Inhalative DNEL inhalation 208 mg/m3 (air) (worker, l. te., syst.)

13463-67-7 titanium dioxide

Inhalative DNEL inhalation 10 mg/m3 (man)

• Additional information: The lists that were valid during the creation were used as basis.

- · 8.2 Exposure controls
- Additional information about design of technical systems: No further data; see section 7.
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- Avoid contact with the eyes and skin.
- Wash hands before breaks and at the end of work.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

Printing date 23.05.2023

Version number 4 (replaces version 3)

Revision: 23.05.2023

Trade name: OPTIGLAZE_color_(Clear,_Orange,_Red,_Brown,_Grey,_Black,_Pink,_Yellow,_Blue,_Green,_White,_Ivory _White)

(Contd. of page 4)

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



*

Tightly sealed goggles

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemica	l properties
· General Information	
· Physical state	Fluid
· Color:	According to product specification
· Odor:	Pungent
• Odor threshold:	Not determined.
• Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	101 °C
· Flammability (solid, gaseous):	Highly flammable.
• Explosion limits:	
· Lower:	2.1 Vol %
· Upper:	12.5 Vol %
· Flash point:	10 °C
· Auto igniting:	Undetermined.
• Decomposition temperature:	Not determined.
· pH-value:	Not determined.
· Viscosity:	
· Kinematic:	Not determined.
· Dynamic:	Not determined.
· Solubility in / Miscibility with	
· Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.06 g/cm ³
· Relative density	Not determined.
· Vapor density	Not determined.
· Particle characteristics	SiO2: Diameter particle structure = $2.5 - 50$ nm (TEM,
	d50, number-based)
	Diameter agglomerate $= 5 - 50$ mm (laser diffraction dry
	module, d50, volume based)
	7631-86-9 silicon dioxide: Spheroidal, amorphous
	nanoform, set including amorphous nanoforms,
	amorphous forms, non-surface-treated nanoforms
	(Contd. on page 6)
	(Conta: on page o)

Printing date 23.05.2023

Version number 4 (replaces version 3)

Revision: 23.05.2023

	(Contd. of page 5
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of he	alth and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	0.0 g/l
Change in condition	-
Evaporation rate	Not determined.
Information with regard to physical hazard cl	asses
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	ble gases
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.

(Contd. on page 7)

EU

Printing date 23.05.2023

Version number 4 (replaces version 3)

Revision: 23.05.2023

Trade name: OPTIGLAZE_color_(Clear,_Orange,_Red,_Brown,_Grey,_Black,_Pink,_Yellow,_Blue,_Green,_White,_Ivory __White)

80-62-6 MeOralDermalInhalative7631-86-9 sOral13463-67-7OralInhalativeon the skin.on the skin.on the skin.on the skin.on the skin.Germ cell mCarcinogenReproducti	alues that are relevant for classification: thyl methacrylate LD50 6,000 mg/kg (rabbit) LD50 >5,000 mg/kg (rab) LC50/4 h 29.8 mg/l (rat (f+m)) silicon dioxide LD50 10,000 mg/kg (rat (f+m)) titanium dioxide LD50 >5,000 mg/kg (mouse) (OECD 420)	
Oral Dermal Inhalative 7631-86-9 s Oral 13463-67-7 Oral Inhalative On the skin on the skin on the eye: Sensitizatio Germ cell n Carcinogen Reproducti	LD50 6,000 mg/kg (rabbit) LD50 >5,000 mg/kg (rab) LC50/4 h 29.8 mg/l (rat (f+m)) silicon dioxide LD50 10,000 mg/kg (rat (f+m)) titanium dioxide	
Dermal Inhalative 7631-86-9 s Oral 13463-67-7 Oral Inhalative Oral Inhalative Sensitizatio Germ cell n Carcinogen Reproducti	LD50 >5,000 mg/kg (rab) LC50/4 h 29.8 mg/l (rat (f+m)) silicon dioxide LD50 10,000 mg/kg (rat (f+m)) titanium dioxide	
Inhalative 7631-86-9 s Oral 13463-67-7 Oral Inhalative on the skin on the skin on the eye: Sensitizatio Germ cell n Carcinogen Reproducti	LC50/4 h 29.8 mg/l (rat (f+m)) silicon dioxide LD50 10,000 mg/kg (rat (f+m)) titanium dioxide	
7631-86-9Oral13463-67-7OralInhalativeon the skinon the skinon the eye:SensitizatioGerm cell nCarcinogenReproducti	cilicon dioxide LD50 10,000 mg/kg (rat (f+m)) titanium dioxide	
13463-67-7 Oral Inhalative on the skin on the skin on the eye: Sensitizatio Germ cell n Carcinogen Reproducti	titanium dioxide	
Oral Inhalative on the skin on the eye: Sensitizatio Germ cell n Carcinogen Reproducti	titanium dioxide	
Inhalative on the skin on the eye: Sensitizatio Germ cell n Carcinogen Reproducti	LD50 >5,000 mg/kg (mouse) (OECD 420)	
on the skin on the eye: Sensitizatio Germ cell n Carcinogen Reproducti		
on the eye: Sensitizatio Germ cell n Carcinogen Reproducti	LC50/4 h > 6.82 mg/l (rat male)	
Aspiration Additional OSHA-Ca None of the Repeated d CMR effect No further 11.2 Inform Endocrine	nutagenicity Based on available data, the classification nutagenicity Based on available data, the classification criter, we toxicity Based on available data, the classification of get organ toxicity - single exposure May cause respir get organ toxicity - repeated exposure Based on avail hazard Based on available data, the classification crit toxicological information: (Occupational Safety & Health Administration) ingredients is listed. ose toxicity No further relevant information available. (accinogenity, mutagenicity and toxicity for reprodu- relevant information available. tation on other hazards disrupting properties ingredients is listed.	ia are not met. criteria are not met. ratory irritation. lable data, the classification criteria are not me teria are not met.
12.1 Toxici Aquatic tox 12.2 Persist 12.3 Bioacc 12.4 Mobili	<i>icity:</i> No further relevant information available. <i>tence and degradability</i> No further relevant information cumulative potential No further relevant information a <i>ty in soil</i> No further relevant information available. <i>s of PBT and vPvB assessment</i> pplicable.	

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Contd. on page 8)

- EU -

Printing date 23.05.2023

Version number 4 (replaces version 3)

Revision: 23.05.2023

(Contd. of page 7)

ЕU

Trade name: OPTIGLAZE_color_(Clear,_Orange,_Red,_Brown,_Grey,_Black,_Pink,_Yellow,_Blue,_Green,_White,_Ivory _White)

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

1	
	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT
	KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE)
18 01 00	wastes from natal care, diagnosis, treatment or prevention of disease in humans

18 01 06 chemicals consisting of or containing hazardous substances*

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR, IMDG, IATA	UN1247
14.2 UN proper shipping name	
DOT	Methyl methacrylate monomer, stabilized mixture
ADR	1247 METHYL METHACRYLATE MONOMER, STABILIZE
	mixture
IMDG, IATA	METHYL METHACRYLATE MONOMER, STABILIZE. mixture
14.3 Transport hazard class(es)	
ADR	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
14.4 Packing group	
14.4 I uching group	

Printing date 23.05.2023

Revision: 23.05.2023

Trade name: OPTIGLAZE_color_	(Clear,_Orange,_	_Red,_Brown,_	Grey,_Black,_	Pink,_Yellow,_	_Blue,_Green,	_White,_Ivory
_White)						

	(Contd. of page
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	33
EMS Number:	F-E,S-D
Stowage Category	C
Stowage Code	SW1 Protected from sources of heat.
5	SW2 Clear of living quarters.
14.7 Transport in bulk according to Annex II of	of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOMEN
-	STABILIZED MIXTURE, 3, II

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

80-62-6 Methyl methacrylate

· Proposition 65

*

• Chemicals known to cause cancer:

13463-67-7 titanium dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 10)

[•] EU

Printing date 23.05.2023

Version number 4 (replaces version 3)

Revision: 23.05.2023

	(Contd. of page 9
Carcinogenic categories	
EPA (Environmental Protect	ion Agency)
80-62-6 Methyl methacrylate	· · ·
TLV (Threshold Limit Value)	
80-62-6 Methyl methacry	
13463-67-7 titanium dioxide	A4
MAK (German Maximum Wa	orkplace Concentration)
13463-67-7 titanium dioxide	3A
NIOSH-Ca (National Institut	te for Occupational Safety and Health)
13463-67-7 titanium dioxide	
Qualifying quantity (tonnes) REGULATION (EC) No 190	for the application of lower-tier requirements 5,000 t for the application of upper-tier requirements 50,000 t 7/2006 ANNEX XVII Conditions of restriction: 3 on the restriction of the use of certain hazardous substances in electrical and x II
None of the ingredients is liste	
REGULATION (EU) 2019/1	
, ,	PLOSIVES PRECURSORS (Upper limit value for the purpose of licensing unde
None of the ingredients is liste	ed.
Annex II - REPORTABLE E	XPLOSIVES PRECURSORS
None of the ingredients is liste	ed.
Regulation (EC) No 273/2004	4 on drug precursors
None of the ingredients is liste	?d.
Regulation (EC) No 111/200 countries in drug precursors	5 laying down rules for the monitoring of trade between the Community and third
	1
None of the ingredients is liste	20.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H361f Suspected of damaging fertility.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

(Contd. on page 11)

Printing date 23.05.2023

Revision: 23.05.2023

Version number of previous version: 3 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCCS: European Inventory of Existing Commercial Chemical Substances ELINCCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent DDS: Lethal concentration, 50 percent DDS: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Lig. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Irrit. 2: Scin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitistion – Category 2 Stort SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources • ECHA (http://echa.europa.eu/)		(Contd. of page 10)
Abbreviations and acronyms: DPR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ENRCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inst of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNE: Derived No-Effect Level (REACH) CS0: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic PVF: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSH: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Skin Sens. 1: Skin sensitisation – Category 2 Skin Sens. 1: Skin corrosion/irritation = Category 2 Skin Sens. 1: Skin sensitisation – Category 2 Skin	Date of previous version 23.05.2023	
Abbreviations and acronyms: DPR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ENRCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Instruction Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNE: Derived No-Effect Level (REACH) CS0: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic PVF: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety DSH: Occupational Safety & Health Flam. Liq. 2: Kin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 2 <td< td=""><td>Version number of previous version: 3</td><td></td></td<>	Version number of previous version: 3	
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Maritime Code for Dangerous Goods DENE: Seuropean Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances Commical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DDRL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent DPBT: Persistent, Bioaccumulative and Toxic PPWB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Sqlety NOSH: Accupational Sqlety & Health Flam. Lig. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Irrit. 2: Skin sensitisation – Category 1 Care. 2: Carcinogenicity – Category 2 Stro TSE 3: Specific target organ toxicity (single exposure) – Category 3 Sources ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this docurate or 		
Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DDT: US Department of Transportation ATA: International Air Transport Association GHS: Globalty Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No.Effect Level (REACH) LC50: Lethal concentration, 50 percent DPT: Persistent, Bioaccumulative and Toxic PMF: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Skin Nert. 2: Skin sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Star Strores FOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous version altered. This version contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or		ute (European Agreement Concerning the International
DOT: US Department of Transport Association IATA: International Air Transport Association IATA: International Air Transport Association IATS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Ists of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent DPS: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety NIOSH: National Institute for Occupational Safety NIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health Fam. Liq. 2: Flammable liquids – Category 2 Skin Irrit: 2: Skin corrosion/irritation – Category 2 Skin Irrit: 2: Skin corrosion/irritation – Category 2 Skin Irrit: 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 2 Skin Sens. 1: Skin sensitisation – Category 2 Skin Sens. 1: Specific target organ toxicity (single exposure) – Category 3 Sources • ECHA(http://echa.europa.eu/) • ECHA(http://echa.europa.eu/) • EnviChem (www.echemportal.org) * Data compared to the previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or	Carriage of Dangerous Goods by Road)	
 IdTA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent DPTE: Derived No-Effect Level (REACH) LC50: Lethal cose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Lig. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Irrit. 2: Skin sensitisation – Category 2 Skin Irrit. 2: Reproductive toxicity – Category 2 Skores Stor SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources ECHA (http://echa.europa.eu/) ECHA (http://echa.europa.eu/) EAN Cohem (www.echemportal.org) * Data compared to the previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or 		
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LDSO: Lethal concentration, 50 percent DPBT: Persistent, Bioaccumulative and Toxic VPS: very Persistent and very Bioaccumulative NIOSH: Automal Institute for Occupational Safety OSHA: Occupational Safety OSHA: Occupational Safety Skin Sens. 1: Skin sensitisation – Category 2 Skin Sens. 1: Skin corrosion/irritation – Category 1 Carc. 2: Carcinogenicity – Category 2 Stores ECHA (http://echa.europa.eu/) ECHA (http://echa.europa.eu/) ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. 		
 ElNECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent UD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Skin Sens. 1: Skin sensitisation – Category 2 Stort SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) * Data compared to the previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or 		
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent DD50: Lethal concentration, 50 percent DD70: Very Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitistation – Category 2 Skin Sens. 1: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitistation – Category 2 Stor SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) * Data compared to the previous versions . Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or		
 CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent PBT: Persistent and very Bioaccumulative NPS: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Skin Sens. 1: Skin sensitisation – Category 2 Skin Sens. 1: Skin sensitisation – Category 2 Skort Second Science (single exposure) – Category 3 Sources ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous versions. Disclaimer: This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. 		
 VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Skin Sens. 1: Skin corrosion/irritation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. 		
 DNEL: Derived No-Effect Level (REACH) LCS0: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSH4: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Irrit. 2: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. 		
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Skin Sens. 1: Skin sensitisation – Category 2 Skin Sens. 2: Skeproductive toxicity – Category 2 Skorces • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or		
 PBT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Lig. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 1 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 StoT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. 	LC50: Lethal concentration, 50 percent	
 wPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Skin Fens. 1: Skin sensitisation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. 	LD50: Lethal dose, 50 percent	
 NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids - Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. 		
OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or		
 Flam. Liq. 2: Flammable líquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. 		
 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or 		
 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or 	Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or	Skin Sens. 1: Skin sensitisation – Category 1	
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or 	Carc. 2: Carcinogenicity – Category 2	
 Sources ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or 	Repr. 2: Reproductive toxicity – Category 2	
 ECHA (http://echa.europa.eu/) EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or 		
 EnviChem (www.echemportal.org) * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or 		
* Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or	• ECHA (http://echa.europa.eu/)	
This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or	• EnviChem (www.echemportal.org)	
This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or	* Data compared to the previous version altered.	
Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or		
The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or		
or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or		However all statements recommendations
Therefore, no warranty is made or to be implied that the information set out in this document is accurate or		
referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also	subject to change without notice. For the avoidance of doubt, how	vever nothing in this document excludes or

limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

EU -