

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2018

Version number 2

Revision: 22.11.2017

#### **SECTION 1: Identification**

- · 1.1 Product identifier
- · Trade name: GC UniFil Bond Bonding Agent
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxiliary for dental technology
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental

· Information department: Regulatory affairs

· 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

#### SECTION 2: Hazard(s) identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labeled according to the CLP regulation.

• Hazard pictograms



· Signal word Warning

 Hazard-determining components of labeling: Urethane Dimethacrylate (UDMA)
 2-Hydroxy-1,3 dimethacryloxypropane
 2-hydroxyethyl metacrylate

· Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

(Contd. on page 2)

<sup>-</sup> EU

Printing date 03.08.2018

Version number 2

Revision: 22.11.2017

#### Trade name: GC UniFil Bond Bonding Agent

•	ause respiratory irritation.
Precautiona	ry statements
P261	Avoid breathing mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves / eye protection / face protection.
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other ha	zards

• *PBT*: Not applicable. • *vPvB*: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterization: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous o	components:	
72869-86-4	Urethane Dimethacrylate (UDMA)	25-<50%
	Skin Sens. 1, H317	
	2-Hydroxy-1,3 dimethacryloxypropane	25-<50%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
	2-hydroxyethyl metacrylate	10-<25%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
· Additional i	<i>nformation:</i> For the wording of the listed hazard phrases refer to section 16.	

#### **SECTION 4: First-aid measures**

- 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

- If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

If skin irritation continues, consult a doctor.

- After eye contact:
- Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 03.08.2018

#### Version number 2

Revision: 22.11.2017

(Contd. of page 2)

Trade name: GC UniFil Bond Bonding Agent

- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Fire-fighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective supportion in case of searces into water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities. • 6.3 Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.

Dispose of the collected material according to regulations.

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Avoid contact with the eyes and skin.
• Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

— EU

Printing date 03.08.2018

Version number 2

Revision: 22.11.2017

(Contd. of page 3)

Trade name: GC UniFil Bond Bonding Agent

• 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Avoid contact with the eyes and skin.
  Wash hands before breaks and at the end of work.
  Keep away from foodstuffs, beverages and feed.
  Immediately remove all soiled and contaminated clothing.
  Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

# **SECTION 9: Physical and chemical properties**

- •9.1 Information on basic physical and chemical properties
- General Information
- Appearance:

   Form:
   Color:
   Ddor:
   Characteristic
   Odor threshold:
   Not determined.

   pH-value:
   Not determined.

(Contd. on page 5)

EU

Printing date 03.08.2018

Version number 2

Revision: 22.11.2017

Trade name: GC UniFil Bond Bonding Agent

		(Contd. of page 4)
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. > 250 °C	
· Flash point:	> 98 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Undetermined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure:	Not determined.	
· Density: · Relative density · Vapor density · Evaporation rate	Not determined. Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with Water:	Insoluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
<ul> <li>Solvent content: VOC (EC)</li> <li>9.2 Other information</li> </ul>	0.0 g/l No further relevant information available.	

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

(Contd. on page 6)

EU

Printing date 03.08.2018

#### Version number 2

Revision: 22.11.2017

Trade name: GC UniFil Bond Bonding Agent

	(Contd. of pag
LD/LC50 values that are relevant for classification:	
72869-86-4 Urethane Dimethacrylate (UDMA)	
Oral LD50 > 5000 mg/kg (rat female) (OECD 401)	
Primary irritant effect:	
on the skin:	
Causes skin irritation.	
on the eye:	
Causes serious eye irritation.	
• <b>Sensitization:</b> May cause an allergic skin reaction.	
• Additional toxicological information:	
• OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
<b>Repeated dose toxicity</b> No further relevant information available.	
• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)	
No further relevant information available.	
Germ cell mutagenicity Based on available data, the classification criteria are not met.	
Carcinogenicity Based on available data, the classification criteria are not met.	
Reproductive toxicity Based on available data, the classification criteria are not met.	
STOT-single exposure	
May cause respiratory irritation.	
• STOT-repeated exposure Based on available data, the classification criteria are not met	•
• Aspiration hazard Based on available data, the classification criteria are not met.	
SECTION 12: Ecological information	
SECTION 12: Ecological information 12.1 Toxicity Aquatic toxicity:	
12.1 Toxicity	
· 12.1 Toxicity · Aquatic toxicity:	
• 12.1 Toxicity         • Aquatic toxicity:         72869-86-4 Urethane Dimethacrylate (UDMA)         EC50/48h (static)       > 1.2 mg/l (daphnia magna) (OECD 202)	
<ul> <li>12.1 Toxicity</li> <li>Aquatic toxicity:</li> <li>72869-86-4 Urethane Dimethacrylate (UDMA)</li> <li>EC50/48h (static) &gt; 1.2 mg/l (daphnia magna) (OECD 202)</li> <li>12.2 Persistence and degradability No further relevant information available.</li> </ul>	
• 12.1 Toxicity         • Aquatic toxicity:         72869-86-4 Urethane Dimethacrylate (UDMA)         EC50/48h (static)       > 1.2 mg/l (daphnia magna) (OECD 202)	
<ul> <li>12.1 Toxicity</li> <li>Aquatic toxicity:</li> <li>72869-86-4 Urethane Dimethacrylate (UDMA)</li> <li>EC50/48h (static) &gt; 1.2 mg/l (daphnia magna) (OECD 202)</li> <li>12.2 Persistence and degradability No further relevant information available.</li> <li>12.3 Bioaccumulative potential No further relevant information available.</li> </ul>	
<ul> <li>12.1 Toxicity</li> <li>Aquatic toxicity:</li> <li>72869-86-4 Urethane Dimethacrylate (UDMA)</li> <li>EC50/48h (static) &gt; 1.2 mg/l (daphnia magna) (OECD 202)</li> <li>12.2 Persistence and degradability No further relevant information available.</li> <li>12.3 Bioaccumulative potential No further relevant information available.</li> <li>12.4 Mobility in soil No further relevant information available.</li> <li>Additional ecological information:</li> <li>General notes:</li> </ul>	
• 12.1 Toxicity         • Aquatic toxicity:         72869-86-4 Urethane Dimethacrylate (UDMA)         EC50/48h (static) > 1.2 mg/l (daphnia magna) (OECD 202)         • 12.2 Persistence and degradability No further relevant information available.         • 12.3 Bioaccumulative potential No further relevant information available.         • 12.4 Mobility in soil No further relevant information available.         • Additional ecological information:         • General notes:         Water hazard class 2 (Self-assessment): hazardous for water	
• 12.1 Toxicity         • Aquatic toxicity:         • 72869-86-4 Urethane Dimethacrylate (UDMA)         • EC50/48h (static) > 1.2 mg/l (daphnia magna) (OECD 202)         • 12.2 Persistence and degradability No further relevant information available.         • 12.3 Bioaccumulative potential No further relevant information available.         • 12.4 Mobility in soil No further relevant information available.         • Additional ecological information:         • General notes:         Water hazard class 2 (Self-assessment): hazardous for water         Do not allow product to reach ground water, water course or sewage system.	
• 12.1 Toxicity         • Aquatic toxicity:         72869-86-4 Urethane Dimethacrylate (UDMA)         EC50/48h (static) > 1.2 mg/l (daphnia magna) (OECD 202)         • 12.2 Persistence and degradability No further relevant information available.         • 12.3 Bioaccumulative potential No further relevant information available.         • 12.4 Mobility in soil No further relevant information available.         • 12.4 Mobility in soil No further relevant information available.         • Additional ecological information:         • General notes:         Water hazard class 2 (Self-assessment): hazardous for water         Do not allow product to reach ground water, water course or sewage system.         Danger to drinking water if even small quantities leak into the ground.	
• 12.1 Toxicity         • Aquatic toxicity:         • 72869-86-4 Urethane Dimethacrylate (UDMA)         EC50/48h (static)       > 1.2 mg/l (daphnia magna) (OECD 202)         • 12.2 Persistence and degradability No further relevant information available.         • 12.3 Bioaccumulative potential No further relevant information available.         • 12.4 Mobility in soil No further relevant information available.         • Additional ecological information:         • General notes:         Water hazard class 2 (Self-assessment): hazardous for water         Do not allow product to reach ground water, water course or sewage system.         Danger to drinking water if even small quantities leak into the ground.         • 12.5 Results of PBT and vPvB assessment	
• 12.1 Toxicity         • Aquatic toxicity:         72869-86-4 Urethane Dimethacrylate (UDMA)         EC50/48h (static)       > 1.2 mg/l (daphnia magna) (OECD 202)         • 12.2 Persistence and degradability No further relevant information available.         • 12.3 Bioaccumulative potential No further relevant information available.         • 12.4 Mobility in soil No further relevant information available.         • Additional ecological information:         • General notes:         Water hazard class 2 (Self-assessment): hazardous for water         Do not allow product to reach ground water, water course or sewage system.         Danger to drinking water if even small quantities leak into the ground.         • 12.5 Results of PBT and vPvB assessment         • PBT: Not applicable.	
• 12.1 Toxicity         • Aquatic toxicity:         72869-86-4 Urethane Dimethacrylate (UDMA)         EC50/48h (static)       > 1.2 mg/l (daphnia magna) (OECD 202)         • 12.2 Persistence and degradability No further relevant information available.         • 12.3 Bioaccumulative potential No further relevant information available.         • 12.4 Mobility in soil No further relevant information available.         • Additional ecological information:         • General notes:         Water hazard class 2 (Self-assessment): hazardous for water         Do not allow product to reach ground water, water course or sewage system.         Danger to drinking water if even small quantities leak into the ground.         • 12.5 Results of PBT and vPvB assessment         • PBT: Not applicable.         • vPvB: Not applicable.	
• 12.1 Toxicity         • Aquatic toxicity:         72869-86-4 Urethane Dimethacrylate (UDMA)         EC50/48h (static)       > 1.2 mg/l (daphnia magna) (OECD 202)         • 12.2 Persistence and degradability No further relevant information available.         • 12.3 Bioaccumulative potential No further relevant information available.         • 12.4 Mobility in soil No further relevant information available.         • Additional ecological information:         • General notes:         Water hazard class 2 (Self-assessment): hazardous for water         Do not allow product to reach ground water, water course or sewage system.         Danger to drinking water if even small quantities leak into the ground.         • 12.5 Results of PBT and vPvB assessment         • PBT: Not applicable.	
12.1 Toxicity         Aquatic toxicity:         72869-86-4 Urethane Dimethacrylate (UDMA)         EC50/48h (static)       > 1.2 mg/l (daphnia magna) (OECD 202)         12.2 Persistence and degradability No further relevant information available.         12.3 Bioaccumulative potential No further relevant information available.         12.4 Mobility in soil No further relevant information available.         Additional ecological information:         General notes:         Water hazard class 2 (Self-assessment): hazardous for water         Do not allow product to reach ground water, water course or sewage system.         Danger to drinking water if even small quantities leak into the ground.         12.5 Results of PBT and vPvB assessment         PBT: Not applicable.         vPvB: Not applicable.         vPvB: Not applicable.         12.6 Other adverse effects No further relevant information available.	
• 12.1 Toxicity         • Aquatic toxicity:         72869-86-4 Urethane Dimethacrylate (UDMA)         EC50/48h (static)       > 1.2 mg/l (daphnia magna) (OECD 202)         • 12.2 Persistence and degradability No further relevant information available.         • 12.3 Bioaccumulative potential No further relevant information available.         • 12.4 Mobility in soil No further relevant information available.         • Additional ecological information:         • General notes:         Water hazard class 2 (Self-assessment): hazardous for water         Do not allow product to reach ground water, water course or sewage system.         Danger to drinking water if even small quantities leak into the ground.         • 12.5 Results of PBT and vPvB assessment         • PBT: Not applicable.         • vPvB: Not applicable.	
12.1 Toxicity         Aquatic toxicity:         72869-86-4 Urethane Dimethacrylate (UDMA)         EC50/48h (static)       > 1.2 mg/l (daphnia magna) (OECD 202)         12.2 Persistence and degradability No further relevant information available.         12.3 Bioaccumulative potential No further relevant information available.         12.4 Mobility in soil No further relevant information available.         Additional ecological information:         General notes:         Water hazard class 2 (Self-assessment): hazardous for water         Do not allow product to reach ground water, water course or sewage system.         Danger to drinking water if even small quantities leak into the ground.         12.5 Results of PBT and vPvB assessment         PBT: Not applicable.         vPvB: Not applicable.         vPvB: Not applicable.         12.6 Other adverse effects No further relevant information available.	

(Contd. on page 7)

Printing date 03.08.2018

Version number 2

Revision: 22.11.2017

Trade name: GC UniFil Bond Bonding Agent

(Contd. o	of page 6)
-----------	------------

· European waste catalogue

18 00 00	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except
	kitchen and restaurant wastes not arising from immediate health care)

18 01 00 wastes from natal care, diagnosis, treatment or prevention of disease in humans

18 01 06\* chemicals consisting of or containing hazardous substances

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	tion
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	not regulated
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anno MARPOL73/78 and the IBC Code	<b>ex II of</b> Not applicable.
· UN "Model Regulation":	not regulated

# SECTION 15: Regulatory information

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 8)

EU

Printing date 03.08.2018

Version number 2

Revision: 22.11.2017

(Contd. of page 7)

Trade name: GC UniFil Bond Bonding Agent

· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
128-37-0 Butylated hydroxytoluene	A4
· MAK (German Maximum Workplace Concentration)	
128-37-0 Butylated hydroxytoluene	4
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

#### · Relevant phrases

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. · Classification according to Regulation (EC) No 1272/2008 Calculation method · Department issuing SDS: Regulatory affairs · Contact: msds@gc.dental · Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 · Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org)

(Contd. on page 9)

<sup>-</sup> EU

Printing date 03.08.2018

Version number 2

Revision: 22.11.2017

Trade name: GC UniFil Bond Bonding Agent

(Contd. of page 8)

EU -

#### $\cdot$ \* Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.