MS439421

Page 1 of 2

, GC, R

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

DISTRIBUTOR

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900 Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T. Transportation Emergency Telephone No. 800-424-9300

COMMON NAME: GC FUJI ORTHO LC - Powder GC FUJI ORTHO LC CAPSULE - Powder

CHEMICAL NAME: N.A.

PRODUCT USE: Light-cured glass ionomer for bonding of orthodontic appliances. (Powder component).

The following information is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed powder/liquid system.

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS	LD50/LC50	%
Alumino-fluoro-silicate glass	Not listed	TLV=10mg/m ³	N.E.	100
(amorphous)		PEL=15mg/m ³		
		(ACGIH)		

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT:	N.E.	SPECIFIC GRAVITY (H2O = 1):	2.56
VAPOR PRESSURE:	N.E.	MELTING POINT:	>1,350°C
VAPOR DENSITY:	N.E.	EVAPORATION RATE:	N.E.
SOLUBILITY IN WATER	: Insoluble	ODOR THRESHOLD:	N.E.
COEFFICIENT OF OIL/W	ATER DISTRIBUTION: N.E.	APPEARANCE AND ODOR:	Very fine white powder

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: Not flammable

FLAMMABLE LIMITS: N.A.

EXTINGUISHING MEDIA: Material is not combustible. Use extinguishing media appropriate to the surrounding area. **SPECIAL FIRE FIGHTING PROCEDURES:** N.A.

UNUSUAL FIRE AND EXPLOSION HAZARDS: N.E.

HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, carbon monoxide

SECTION 5 - REACTIVITY DATA

STABILITY: POLYMERIZATION: Stable 🔀 Will Not Occur 🔀

Unstable	
Will Occur	

CONDITIONS TO AVOID: Avoid high temperatures and humidity **INCOMPATIBILITY (Materials to Avoid):** N.E.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: No decomposition if used or stored according to specifications.

, GC

GC FUJI ORTHO LC - POWDER MS439421 SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

Page 2 of 2

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY		X						
SENSITIZER		X						
	·	1	I	1		I	1	1
OUTES OF ENTRY: Inhalatio	n 🖂	Sk	in 🗌	Ing	estion			

ROUTES OF ENTRY: Inhalation 🖂

HEALTH HAZARD (Acute and Chronic): Dusts of silica glass is a known cause of silicosis, a non-cancerous lung disease. SIGNS AND SYMPTOMS OF OVEREXPOSURE: Irritation and soreness in throat and nose. CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: May aggravate preexisting upper respiratory and lung disease.

EMERGENCY FIRST AID PROCEDURES:

INHALATION: Remove to fresh air, drink water to clear throat and blow nose to evacuate dust. **INGESTION:** Ingestion may require medical assistance. SKIN: Wash with soap and water.

EYES: Flush with large quantities of water. If irritation develops or persists seek medical attention.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Avoid generating dust while sweeping. If an excessive amount of dust is generated use a filter equipped vacuum and MSHA/NIOSH approved mask.

WASTE DISPOSAL METHOD: In accordance with local, state and federal regulations.

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store at normal room temperatures and humidity.

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: Minimize exposure to dust in accordance with good hygiene practice. If needed, use MSHA-NIOSH approved respirator for dusts, mists and fumes.

Special: N.A.

Other: N.A.

Local Exhaust: Yes **VENTILATION:** Mechanical: Yes

PROTECTIVE GLOVES: Disposable vinyl gloves recommended. **EYE PROTECTION:** Safety glasses **OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Eyewash station WORK/HYGIENIC PRACTICE: Follow safe hygiene practices.

SECTION 9- PREPARATION INFORMATION

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR

DATE: 09 January 2006 **REVISED:** 13 March 2012

N.A. = NOT APPLICABLE N.E. = NOT ESTABLISHED

The information herein is given in good faith but no warranty expressed or implied is made.

NFPA						
FIRE – 0	TOXICITY – 0	REACTIVITY – 0	SPECIAL -			

.....