

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: KEG-2003H-30B

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: LIMS. General purpose molding rubber (LIMS material)
For industrial purposes only

1.3 Details of the supplier of the safety data sheet

Company name: Shin-Etsu Silicones Europe B.V.

Street/POB-No.: Bolderweg 32

Postal Code, city: 1332 AV Almere
Netherlands

Telephone: +31 36-5493-170

Telefax: +31 36-5326-459

Department responsible for information:

QA department,

Telephone: +31 36-5493-179, Email: sds@shinetsusilicones.eu

1.4 Emergency telephone number

Telephone: +31 36-5493-170

Only available during office hours.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

2.3 Other hazards

With exposure to water, alcohols, acids, bases, oxidizing agents, metal catalyst, metallic compounds, product will release hydrogen.

Information about hydrogen: Extremely flammable gas.

Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Organopolysiloxane mixture

The product does not contain dangerous substances above limits that need to be mentioned in this section according to applicable legislation.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Move victim to fresh air. Seek medical treatment in case of troubles.

Following skin contact: Remove mechanically with cloth or paper. Thoroughly wash skin with soap and water. Consult a doctor if skin irritation persists.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After swallowing: Rinse mouth with water.
Never give an unconscious person anything through the mouth.
Consult physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

After eye contact: Direct contact with eyes may cause temporary irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, carbon dioxide

Extinguishing media which must not be used for safety reasons:

Basic dry chemical powder

5.2 Special hazards arising from the substance or mixture

Combustible. Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition products: Silicon dioxide, traces of incompletely burned carbon compounds, formaldehyde, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information: Hazchem-Code: -

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Attention: With exposure to water, alcohols, acids, bases, oxidizing agents, metal catalyst, metallic compounds, product will release hydrogen.
Eliminate all ignition sources if safe to do so. Keep unprotected people away. Do not breathe fume/gas/mist/vapours/spray.
Provide adequate ventilation. Wear appropriate protective equipment.
Avoid contact with skin and eyes.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.
If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

In case of spills of large quantities:

Stop leak if safe to do so. Dam spills. Covered by plastic film. Take up with non-flammable, liquid binding material (e.g. sand/earth/diatomaceous earth/vermiculit) and perform disposal according to instructions.

Never return spills in original containers for re-use.

Additional information: Use explosion-proof equipment and non-sparking tools/utensils.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.
Do not breathe fume/gas/mist/vapours/spray. Wear appropriate protective equipment.
Avoid contact with skin and eyes.
Eye wash facility must be provided.
Wash hands before breaks and after work.
Do not eat, drink or smoke when using this product. Use caution when opening containers under pressure.

Precautions against fire and explosion:

With exposure to water, alcohols, acids, bases, oxidizing agents, metal catalyst, metallic compounds, product will release hydrogen.

Keep away from sources of ignition - No smoking. Do not weld.

Take precautionary measures against static discharges.

Use explosion-proof equipment and non-sparking tools/utensils.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep only in the original container in a cool, well-ventilated place.

Keep container tightly closed and dry.

Keep away from heat sources, sparks and open flames.

Hints on joint storage: Avoid contact with acids, bases, water, humidity, alcohols, oxidizing agents, metal catalyst and metallic compounds.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Use in contained systems. Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection.

Hand protection: Protective gloves according to EN 374.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Keep away from heat sources, sparks and open flames.

Avoid contact with skin and eyes. Do not breathe fume/gas/mist/vapours/spray.

Wash hands before breaks and after work. Eye wash facility must be provided.

Do not eat, drink or smoke when using this product.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	solid
Colour:	Form: pasty translucent
Odour:	odourless
Odour threshold:	No data available
Melting point/freezing point:	No data available
initial boiling point and boiling range:	No data available
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	> 100 °C (c.c.)
Decomposition temperature:	No data available
pH:	Not applicable
Viscosity, dynamic:	at 23 °C: 831 Pa*s

KEG-2003H-30B

Material number KEG-2003H-30B

Page: 5 of 9

Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	at 25 °C: negligible
Density:	at 23 °C: 1.13 g/cm ³
Vapour density:	No data available
Particle characteristics:	No data available

9.2 Other information

Explosive properties:	Product is not explosive.
Oxidizing characteristics:	not oxidising
Auto-ignition temperature:	No data available
Evaporation rate:	negligible (butyl acetate =1)
Additional information:	No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

With exposure to water, alcohols, acids, bases, oxidizing agents, metal catalyst, metallic compounds, product will release hydrogen.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions with proper and specified storage and handling

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.
Protect from direct sunlight.

10.5 Incompatible materials

Oxidizing agents, acids, bases, alcohols, water, humidity, metal catalyst, metallic compounds

10.6 Hazardous decomposition products

Hydrogen.
Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition products: silicon dioxide, traces of incompletely burned carbon compounds, formaldehyde, carbon monoxide and carbon dioxide, metallic oxides.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

- Acute toxicity (oral): Lack of data.
- Acute toxicity (dermal): Lack of data.
- Acute toxicity (inhalative): Lack of data.
- Skin corrosion/irritation: Lack of data.
- Serious eye damage/irritation: Lack of data.
- Sensitisation to the respiratory tract: Lack of data.
- Skin sensitisation: Lack of data.
- Germ cell mutagenicity/Genotoxicity: Lack of data.
- Carcinogenicity: Lack of data.
- Reproductive toxicity: Lack of data.
- Effects on or via lactation: Lack of data.
- Specific target organ toxicity (single exposure): Lack of data.
- Specific target organ toxicity (repeated exposure): Lack of data.
- Aspiration hazard: Lack of data.

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Other information:

If this product is heated to temperatures greater than 150 °C in presence of air, small quantities of formaldehyde vapours may be released.

Information about Formaldehyde:

Toxic if swallowed, in contact with skin or if inhaled. May cause cancer. Causes severe skin burns and eye damage. Suspected of causing genetic defects. May cause an allergic skin reaction.

Symptoms

After eye contact: Direct contact with eyes may cause temporary irritation.

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Waste key number: 07 02 17 = Waste containing silicones

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: 150104: Metallic packaging

150102: Plastic packaging

150107: Glass packaging

Dispose of waste according to applicable legislation.

Do not re-use the empty container.

SECTION 14: Transport information**14.1 UN number or ID number**

ADR/RID, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant:

no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**National regulations - Great Britain**

Hazchem-Code:

-

No data available

National regulations - EC member states

Further regulations, limitations and legal requirements:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EN: European Standard
EQ: Excepted quantities
EU: European Union
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

Date of first version: 19/7/2022

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at:
<http://sumdat.net/rprw3u13>

