

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2017

Version number 1

Revision: 20.10.2016

# **SECTION 1: Identification**

- · 1.1 Product identifier
- · Trade name: GC LiSi PressVest SR Liquid
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxiliary for dental technology
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gceurope.com
- Information department: Regulatory affairs • 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

## SECTION 2: Hazard(s) identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labeled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: isopropyl alcohol
Hazard statements
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements
P210
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280
Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

EU

Printing date 17.02.2017

Version number 1

Revision: 20.10.2016

## Trade name: GC LiSi PressVest SR Liquid

P303+P361	(Contd. of page 1) +P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin
1000 1001	with water/shower.
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
• Additional i	nformation:
2,5 % of the	mixture consists of component(s) of unknown toxicity.
Contains 2,5	5 % of components with unknown hazards to the aquatic environment.
· 2.3 Other he	nzards
· Results of P	BT and vPvB assessment
• <b>PBT:</b> Not ap	pplicable.

· **vPvB:** Not applicable.

# SECTION 3: Composition/information on ingredients

## · 3.2 Chemical characterization: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

#### · Dangerous components:

67-63-0 isopropyl alcohol

Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336

```
• Additional information: For the wording of the listed hazard phrases refer to section 16.
```

# **SECTION 4: First-aid measures**

#### • 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Take affected persons into fresh air and keep quiet.

- After skin contact: If skin irritation continues, consult a doctor.
- After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

FI

75-<100%

Printing date 17.02.2017

#### Version number 1

Revision: 20.10.2016

## Trade name: GC LiSi PressVest SR Liquid

(Contd. of page 2)

# SECTION 5: Fire-fighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.
6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb liquid components with liquid-binding material. Dispose of the collected material according to regulations.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.
 Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Do not spray on a naked flame or any incandescent material.

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Store only in unopened original receptacles. • Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 4)

<sup>—</sup> EU

Printing date 17.02.2017

Version number 1

Revision: 20.10.2016

Trade name: GC LiSi PressVest SR Liquid

(Contd. of page 3)

## • Further information about storage conditions:

Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Store in a cool place.

• 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

· Breathing equipment: Suitable respiratory protective device recommended.

• Protection of hands:



Protective gloves

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

# **SECTION 9: Physical and chemical properties**

- •9.1 Information on basic physical and chemical properties
- General Information
- · Appearance:

Form:

Fluid

(Contd. on page 5)

EU

<sup>· 8.1</sup> Control parameters

Printing date 17.02.2017

Version number 1

Revision: 20.10.2016

## Trade name: GC LiSi PressVest SR Liquid

	(Contd	. of page 4
Color:	Colorless	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	82 °C	
Flash point:	13 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	2,0 Vol %	
Upper:	12,0 Vol %	
· Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	95,0 %	
VOC (EC)	950,0 g/l	
9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 17.02.2017

Version number 1

Revision: 20.10.2016

Trade name: GC LiSi PressVest SR Liquid

(Contd. of page 5)

	values that are relevant for classification:	
67-63-0 is	opropyl alcohol	
Oral	LD50 4570 mg/kg (rat (f+m))	
Dermal	LD50 13400 mg/kg (rab)	
Inhalative	LC50/4 h 30 mg/l (rat (f+m))	
Primary in	ritant effect:	
on the skin	a: Based on available data, the classification criteria are not met.	
on the eye		
	ious eye irritation.	
	on: Based on available data, the classification criteria are not met.	
Additional	toxicological information:	
OSHA-Ca	(Occupational Safety & Health Administration)	
None of th	e ingredients is listed.	
Repeated of	lose toxicity No further relevant information available.	
	ets (carcinogenity, mutagenicity and toxicity for reproduction)	
	relevant information available.	
	mutagenicity Based on available data, the classification criteria are not met.	
	nicity Based on available data, the classification criteria are not met.	
	ive toxicity Based on available data, the classification criteria are not met.	
STOT-sing	gle exposure	
· ·	drowsiness or dizziness.	
STOT-rep	eated exposure Based on available data, the classification criteria are not met. hazard Based on available data, the classification criteria are not met.	

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- Danger to drinking water if even extremely small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Contd. on page 7)

EI

Printing date 17.02.2017

Version number 1

Revision: 20.10.2016

Trade name: GC LiSi PressVest SR Liquid

(Contd. of page 6)

# **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

4.1 UN-Number DR, IMDG, IATA UN1219 4.2 UN proper shipping name OT Isopropanol mix DR 1219 ISOPROPY MDG, IATA ISOPROPYL AL 4.3 Transport hazard class(es) DR Vass 3 (F1) Flammab abel 3 MDG, IATA Variable I abel 3 MDG, IATA II 4.4 Packing group DR, IMDG, IATA II 4.5 Environmental hazards: Marine pollutant: No 4.6 Special precautions for user Warning: Flamma Danger code (Kemler): 33 TMS Number: F-E,S-D	
DOT Isopropanol mix   DR 1219 ISOPROPYL AL   4.3 Transport hazard class(es) ISOPROPYL AL   DR Isopropanol mix   Vass 3 (F1) Flammab   abel 3   MDG, IATA Image: Constraint of the second	
DR 1219 ISOPROP   MDG, IATA ISOPROPYL AL   4.3 Transport hazard class(es) DR   DR 3   Vlass 3 (F1) Flammab abel 3 MDG, IATA Vlass 3 Flammable liq abel 3 4.4 Packing group DR, IMDG, IATA II 4.5 Environmental hazards: Marine pollutant: No 4.6 Special precautions for user Warning: Flammable and all of the second sec	
MDG, IATA ISOPROPYL AL   4.3 Transport hazard class(es)   DR   Image: Constraint of the start of the	ure
4.3 Transport hazard class(es) DR Vass 3 (F1) Flammab abel 3 MDG, IATA Vass 3 Flammable liq abel 3 4.4 Packing group DR, IMDG, IATA II 4.5 Environmental hazards: Marine pollutant: No 4.6 Special precautions for user Warning: Flamm Danger code (Kemler): 33	L ALCOHOL mixture
DR Vass 3 (F1) Flammab abel 3 MDG, IATA View State	COHOL mixture
Vass       3 (F1) Flammab         abel       3         MDG, IATA       3         Vass       3 Flammable liq         abel       3         Vass       3 Flammable liq         abel       3         Vass       3 Flammable liq         abel       3         4.4 Packing group       11         DR, IMDG, IATA       11         4.5 Environmental hazards:       No         4.6 Special precautions for user       Warning: Flammable liq         Danger code (Kemler):       33	
abel       3         MDG, IATA       3         Image: Second Stress       3         Flass       3         abel       3         4.4 Packing group       3         DR, IMDG, IATA       11         4.5 Environmental hazards:       No         4.6 Special precautions for user       Warning: Flamm         Danger code (Kemler):       33	
abel       3         MDG, IATA       3         Image: Second Stress       3         Flass       3         abel       3         4.4 Packing group       3         DR, IMDG, IATA       11         4.5 Environmental hazards:       No         4.6 Special precautions for user       Warning: Flamm         Danger code (Kemler):       33	
abel       3         MDG, IATA       3         Image: Second Stress       3         Flass       3         abel       3         4.4 Packing group       3         DR, IMDG, IATA       11         4.5 Environmental hazards:       No         4.6 Special precautions for user       Warning: Flamm         Danger code (Kemler):       33	
abel       3         MDG, IATA       3         Image: Second Stress       3         Flass       3         abel       3         4.4 Packing group       3         DR, IMDG, IATA       11         4.5 Environmental hazards:       No         4.6 Special precautions for user       Warning: Flamm         Danger code (Kemler):       33	
abel       3         MDG, IATA       3         Image: Second Stress       3         Flass       3         abel       3         4.4 Packing group       3         DR, IMDG, IATA       11         4.5 Environmental hazards:       No         4.6 Special precautions for user       Warning: Flamm         Danger code (Kemler):       33	e liquids
Vass       3 Flammable liq         abel       3         4.4 Packing group       3         DR, IMDG, IATA       II         4.5 Environmental hazards:       No         Marine pollutant:       No         4.6 Special precautions for user       Warning: Flammable Statements         Danger code (Kemler):       33	*
Vass       3 Flammable liq         abel       3         4.4 Packing group       3         DR, IMDG, IATA       II         4.5 Environmental hazards:       No         Marine pollutant:       No         4.6 Special precautions for user       Warning: Flammable Statements         Danger code (Kemler):       33	
abel34.4 Packing group DR, IMDG, IATAII4.5 Environmental hazards: Marine pollutant:No4.6 Special precautions for userWarning: Flamm 33	
4.4 Packing group DR, IMDG, IATAII4.5 Environmental hazards: Marine pollutant:No4.6 Special precautions for user Danger code (Kemler):Warning: Flamm 33	ıids
DR, IMDG, IATAII4.5 Environmental hazards: Marine pollutant:No4.6 Special precautions for user Danger code (Kemler):Warning: Flamm 33	
4.5 Environmental hazards: Marine pollutant:No4.6 Special precautions for user Danger code (Kemler):Warning: Flamm 33	
Iarine pollutant:No4.6 Special precautions for userWarning: FlammDanger code (Kemler):33	
4.6 Special precautions for userWarning: FlammDanger code (Kemler):33	
Danger code (Kemler): 33	
	able liquids
MS Number: F-E,S-D	
towage Category B	
4.7 Transport in bulk according to Annex II of	
IARPOL73/78 and the IBC CodeNot applicable.	

Printing date 17.02.2017

Version number 1

Revision: 20.10.2016

Trade name: GC LiSi PressVest SR Liquid

	(Contd. of page 7
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(EQ)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1219 ISOPROPYL ALCOHOL MIXTURE, 3, II

# **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

67-63-0 isopropyl alcohol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

10043-11-5 boron nitride

• TLV (Threshold Limit Value established by ACGIH)

67-63-0 isopropyl alcohol

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 9)

I (oral)

A4

EU

Printing date 17.02.2017

Version number 1

Revision: 20.10.2016

#### Trade name: GC LiSi PressVest SR Liquid

(Contd. of page 8)

#### · Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Department issuing SDS: Regulatory affairs

· Contact: msds@gceurope.com • Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) \* \* Data compared to the previous version altered.

This version replaces all previous versions. Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.