

Printing date 12/15/2015

Version US-EN-Rev 1

Reviewed on 12/15/2015

```
1 Identification
```

- · Product identifier
- · Trade name: TempSmart Paste B
- · Application of the substance / the mixture Auxiliary for dental technology
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC America Inc. 3737 W. 127th Street Alsip, IL 60803 USA

sds@gcamerica.com

- · Information department: Regulatory Affairs
- Emergency telephone number: During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900 Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Acute 3 H402 Harmful to aquatic life.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

• Additional information:

The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: urethane dimethacrylate (UDMA) dimethacrylate component**
- Hazard statements May cause an allergic skin reaction. Harmful to aquatic life.
- Harmful to aquatic life with long lasting effects. **Precautionary statements**
- Contaminated work clothing must not be allowed out of the workplace.

Printing date 12/15/2015

Version US-EN-Rev 1

Reviewed on 12/15/2015

Trade name: TempSmart Paste B

	(Contd. of page 1
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wear protective gloves.	
Avoid release to the environment.	
Wash contaminated clothing before reuse.	
Dispose of contents/container in accordance with local/regional/national/in Additional information:	nternational regulations.
32.2 % of the mixture consists of component(s) of unknown toxicity.	
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 0	
Fire = 0	
Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH O Health = 0	
FIRE 0 Fire = 0	
REACTIVITY 0 Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

•	•	
72869-86-4	urethane dimethacrylate (UDMA)	50-70%
	dimethacrylate component**	10-20%
128-37-0	butylated hydroxytoluene (BHT)	< 0.5%

· Additional information:

If a substance is marked with **, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

- After inhalation: Supply fresh air; consult doctor in case of complaints. In case of unconsciousness place patient stably in side position for transportation.
 After skin contact:
- Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

(Contd. on page 3)

⁻ US

Printing date 12/15/2015

Version US-EN-Rev 1

Reviewed on 12/15/2015

(Contd. of page 2)

Trade name: TempSmart Paste B

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing:

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

Information for doctor:

- · Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
 Avoid contact with the eyes and skin.
 Wear protective clothing.
 Environmental precautions:

Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.

- **Methods and material for containment and cleaning up:** Absorb liquid components with liquid-binding material. Dispose of the collected material according to regulations.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Observe instructions for use.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

Printing date 12/15/2015

Version US-EN-Rev 1

Reviewed on 12/15/2015

Trade name: TempSmart Paste B

(Contd. of page 3)

- US

- · Storage:
- Requirements to be met by storerooms and receptacles:
- Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Observe instructions for use / storage.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Avoid contact with the eyes and skin.
- Wash hands before breaks and at the end of work.
- Immediately remove all soiled and contaminated clothing.
- Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands: Protective gloves
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:		
Form:	Paste	
Color:	According to product specification	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
		(Contd. on page 5

Printing date 12/15/2015

Version US-EN-Rev 1

Reviewed on 12/15/2015

Trade name: TempSmart Paste B

	(Contd. of page
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Solids content:	86.3 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable at ambient temperature.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

us

Printing date 12/15/2015

Version US-EN-Rev 1

Reviewed on 12/15/2015

Trade name: TempSmart Paste B

(Contd. of page 5)

Informa • Acute to	tion on toxicological effects oxicity:	
) values that are relevant for classification:	
128-37-0) butylated hydroxytoluene (BHT)	
Oral	LD50 10700 mg/kg (guinea pig)	
	1040 mg/kg (mouse)	
	2930 mg/kg (rat (f+m))	
Dermal	LD50 890 mg/kg (rat (f+m))	
· Primary	irritant effect:	
	kin: No irritant effect.	
	ye: No irritating effect.	
	ation: Sensitization possible through skin contact. al toxicological information:	
	genic categories	
•	ternational Agency for Research on Cancer)	
	oxide, amorphous	
butylated	I hydroxytoluene (BHT)	
•	tional Toxicology Program)	
None of	the ingredients is listed.	
OSHA-C	a (Occupational Safety & Health Administration)	
None of	the ingredients is listed.	
	genic categories' legend:	
	oup 1: The agent is carcinogenic to humans.	
	oup 2A: The agent is probably carcinogenic to humans.	
	oup 2B: The agent is possibly carcinogenic to humans. oup 3: The agent is not classifiable as to its carcinogenicity to humans.	
	oup 4: The agent is probably not carcinogenic to humans.	
	Known to be human carcinogen.	
	Reasonably anticipated to be human carcinogen.	
	d dose toxicity. No further relevant information available.	
	ects (carcinogenity, mutagenicity and toxicity for reproduction)	
· CMR eff	er relevant information available.	

· Aquatic toxicity:

128-37-0 butylated hydroxytoluene (BHT)

NOEC-value Ecol. other effects 0.07 mg/l (daphnia magna)

21 day, reproductive effects

• Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· **Bioaccumulative potential** No further relevant information available.

(Contd. on page 7)

US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS 29 CFR 1910.1200

Printing date 12/15/2015

Version US-EN-Rev 1

Reviewed on 12/15/2015

Trade name: TempSmart Paste B

· Mobility in soil No further relevant information available.

- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Harmful to aquatic organisms
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Void	
 [.] UN proper shipping name [.] DOT, ADR, IMDG, IATA 	Void	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Void	
· Packing group · DOT, ADR, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	k II of Not applicable.	
· UN "Model Regulation":	Void	

(Contd. on page 8)

US

Printing date 12/15/2015

Version US-EN-Rev 1

Reviewed on 12/15/2015

Trade name: TempSmart Paste B

(Contd. of page 7)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture SARA (Superfund Amendments and Reauthorization Act)
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

urethane dimethacrylate (UDMA)

- surface-treated silica**
- dimethacrylate component**
- dimethacrylate**
- N-carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid)
- butylated hydroxytoluene (BHT)

Carcinogenic categories

· EPA (Environmental Protection Agency)

- None of the ingredients is listed.
- TLV (Threshold Limit Value established by ACGIH)
- butylated hydroxytoluene (BHT)
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.

· GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling: urethane dimethacrylate (UDMA) dimethacrylate component**
- Hazard statements May cause an allergic skin reaction. Harmful to aquatic life.
- Harmful to aquatic life with long lasting effects.
- Precautionary statements Contaminated work clothing must not be allowed out of the workplace.
 - Avoid breathing dust/fume/gas/mist/vapors/spray
 - Wear protective gloves.
 - Avoid release to the environment.
 - Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)

A4

Printing date 12/15/2015

Version US-EN-Rev 1

Reviewed on 12/15/2015

Trade name: TempSmart Paste B

(Contd. of page 8) • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Department incluing SDS: Degulatory Affaire
Department issuing SDS: Regulatory Affairs
· Contact:
Regulatory Affairs
Telephone No. +1 (708) 597-0900
sds@gcamerica.com
· Date of preparation / last revision 12/15/2015 / -
· Abbreviations and acronyms:
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
HCS: Hazard Communication Standard (USA)
MSDS: Material Safety Data Sheet
SDS: Safety Data Sheet
ECHA: European Chemicals Agency
OSHA: Occupational Safety and Health Administration (USA)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the
International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
Aquatic Acute 3: Hazardous to the aquatic environment - AcuteHazard, Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3
· Sources
Manufacturers' MSDSs/SDSs
 OSHA (https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html)
TOXNET (http://toxnet.nlm.nih.gov/)
• ECHA (http://echa.europa.eu/)
• EnviChem (www.echemportal.org)
· Notes:
CAS Registry Number is a Registered Trademark of the American Chemical Society.
CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.
* Data compared to the provious version altered. This version replaces all provious versions
• * Data compared to the previous version altered. This version replaces all previous versions.
· Disclaimer:
The information contained herein is believed to be true and accurate. However, all statements,
recommendations or suggestions are made without any guarantee, representation or warranty, express

recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.